TBNAME	NAME	COLNO	COLTYPE	LENGTH	NULLS	KEYSEQ	DESCRIPTION	TYPE
T_ABDUCTOR		**0**					**Abductor - maintains the data associated to the abductor of a missing person. Refers to T_MISWTDJUV, Missing Wanted Juvenile.** **Primary Source: Police**	
T_ABDUCTOR	PER_ID_FK	1	CHAR	12	N	1	The system generated number to uniquely identify a person.	JUV
T_ABDUCTOR	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_ABDUCTOR	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_ABDUCTOR	CASE_TIMESTAMP	4	TIMESTMP	10	N	4	The system generated timestamp used to uniquely identify a missing/wanted case.	JUV
T_ABDUCTOR	POL_RPT_NBR	5	CHAR	12	N	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_ABDUCTOR	PROBABLE_DEST	6	CHAR	50	Y	0	The probable destination or location the abductor is believed to be taking the juvenile.	JUV
T_ABDUCTOR	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_ABDUCTOR	CREATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_ABDUCTOR	CREATION_DATE	9	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_ABDUCTOR	CREATOR	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_ABDUCTOR	LAST_UPDATED_BY	11	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_ABDUCTOR	LAST_UPDATE_DATE	12	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_ABDUCTOR	UPDATER	13	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_ADR		**0**					**Address - maintains the address information. Refers to T_PERADR, Person Address.**	
T_ADR	ID	1	DECIMAL	12	N	1	The system generated number to uniquely identify an address.	JUV
T_ADR	STREET_ADDR	2	CHAR	66	N	0	The address of the location that the person resides or works.	JUV
T_ADR	EXTRA_ADDR_DESC	3	CHAR	30	Y	0	An additional line used to describe the address.	JUV
T_ADR	CITY_NAME_FK	4	CHAR	24	Y	0	The name of the city associated to the address.	JUV
T_ADR	ZIP_PREFIX_NBR	5	CHAR	5	Y	0	The zip code prefix associated to the address. This represents the first 5 digits.	JUV
T_ADR	STAT_ABBV_CODE_FK	6	CHAR	2	Y	0	The state abbreviation associated to the address.	JUV
T_ADR	ZIP_SUFFIX_NBR	7	CHAR	4	Y	0	The zip code suffix associated to the address. This represents the additional 4 digits.	JUV
T_ADR	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_ADR	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_ADR	CREATION_DATE	10	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_ADR	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_ADR	LAST_UPDATED_BY	12	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_ADR	LAST_UPDATE_DATE	13	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_ADR	UPDATER	14	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_AGYJUVREF		**0**					**Agency Juvenile Referral - associates the T_JUV, Juvenile and T_FCREF, Family Court Referral tables. Maintains the data associating the juvenile and the respective referral.** **Primary Source: Family Court**	
T_AGYJUVREF	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_AGYJUVREF	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_AGYJUVREF	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_AGYJUVREF	REC_AGY_CODE_FK	4	SMALLINT	2	N	4	The agency code of the receiving agency.	JUV
T_AGYJUVREF	DATE	5	DATE	4	N	5	The month, day and year of the referral.	JUV
T_AGYJUVREF	SEQ_NBR	6	DECIMAL	2	N	6	The sequence number of the referral (zero to many on a given date).	JUV
T_AGYJUVREF	REC_DATE	7	DATE	4	Y	0	The month, day and year the referral was received.	JUV
T_AGYJUVREF	FC_REF_JUV_ID_FK	8	CHAR	12	Y	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_AGYJUVREF	FC_REF_AGY_FK	9	SMALLINT	2	Y	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_AGYJUVREF	FC_REF_AGY_ID_FK	10	CHAR	12	Y	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_AGYJUVREF	FC_REF_SEQ_NBR	11	DECIMAL	2	Y	0	The sequence number that the Family Court uses to identify each referral. It is an identification number assigned by the Family Court's JUSTIS system.	JUV
T_AGYJUVREF	FC_REF_COUNT	12	DECIMAL	2	Y	0	The count associated to the referral.	JUV
T_AGYJUVREF	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_AGYJUVREF	CREATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV

Table	Column	#	Type	Len	Null	Key	Description	Src
T_AGYJUVREF	CREATION_DATE	15	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_AGYJUVREF	CREATOR	16	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_AGYJUVREF	LAST_UPDATED_BY	17	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_AGYJUVREF	LAST_UPDATE_DATE	18	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_AGYJUVREF	UPDATER	19	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_ASDPER		**0**					**Associated Person - maintains the data of persons associated to juveniles.**	
T_ASDPER	PER_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_ASDPER	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_ASDPER	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_ASDPER	BIRTH_DATE	4	DATE	4	Y		0	The month, day and year person was born.	JUV
T_ASDPER	SSN	5	CHAR	9	Y		0	The social security number of the person.	JUV
T_ASDPER	LAST_NAME	6	CHAR	40	N		0	The last name of the person.	JUV
T_ASDPER	FIRST_NAME	7	CHAR	40	N		0	The first name of the person.	JUV
T_ASDPER	MIDDLE_NAME	8	CHAR	40	Y		0	The middle name of the person.	JUV
T_ASDPER	MIDDLE_NAME_2	9	CHAR	40	Y		0	The second middle name of the person.	JUV
T_ASDPER	LAST_NAME_PHN_CODE	10	CHAR	7	Y		0	The last name phonetic code used for search.	JUV
T_ASDPER	SUFFIX	11	CHAR	3	Y		0	The suffix of the person, e.g. Jr., III, etc.	JUV
T_ASDPER	EMPLOYER	12	CHAR	20	Y		0	The employer of the person.	JUV
T_ASDPER	SEX_CODE_FK	13	CHAR	1	Y		0	The sex of the juvenile, e.g. M-male, F-female or U-undetermined.	JUV
T_ASDPER	AUDIT_SEQ_NBR	14	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_ASDPER	CREATED_BY	15	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_ASDPER	CREATION_DATE	16	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_ASDPER	CREATOR	17	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_ASDPER	LAST_UPDATED_BY	18	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_ASDPER	LAST_UPDATE_DATE	19	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_ASDPER	UPDATER	20	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_CDNREFGRP		**0**					**Condition Referral Group - associates the T_JUVCDN, Juvenile Condition and T_REFREFGRP, Referral by Referral Group tables. Maintains the data associating the condition to the respective referral group.** **Primary Source: Family Court**	
T_CDNREFGRP	JUV_CDN_JUV_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CDNREFGRP	JUV_CDN_AGY_COD_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CDNREFGRP	JUV_CDN_AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CDNREFGRP	JUV_CDN_SRV_ID_FK	4	CHAR	2	N		4	The Juvenile Condition Service Id which uniquely identifies a condition assigned to the juvenile.	JUV
T_CDNREFGRP	CDN_CCT_CODE_FK	5	SMALLINT	2	N		5	The circuit in which the condition originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_CDNREFGRP	FC_REF_OR_GRP_NBR	6	CHAR	5	N		6	The referral number, referral group or petition group number.	JUV
T_CDNREFGRP	FC_NBR_TYP_FK	7	CHAR	1	N		7	The FC number type determines what kind of document is being described.	JUV
T_CDNREFGRP	FC_REF_COUNT	8	DECIMAL	2	Y		0	The count associated to the referral.	JUV
T_CDNREFGRP	REF_CCT_CODE_FK	9	SMALLINT	2	Y		0	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_CDNREFGRP	AUDIT_SEQ_NBR	10	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CDNREFGRP	CREATED_BY	11	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_CDNREFGRP	CREATION_DATE	12	TIMESTMP	10	N		0	The month, day and year the row was created in the table.	JUV
T_CDNREFGRP	CREATOR	13	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_CDNREFGRP	LAST_UPDATED_BY	14	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_CDNREFGRP	LAST_UPDATE_DATE	15	TIMESTMP	10	N		0	The month, day and year the row was updated in the table.	JUV
T_CDNREFGRP	UPDATER	16	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_CMPT		**0**					**Complainant - associates the T_ASDPER, Associated Person (complainant) and T_MISWTDJUV, Missing Wanted Juvenile tables. Maintains the data associating the complainant to the respective missing wanted case.** **Primary Source: Police**	
T_CMPT	PER_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CMPT	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CMPT	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV

Table	Column		Type				Description	Source
T_CMPT	CASE_TIMESTAMP	4	TIMESTMP	10	N	4	The system generated timestamp used to uniquely identify a missing/wanted case.	JUV
T_CMPT	POL_RPT_NBR	5	CHAR	12	Y	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_CMPT	NOTIF_UPON_REL	6	CHAR	1	N	0	The Notify Upon Release flag is an indicator to let the users know to notify the victim/complainant upon the release of the juvenile.	JUV
T_CMPT	OTHER_TYP_NOTIF	7	CHAR	1	N	0	The Other Type of Notification flag is an indicator to let the user know if any other kind of notification is required.	JUV
T_CMPT	NOTIF_NOTE	8	CHAR	77	Y	0	The Notification Note is a free form text field.	JUV
T_CMPT	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CMPT	CREATED_BY	10	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_CMPT	CREATION_DATE	11	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_CMPT	CREATOR	12	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_CMPT	LAST_UPDATED_BY	13	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_CMPT	LAST_UPDATE_DATE	14	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_CMPT	UPDATER	15	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_CMPTJUVCHG		**0**					**Complainant Juvenile Charge - associates the T_ASDPER, Associated Person (complainant) and T_JUVCHG, Juvenile Charge tables. Maintains the data associating the complainant to the respective offense.** **Primary Source: Police**	
T_CMPTJUVCHG	PER_ID_FK	1	CHAR	12	N	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CMPTJUVCHG	AGY_CODE_FK	2	SMALLINT	2	N	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CMPTJUVCHG	AGY_ID_FK	3	CHAR	12	N	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CMPTJUVCHG	JUV_CHG_JUV_ID_FK	4	CHAR	12	N	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CMPTJUVCHG	JUV_CHG_AGY_COD_FK	5	SMALLINT	2	N	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CMPTJUVCHG	JUV_CHG_AGY_ID_FK	6	CHAR	12	N	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CMPTJUVCHG	POL_RPT_AGY_COD_FK	7	SMALLINT	2	N	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_CMPTJUVCHG	POL_RPT_NBR_FK	8	CHAR	12	N	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_CMPTJUVCHG	JUV_CHG_CNT_FK	9	DECIMAL	2	N	0	The count associated to the offense or charge.	JUV
T_CMPTJUVCHG	CHG_TYP_CODE_FK	10	CHAR	1	N	0	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_CMPTJUVCHG	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CRTAPP		**0**					**Court Appearance - maintains the data associated to a court appearance.** **Primary Source: Family Court**	
T_CRTAPP	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CRTAPP	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CRTAPP	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CRTAPP	FC_APP_ID	4	CHAR	3	N	4	The Family Court appearance identifier originating from the JUSTIS system.	JUV
T_CRTAPP	CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the court appearance originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_CRTAPP	APP_DATE	6	DATE	4	N	0	The month, day and year of the the court appearance.	JUV
T_CRTAPP	APP_TIME	7	TIME	3	N	0	The actual time the hearing started and ended.	JUV
T_CRTAPP	CAL_TYPE_FK	8	CHAR	3	Y	0	The types of calendars a judge is scheduled to hear.	JUV
T_CRTAPP	CAL_PHASE_FK	9	CHAR	2	Y	0	The calendar phase, e.g. am or pm.	JUV
T_CRTAPP	CAL_PRI_FK	10	CHAR	3	Y	0	The calendar priority.	JUV
T_CRTAPP	CAL_SCH_FK	11	CHAR	1	Y	0	A weekly court resource assignment and informational list of judges and circuit court clerks by day of week and calendar type.	JUV
T_CRTAPP	FC_CSE_SEQ_NBR_FK	12	CHAR	10	N	0	The unique identifier of the FC-J case number or FC-S case number. Note: This "FC-S" and "FC-J" prefix + number is assigned by the Family Court clerical staff when the case folder is created.	JUV
T_CRTAPP	HRG_STS_CODE_FK	13	CHAR	4	Y	0	The status of a hearing, e.g. completed, rescheduled, continued, etc.	JUV
T_CRTAPP	INACTIVE_DATE	14	DATE	4	Y	0	The month, day and year the court appearance is no longer active.	JUV
T_CRTAPP	AUDIT_SEQ_NBR	15	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CRTAPP	CREATED_BY	16	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_CRTAPP	CREATION_DATE	17	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV

T_CRTAPP	CREATOR	18	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_CRTAPP	LAST_UPDATED_BY	19	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_CRTAPP	LAST_UPDATE_DATE	20	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_CRTAPP	UPDATER	21	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_CRTAPPASDPER		0					**Court Appearance Associated Person - associates T_CRTAPP, Court Appearance and T_ASDPER, Associated Person tables. Maintains the data associating the court appearance to the people involved and their respective roles.** **Primary Source: Family Court**	
T_CRTAPPASDPER	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CRTAPPASDPER	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CRTAPPASDPER	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CRTAPPASDPER	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4	The Family Court appearance identifier originating from the JUSTIS system.	JUV
T_CRTAPPASDPER	CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the court appearance originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_CRTAPPASDPER	ASD_PER_ID_FK	6	CHAR	12	N	6	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CRTAPPASDPER	ASD_AGY_COD_FK	7	SMALLINT	2	N	7	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CRTAPPASDPER	ASD_AGY_ID_FK	8	CHAR	12	N	8	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CRTAPPASDPER	FC_TYP_COD_FK	9	CHAR	2	N	9	The type of association of the person to the court appearance, e.g. scheduled judge, actual judge, etc.	JUV
T_CRTAPPASDPER	FC_SEQ_NBR	10	CHAR	2	Y	0	The sequence number assigned to the association type in the event there is more than one of the same type of association to the court appearance.	JUV
T_CRTAPPASDPER	AUDIT_SEQ_NBR	11	DECIMAL	12	N	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CRTAPPASDPER	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_CRTAPPASDPER	CREATION_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_CRTAPPASDPER	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_CRTAPPASDPER	LAST_UPDATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_CRTAPPASDPER	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_CRTAPPASDPER	UPDATER	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_CRTAPPNOT		0					**Court Appearance Note - maintains data associated to notes related to a court appearance.** **Primary Source: Family Court**	
T_CRTAPPNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_CRTAPPNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_CRTAPPNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_CRTAPPNOT	CRT_APP_SEQ_NBR	4	CHAR	3	N	4	The Family Court appearance identifier originating from the JUSTIS system.	JUV
T_CRTAPPNOT	CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the court appearance originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_CRTAPPNOT	CRT_APP_TYP_FK	6	CHAR	3	N	6	A formal proceeding before a judge in a courtroom or hearing room, where issues, allegations, motions, etc. are heard and some judicial determination/resolution is made. Note: Hearings are assigned to court calendars. More than one petition group can be assigned to a hearing.	JUV
T_CRTAPPNOT	SEQUENCE_NUMBER	7	CHAR	7	N	7	The sequence number of the note.	JUV
T_CRTAPPNOT	LINE_NUMBER	8	SMALLINT	2	N	8	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_CRTAPPNOT	TEXT	9	CHAR	77	N	0	The text field is a free form text field.	JUV
T_CRTAPPNOT	CRITICAL_NOTE_FLAG	10	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_CRTAPPNOT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_CRTAPPNOT	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_CRTAPPNOT	CREATION_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_CRTAPPNOT	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_CRTAPPNOT	LAST_UPDATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_CRTAPPNOT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_CRTAPPNOT	UPDATER	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV

Table	Column	Seq	Type	Len	Null	Key	Description	Source
T_FCCSE		0					**Family Court Case - maintains data related to a juvenile's Family Court case number.** **Primary Source: Family Court**	
T_FCCSE	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCCSE	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCCSE	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCCSE	CCT_CODE_FK	4	SMALLINT	2	N	4	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_FCCSE	FC_CSE_SEQ_NBR	5	CHAR	10	N	5	The unique identifier of the FC-J case number or FC-S case number. Note: This "FC-S" and "FC-J" prefix + number is assigned by the Family Court clerical staff when the case folder is created.	JUV
T_FCCSE	FC_CSE_STS_FK	6	CHAR	1	Y	0	The current status of the FC case.	JUV
T_FCCSE	FC_CSE_STS_DATE	7	DATE	4	Y	0	The month, day and year that the case status is valid.	JUV
T_FCCSE	CLOSED_DATE	8	DATE	4	Y	0	The month, day and year that the Family Court case was closed.	JUV
T_FCCSE	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_FCCSE	CREATED_BY	10	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_FCCSE	CREATION_DATE	11	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_FCCSE	CREATOR	12	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_FCCSE	LAST_UPDATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_FCCSE	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_FCCSE	UPDATER	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_FCPET		0					**Family Court Petition - maintains data associated to a petition that is filed in Family Court.** **Primary Source: Family Court**	
T_FCPET	FC_REF_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCPET	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCPET	FC_REF_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCPET	FC_REF_NBR_FK	4	CHAR	5	N	4	The number indicated on the docket sheet used to identify each referral.	JUV
T_FCPET	FC_REF_CNT_FK	5	DECIMAL	2	N	5	The count associated to the referral.	JUV
T_FCPET	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_FCPET	FC_REF_FIL_DATE	7	DATE	4	N	0	The month, day and year the petition is filed with the court.	JUV
T_FCPET	REF_SRC_DOC_NBR	8	CHAR	12	Y	0	The 8 digit number that appears on the petition. This number corresponds to the police report number on which the alleged violation in the petition is based. Petition numbers apply only to petitions received from law enforcement agencies. (DOE petitions, PS violation petitions, and Probation Violation petitions do not have numbers)	JUV
T_FCPET	JA_TERM_DATE	9	DATE	4	Y	0	The date of the filing of the order/decree terminating the offense identified in the petition. Note: This date could be the result of the proceedings at an A&P hearing, adjudication hearing, motion hearing, disposition hearing or a CAWH (only includes petitions withdrawn or dismissed), or an Order of Dismissal when the juvenile is not fit to proceed (as in a Fitness to Proceed Hearing).	JUV
T_FCPET	JTRM_TYP_CODE_FK	10	CHAR	4	Y	0	A code indicating how the referral was terminated through the Judicial action process. e.g,. Counseled and released (C&R) and minority commitment to a correctional facility, legal status (LS), dismissed (DSM), waived, change of venue. Note: There is only one referral termination per referral.	JUV
T_FCPET	ADJ_RLT_CODE_FK	11	CHAR	3	Y	0	The judge's decision for each of the allegations of the petition group as a result of the adjudication hearing. For example dismissed, adjudicated, withdrawn, change of venue, etc.	JUV
T_FCPET	JUV_CHG_JUV_ID_FK	12	CHAR	12	Y	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCPET	JUV_CHG_AGY_COD_FK	13	SMALLINT	2	Y	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCPET	JUV_CHG_AGY_ID_FK	14	CHAR	12	Y	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCPET	POL_RPT_AGY_COD_FK	15	SMALLINT	2	Y	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_FCPET	POL_RPT_NBR_FK	16	CHAR	12	Y	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_FCPET	JUV_CHG_CNT_FK	17	DECIMAL	2	Y	0	The count associated to the offense or charge.	JUV
T_FCPET	CHG_TYP_CODE_FK	18	CHAR	1	Y	0	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_FCPET	AUDIT_SEQ_NBR	19	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV

Table	Column	#	Type	Len	Null	Key	Description	Src
T_FCPET	CREATED_BY	20	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_FCPET	CREATION_DATE	21	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_FCPET	CREATOR	22	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_FCPET	LAST_UPDATED_BY	23	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_FCPET	LAST_UPDATE_DATE	24	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_FCPET	UPDATER	25	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_FCREF		0					**Family Court Referral - maintains data associated to a juvenile's case that is referred to Family Court.** **Primary Source: Family Court**	
T_FCREF	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCREF	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCREF	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCREF	FC_REF_NBR	4	CHAR	5	N	4	The number indicated on the docket sheet used to identify each referral.	JUV
T_FCREF	FC_REF_CNT	5	DECIMAL	2	N	5	The count associated to the referral.	JUV
T_FCREF	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_FCREF	REF_SRC_DOC_NBR	7	CHAR	12	Y	0	The 8 digit number that appears on the petition. This number corresponds to the police report number on which the alleged violation in the petition is based. Petition numbers apply only to petitions received from law enforcement agencies. (DOE petitions, PS violation petitions, and Probation Violation petitions do not have numbers)	JUV
T_FCREF	REF_DATE	8	DATE	4	Y	0	The month, day year of receipt of a document that initiates a referral in the respective jurisdiction.	JUV
T_FCREF	REF_TERM_DATE	9	DATE	4	Y	0	The filing date of the order terminating the referral. Note: This date may be equivalent to the judicial action termination date (usually when the referral termination type is DSM, LS, minority commitment to a correctional facility, etc). Where only conditions are applied, the referral is not terminated. The judicial referral termination date will be the filing date of the order terminating the referral as a result of the conditions having been satisfied. If conditions are not satisfied, supplemental proceedings may be initiated.	JUV
T_FCREF	INFL_ADJ_AGR_DATE	10	DATE	4	Y	0	The date the "Consent of Minor and Parents to Informal Adjustment" fo	JUV
T_FCREF	JUV_CHG_JUV_ID_FK	11	CHAR	12	Y	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCREF	JUV_CHG_AGY_COD_FK	12	SMALLINT	2	Y	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCREF	JUV_CHG_AGY_ID_FK	13	CHAR	12	Y	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCREF	POL_RPT_AGY_COD_FK	14	SMALLINT	2	Y	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_FCREF	POL_RPT_NBR_FK	15	CHAR	12	Y	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_FCREF	JUV_CHG_CNT_FK	16	DECIMAL	2	Y	0	The count associated to the offense or charge.	JUV
T_FCREF	CHG_TYP_CODE_FK	17	CHAR	1	Y	0	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_FCREF	NJTRM_TYP_CODE_FK	18	CHAR	4	Y	0	A code indicating how the referral was terminated through the non-judicial action process.	JUV
T_FCREF	TRM_RSN_CODE_FK	19	CHAR	3	Y	0	The reason the referral was terminated through the non-judicial action process.	JUV
T_FCREF	REF_AGY_CODE_FK	20	CHAR	3	N	0	The law enforcement, public/private agency, or individual initiating the referral.	JUV
T_FCREF	AUDIT_SEQ_NBR	21	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_FCREF	CREATED_BY	22	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_FCREF	CREATION_DATE	23	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_FCREF	CREATOR	24	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_FCREF	LAST_UPDATED_BY	25	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_FCREF	LAST_UPDATE_DATE	26	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_FCREF	UPDATER	27	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_FCREFCHG		0					**Family Court Referral Charge - associates the T_FCREF, Family Court Referral and T_CHG, Charge tables. Maintains the data associating the referral to its respective offense.** **Primary Source: Family Court**	
T_FCREFCHG	FC_REF_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCREFCHG	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV

Table	Column		Type	Len	Null	Seq	Description	Src
T_FCREFCHG	FC_REF_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCREFCHG	FC_REF_NBR_FK	4	CHAR	5	N	4	The number indicated on the docket sheet used to identify each referral.	JUV
T_FCREFCHG	FC_REF_CNT_FK	5	DECIMAL	2	N	5	The count associated to the referral.	JUV
T_FCREFCHG	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_FCREFCHG	CHG_NBR_FK	7	CHAR	5	N	7	A violation of a federal or state law or city and county ordinance. This is the offense submitted by the referring agency.	JUV
T_FCREFCHG	CHG_TYP_FK	8	CHAR	1	N	8	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_FCREFCHG	CHG_MOD_FK	9	CHAR	2	Y	0	The offense or charge modifier, e.g. attempted, accomplice, conspiracy to commit, etc.	JUV
T_FCREFCHG	AUDIT_SEQ_NBR	10	DECIMAL	12	N	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_FCREFCHG	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_FCREFCHG	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_FCREFCHG	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_FCREFCHG	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_FCREFCHG	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_FCREFCHG	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_FCREFPLEA		**0**					**Family Court Referral Plea - associates the T_FCREF, Family Court Referral and T_Plea, Plea tables. Maintains the data associating the referral to the juvenile's plea.** **Primary Source: Family Court**	
T_FCREFPLEA	FC_REF_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_FCREFPLEA	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_FCREFPLEA	FC_REF_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_FCREFPLEA	FC_REF_NBR_FK	4	CHAR	5	N	4	The number indicated on the docket sheet used to identify each referral.	JUV
T_FCREFPLEA	FC_REF_CNT_FK	5	DECIMAL	2	N	5	The count associated to the referral.	JUV
T_FCREFPLEA	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_FCREFPLEA	PLEA_TYPE	7	CHAR	1	N	7	The plea type descibes the plea, e.g. initial and final.	JUV
T_FCREFPLEA	PLEA_CODE_FK	8	CHAR	2	N	8	The juvenile's answer to a petition. e.g., admit, deny, no contest etc..	JUV
T_FCREFPLEA	PLEA_DATE	9	DATE	4	N	0	The month, day and year the plea is entered.	JUV
T_FCREFPLEA	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_FCREFPLEA	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_FCREFPLEA	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_FCREFPLEA	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_FCREFPLEA	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_FCREFPLEA	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_FCREFPLEA	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_HRG		**0**					**Hearing - maintains the data associated to Family Court hearings.** **Primary Source: Family Court**	
T_HRG	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_HRG	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_HRG	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_HRG	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4	The appearance sequence number is a JUSTIS generated sequence number.	JUV
T_HRG	CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the court appearance originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_HRG	HRG_TYP_CODE_FK	6	CHAR	3	N	6	A formal proceeding before a judge in a courtroom or hearing room, where issues, allegations, motions, etc. are heard and some judicial determination/resolution is made. Note: Hearings are assigned to court calendars. More than one petition group can be assigned to a hearing.	JUV
T_HRG	BASE_APP_TYP_FK	7	CHAR	3	Y	0	The reason for appearance, e.g. arraignment and plea, motions, trial, review, etc.	JUV
T_HRG	APP_PRIORITY	8	DECIMAL	3	N	0	The appearance priority is a JUSTIS generated sequence number.	JUV

Table	Column	Seq	Type	Len	Null	Key	Description	Source
T_HRG	SCH_TYP_CODE_FK	9	CHAR	1	Y	0	An indicator reflecting whether the appearance was a normal scheduling with advance notice, a special set scheduling, or an add on appearance.	JUV
T_HRG	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_HRG	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_HRG	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_HRG	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_HRG	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_HRG	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_HRG	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_HRGREF		0					**Hearing Referral - associates T_HRG, Hearing and T_FCREF, Family Court Referral tables. Maintains the data associating the hearing to the respective referrals.** **Primary Source: Family Court**	
T_HRGREF	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_HRGREF	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_HRGREF	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_HRGREF	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4	The appearance sequence number is a JUSTIS generated sequence number.	JUV
T_HRGREF	APP_CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the court appearance originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_HRGREF	HRG_TYP_CODE_FK	6	CHAR	3	N	6	The reason for appearance.	JUV
T_HRGREF	REF_JUV_ID_FK	7	CHAR	12	N	7	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_HRGREF	REF_AGY_CODE_FK	8	SMALLINT	2	N	8	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_HRGREF	REF_AGY_ID_FK	9	CHAR	12	N	9	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_HRGREF	REF_SEQ_NBR_FK	10	CHAR	5	N	10	The number indicated on the docket sheet used to identify each referral.	JUV
T_HRGREF	REF_CNT_FK	11	DECIMAL	2	N	11	The count associated to the referral.	JUV
T_HRGREF	REF_CCT_CODE_FK	12	SMALLINT	2	N	12	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_HRGREF	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_HRGREF	CREATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_HRGREF	CREATION_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_HRGREF	CREATOR	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_HRGREF	LAST_UPDATED_BY	17	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_HRGREF	LAST_UPDATE_DATE	18	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_HRGREF	UPDATER	19	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_HYCFSWASMT		0					**Hawaii Youth Correctional Facility Social Worker Assignment - maintains the data related to the social worker assigned to a juvenile when the juvenile is under the jurisdiction of the facility.** **Primary Source: HYCF**	
T_HYCFSWASMT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_HYCFSWASMT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_HYCFSWASMT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_HYCFSWASMT	PHY_LOC_CODE_FK	4	CHAR	3	N	4	The physical location or facility where the juvenile has been placed.	JUV
T_HYCFSWASMT	ADMIT_DATE	5	DATE	4	N	5	The month, day and year the juvenile was admitted or commited to the facility.	JUV
T_HYCFSWASMT	ADM_TYPE_CODE_FK	6	CHAR	2	N	0	The type of commitment or admission to the facility, e.g. minority, short term, etc.	JUV
T_HYCFSWASMT	STF_PER_NBR_FK	7	DECIMAL	7	N	0	The social worker assigned to the juvenile. This is the JJIS assigned staff person number.	JUV
T_HYCFSWASMT	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_HYCFSWASMT	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_HYCFSWASMT	CREATION_DATE	10	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_HYCFSWASMT	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_HYCFSWASMT	LAST_UPDATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV

T_HYCFSWASMT	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_HYCFSWASMT	UPDATER	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUV		**0**					**Juvenile - maintains the data related to juveniles.**	
T_JUV	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUV	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUV	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUV	ESTABLISHED_DATE	4	DATE	4	N	0	The month, day and year that a juvenile was first established into the JJIS by the agency that entered the data.	JUV
T_JUV	BIRTH_DATE	5	DATE	4	N	0	The month, day and year juvenile was born.	JUV
T_JUV	DOB_VERIFIED_FLAG	6	CHAR	1	N	0	The indicator to show if a juvenile's date of birth has been verified, e.g. Y or N.	JUV
T_JUV	NAME_VERIFIED_FLAG	7	CHAR	1	N	0	The indicator to show if a juvenile's name has been verified, e.g.Y or N. When this flag is set to Y, the juvenile's name is considered his/her legal name.	JUV
T_JUV	LAST_FINGERPRNT_DT	8	DATE	4	Y	0	The month, day and year the juvenile was last fingerprinted.	JUV
T_JUV	FINGERPRINT_FLAG	9	CHAR	1	N	0	The indicator to show if a juvenile has been fingerprinted, e.g. Y or N.	JUV
T_JUV	LAST_PHOTOGRAPH_DT	10	DATE	4	Y	0	The month, day and year the juvenile was last photographed.	JUV
T_JUV	PHOTOGRAPH_FLAG	11	CHAR	1	N	0	The indicator to show if a juvenile has been photographed, e.g. Y or N.	JUV
T_JUV	SJO_DATE	12	DATE	4	Y	0	The date of the receipt of the first JIR stamped with the serious juvenile offender notation (SJO). The notation is a reflection that the juvenile has met the police/prosecutor's definition of a serious juvenile offender; is subject to detention upon arrest and expedited prosecution.	JUV
T_JUV	SJO_FLAG	13	CHAR	1	N	0	A police/prosecutor classification indicating that the juvenile meets the criteria to be considered a "Serious Juvenile Offender". This is identified on the JIR submitted by the Police.	JUV
T_JUV	US_CITIZEN_FLAG	14	CHAR	1	N	0	The US citizen flag is an indicator to show if a juvenile is a US citizen or not, e.g. Y of N.	JUV
T_JUV	OCCUPATION_NAME	15	CHAR	30	Y	0	The classification of the juvenile's occupation, e.g. student.	JUV
T_JUV	TERMINATION_DATE	16	DATE	4	Y	0	The month, day and year the juvenile was terminated from the juvenile justice system.	JUV
T_JUV	TRM_TYP_CODE_FK	17	CHAR	1	Y	0	The termination type code describes why the juvenile was terminated from the juvenile justice system, e.g. deceased, reached majority, waived, etc.	JUV
T_JUV	SSN	18	CHAR	9	Y	0	The social security number of the juvenile.	JUV
T_JUV	LAST_NAME	19	CHAR	40	N	0	The last name of the juvenile.	JUV
T_JUV	FIRST_NAME	20	CHAR	40	N	0	The first name of the juvenile.	JUV
T_JUV	MIDDLE_NAME	21	CHAR	40	Y	0	The middle name of the juvenile.	JUV
T_JUV	MIDDLE_NAME_2	22	CHAR	40	Y	0	The second middle name of the juvenile.	JUV
T_JUV	SUFFIX	23	CHAR	3	Y	0	The suffix of the juvenile.	JUV
T_JUV	LAST_NAME_PHN_CODE	24	CHAR	7	Y	0	The last name phonetic code used for search.	JUV
T_JUV	EMPLOYER	25	CHAR	20	Y	0	The employer of the juvenile.	JUV
T_JUV	SEX_CODE_FK	26	CHAR	1	Y	0	The sex of the juvenile, e.g. M-male, F-female or U-undetermined.	JUV
T_JUV	OFFENDER_FLAG	27	CHAR	1	N	0	The indicator to show if a juvenile is an offender, e.g. Y or N.	JUV
T_JUV	MISSING_FLAG	28	CHAR	1	N	0	The indicator to show if a juvenile is missing, e.g. Y of N.	JUV
T_JUV	WANTED_FLAG	29	CHAR	1	N	0	The indicator to show if a juvenile is wanted, e.g. Y or N.	JUV
T_JUV	AUDIT_SEQ_NBR	30	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUV	CREATED_BY	31	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUV	CREATION_DATE	32	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUV	CREATOR	33	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUV	LAST_UPDATED_BY	34	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUV	LAST_UPDATE_DATE	35	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUV	UPDATER	36	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUV	WARRANT_FLAG	37	CHAR	1	N	0	The indicator to show if a juvenile has an outstanding warrant.	JUV
T_JUVALS		**0**					**Juvenile Alias - maintains the data related to a juvenile's alias(es).**	
T_JUVALS	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVALS	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVALS	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVALS	SEQUENCE_NUMBER	4	CHAR	2	N	4	The sequence number of the alias.	JUV
T_JUVALS	LAST_NAME	5	CHAR	40	N	0	The last name of the person's alias. This field may also contain a moniker.	JUV
T_JUVALS	FIRST_NAME	6	CHAR	40	Y	0	The first name of the person's alias.	JUV
T_JUVALS	MIDDLE_NAME	7	CHAR	40	Y	0	The middle name of the person's alias.	JUV
T_JUVALS	MIDDLE_NAME_2	8	CHAR	40	Y	0	The second middle name of the person's alias.	JUV
T_JUVALS	SUFFIX	9	CHAR	3	Y	0	The suffix of the person's alias.	JUV
T_JUVALS	NAME_PHON_CODE	10	CHAR	7	Y	0	The last name phonetic code used for search.	JUV
T_JUVALS	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV

Table	Column	#	Type	Size	Null	Key	Description	Src
T_JUVALS	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVALS	CREATION_DATE	13	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVALS	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVALS	LAST_UPDATED_BY	15	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVALS	LAST_UPDATE_DATE	16	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVALS	UPDATER	17	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVARR		0					**Juvenile Arrest - maintains the data related to police contacts with the juvenile including arrests, non-custody arrests and referrals.** **Primary Source: Police**	
T_JUVARR	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVARR	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVARR	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVARR	DATE	4	DATE	4	N	4	The month, day and year of the police contact with the juvenile.	JUV
T_JUVARR	TIME	5	TIME	3	N	5	The time of the police contact with the juvenile.	JUV
T_JUVARR	REARREST_FLAG	6	CHAR	1	Y	0	The indicator that show if a juvenile has been re-arrested, e.g. Y or N.	JUV
T_JUVARR	FINGERPRINT_DATE	7	DATE	4	Y	0	The month, day and year that the juvenile was fingerprinted for the current contact.	JUV
T_JUVARR	PHOTOGRAPH_DATE	8	DATE	4	Y	0	The month, day and year that the juvenile was photographed for the current contact.	JUV
T_JUVARR	FINGERPRINTED	9	CHAR	1	Y	0	The indicator to show if the juvenile was fingerprinted, e.g. Y or N.	JUV
T_JUVARR	LOCATION_DESC	10	CHAR	50	Y	0	The description of the location where the contact occurred.	JUV
T_JUVARR	INJURY_DESC	11	CHAR	70	Y	0	The description of any injuries the juvenile may have at the time of contact.	JUV
T_JUVARR	PER_RLSD_TO_NAME	12	CHAR	30	Y	0	The name of the person the juvenile was released to.	JUV
T_JUVARR	PER_RLSD_TO_RLN	13	CHAR	12	Y	0	The relationship to the juvenile of the person the juvenile was released to.	JUV
T_JUVARR	RELEASE_DATE	14	DATE	4	Y	0	The month, day and year the juvenile was released.	JUV
T_JUVARR	RELEASE_TIME	15	TIME	3	Y	0	The time the juvenile was released.	JUV
T_JUVARR	REL_TO_AREA_CODE	16	CHAR	3	Y	0	The area code of the phone number of the person the juvenile was released to.	JUV
T_JUVARR	REL_TO_PRE_NBR	17	CHAR	3	Y	0	The prefix of the phone number of the person the juvenile was released to.	JUV
T_JUVARR	REL_TO_SFX_NBR	18	CHAR	4	Y	0	The suffix of the phone number of the person the juvenile was released to.	JUV
T_JUVARR	REL_TO_EXT_NBR	19	CHAR	4	Y	0	The extension of the phone number of the person the juvenile was released to.	JUV
T_JUVARR	SEC_DET_START_DATE	20	DATE	4	Y	0	The month, day and year the juvenile was placed in a secured detention holding area.	JUV
T_JUVARR	SEC_DET_START_TIME	21	TIME	3	Y	0	The time the juvenile was placed in a secured detention holding area.	JUV
T_JUVARR	SEC_DET_REM_DATE	22	DATE	4	Y	0	The month, day and year the juvenile was removed from a secured detention holding area.	JUV
T_JUVARR	SEC_DET_REM_TIME	23	TIME	3	Y	0	The time the juvenile was removed from a secured detention holding area.	JUV
T_JUVARR	BOOKING_SEQ_NBR	24	DECIMAL	9	Y	0	The booking sequence number as assigned by the police upon initial booking.	JUV
T_JUVARR	APP_MET_TYP_COD_FK	25	CHAR	4	Y	0	The apprehension method describes how the juvenile was apprehended, e.g. on view, turned self in, etc. This also determines how the contact is classified, e.g. arrest, non-custody arrest or referral.	JUV
T_JUVARR	BEAT_CODE_FK	26	CHAR	5	Y	0	The beat in which the police contact occurred.	JUV
T_JUVARR	MST_POL_AGY_COD_FK	27	SMALLINT	2	N	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVARR	MST_POL_RPT_NBR_FK	28	CHAR	12	N	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVARR	PHY_DSP_TYP_COD_FK	29	CHAR	1	Y	0	The physical disposition describes what happened to the body upon release from police custody, e.g. detained, released to parent/guardian, etc.	JUV
T_JUVARR	AFIS_ID	30	CHAR	8	Y	0	The Automated Fingerprint Identification System identifier.	JUV
T_JUVARR	SCL_CODE_FK	31	CHAR	3	Y	0	The school the juvenile was attended at the time of the current contact.	JUV
T_JUVARR	AUDIT_SEQ_NBR	32	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVARR	CREATED_BY	33	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVARR	CREATION_DATE	34	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVARR	CREATOR	35	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVARR	LAST_UPDATED_BY	36	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVARR	LAST_UPDATE_DATE	37	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVARR	UPDATER	38	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVARR	BAC	39	DECIMAL	4	Y	0	The blood alcohol content, e.g. 0.010.	JUV

Table	Column	Ord	Type	Len	Null	Seq	Description	Source
T_JUVARRDRGT		0					**Juvenile Arrest Drug Type - associates the T_JUVARR, Juvenile Arrest and T_DRGTYP, Drug Type tables. Maintains the data related to the drugs a juvenile had in his/her possession at the time of contact.** **Primary Source: Police**	
T_JUVARRDRGT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVARRDRGT	AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVARRDRGT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVARRDRGT	JUV_ARR_DATE	4	DATE	4	N	4	The month, day and year of the police contact with the juvenile.	JUV
T_JUVARRDRGT	JUV_ARR_TIME	5	TIME	3	N	5	The time of the police contact with the juvenile.	JUV
T_JUVARRDRGT	DRG_TYP_CODE_FK	6	CHAR	5	N	6	The type of drug that the juvenile had in his/her possession at the time of the current contact.	JUV
T_JUVARRDRGT	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVARRNOT		0					**Juvenile Arrest Note - maintains the data related to notes associated to a contact.** **Primary Source: Police**	
T_JUVARRNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVARRNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVARRNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVARRNOT	JUV_ARR_DATE	4	DATE	4	N	4	The month, day and year of the police contact with the juvenile.	JUV
T_JUVARRNOT	JUV_ARR_TIME	5	TIME	3	N	5	The time of the police contact with the juvenile.	JUV
T_JUVARRNOT	SEQUENCE_NUMBER	6	DECIMAL	7	N	6	The sequence number of the note.	JUV
T_JUVARRNOT	LINE_NUMBER	7	SMALLINT	2	N	7	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_JUVARRNOT	TEXT	8	CHAR	77	N	0	The text field is a free form text field.	JUV
T_JUVARRNOT	CRITICAL_NOTE_FLAG	9	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVARRNOT	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVARRNOT	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVARRNOT	CREATION_DATE	12	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVARRNOT	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVARRNOT	LAST_UPDATED_BY	14	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVARRNOT	LAST_UPDATE_DATE	15	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVARRNOT	UPDATER	16	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVARRSTFP		0					**Juvenile Arrest Staff Person - associated T_JUVARR, Juvenile Arrest and T_STFPER, Staff Person tables. Maintains the data relating the contact with the staff person and their respective roles.** **Primary Source: Police**	
T_JUVARRSTFP	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVARRSTFP	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVARRSTFP	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVARRSTFP	JUV_ARR_DATE	4	DATE	4	N	4	The month, day and year of the police contact with the juvenile.	JUV
T_JUVARRSTFP	JUV_ARR_TIME	5	TIME	3	N	5	The time of the police contact with the juvenile.	JUV
T_JUVARRSTFP	POL_STF_PER_NBR	6	CHAR	12	N	0	The unique number assigned to agency personnel by the JJIS.	JUV
T_JUVARRSTFP	ARR_ACT_TYP_COD_FK	7	CHAR	4	N	6	The role the police officer had in the contact, e.g. arresting officer, assisting officer, etc.	JUV
T_JUVARRSTFP	ACTION_TIME	8	TIME	3	N	0	The time of the action.	JUV
T_JUVARRSTFP	ACTION_DATE	9	DATE	4	N	0	The month, day and year of the action.	JUV
T_JUVARRSTFP	POL_STF_PER_NAME	10	CHAR	30	Y	0	The name of the police officer related to the specified action.	JUV
T_JUVARRSTFP	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVARRSTFP	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVARRSTFP	CREATION_DATE	13	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVARRSTFP	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVARRSTFP	LAST_UPDATED_BY	15	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVARRSTFP	LAST_UPDATE_DATE	16	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVARRSTFP	UPDATER	17	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVASDPER		0					**Juvenile Associated Person - associates the T_JUV, Juvenile and T_ASDPER, Associated Person tables. Maintains the data related to the juvenile and the people who are known associates and their respective relationships.**	
T_JUVASDPER	ASD_PER_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV

Table	Column	Seq	Type	Len	Null		Description	Src
T_JUVASDPER	ASD_PER_AGY_COD_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVASDPER	ASD_PER_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVASDPER	JUV_ID_FK	4	CHAR	12	N	4	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVASDPER	AGY_CODE_FK	5	SMALLINT	2	N	5	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVASDPER	AGY_ID_FK	6	CHAR	12	N	6	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVASDPER	ASD_PER_TYP_COD_FK	7	CHAR	2	N	7	The associated person type describes how the person is related to the juvenile, e.g. father, mother, etc.	JUV
T_JUVASDPER	AS_OF_DATE	8	DATE	4	N	0	The month, day and year that the association between the person and the juvenile was known to the agency.	JUV
T_JUVASDPER	END_DATE	9	DATE	4	Y	0	The month, day and year that the association between the person and the juvenile was no longer valid.	JUV
T_JUVASDPER	FC_ASD_PER_ID	10	CHAR	2	Y	0	The Family Court identifier for associated persons originating from the JUSTIS system.	JUV
T_JUVASDPER	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVASDPER	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVASDPER	CREATION_DATE	13	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVASDPER	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVASDPER	LAST_UPDATED_BY	15	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVASDPER	LAST_UPDATE_DATE	16	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVASDPER	UPDATER	17	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCDN		0					**Juvenile Condition - maintains the data related to the conditions and services that must be satisfied by the juvenile as ordered by the court.** **Primary Source: Family Court**	
T_JUVCDN	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCDN	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCDN	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCDN	FC_SRV_ID	4	CHAR	2	N	4	The Juvenile Condition Service Id which uniquely identifies a condition assigned to the juvenile.	JUV
T_JUVCDN	CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the condition originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCDN	CDN_TYP_CODE_FK	6	CHAR	3	N	0	Specific requirement placed on the juvenile and/or parents by the judge or probation officer that must be satisfied, i.e., community service, street law program, fine, etc. Note: Conditions are related to the petition group in the judicial process or the referral group for the conditional informal adjustments in the non judicial process and not to any one particular offense. The one exception is the restitution condition which is related to the offense.	JUV
T_JUVCDN	AMT_ASSIGNED	7	DECIMAL	10	Y	0	The monetary amount assessed as part of the condition imposed on the juvenile.	JUV
T_JUVCDN	AMT_COMPLETED	8	DECIMAL	10	Y	0	The monetary amount that has been paid by the juvenile as part of the condition.	JUV
T_JUVCDN	HRS_ASSIGNED	9	DECIMAL	10	Y	0	The hours assessed as part of the condition imposed on the juvenile.	JUV
T_JUVCDN	HRS_COMPLETED	10	DECIMAL	10	Y	0	The number of hours completed by the juvenile as part of the condition.	JUV
T_JUVCDN	START_DATE	11	DATE	4	Y	0	The date the court ordered action or requirement was scheduled to commence.	JUV
T_JUVCDN	END_DATE	12	DATE	4	Y	0	The month, day year the condition is no longer to be monitored. Note: If the Condition status reflects "completed by the Juvenile", this date will be equivalent to the date the Juvenile completes the condition that was ordered by the court or agreed to in a conditional informal adjustment. If the Condition status reflects a "revocation", the date will be equivalent to the date the condition was revoked.	JUV
T_JUVCDN	PROOF_OF_COMP_DATE	13	DATE	4	Y	0	The month, day and year the condition is to be completed.	JUV
T_JUVCDN	EXT_PRF_COMP_DATE	14	DATE	4	Y	0	The new date for which a specific condition is to be completed. Note: The extended Proof of Compliance dates are specified by court order or probation officer. There is no specified limit as to how many times an extension can be granted for a specific condition.	JUV
T_JUVCDN	CDN_STS_CODE_FK	15	CHAR	1	Y	0	Indicator reflecting the final status of the condition regarding compliance. Note: The condition status field will be determined at the point of the PO's decision to terminate the referral via the non-judicial route or at the point when the matter is dealt with in court to revoke the condition. The condition end date field will include the date of termination or court action.	JUV

Table	Column	Seq	Type	Len	Null	Key	Description	Src
T_JUVCDN	CDN_AGY_CODE_FK	16	CHAR	4	Y	0	The resource, program or agency where a juvenile is required to fulfill a condition.	JUV
T_JUVCDN	AUDIT_SEQ_NBR	17	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCDN	CREATED_BY	18	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCDN	CREATION_DATE	19	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCDN	CREATOR	20	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCDN	LAST_UPDATED_BY	21	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCDN	LAST_UPDATE_DATE	22	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVCDN	UPDATER	23	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCDNPGM		**0**					**Juvenile Condition Program - associates the T_JUVCDN, Juvenile Condition and T_JUVPGM, Juvenile Program tables. Maintains the data related to the condition/service and the respective programs.** **Primary Source: Family Court**	
T_JUVCDNPGM	CDN_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCDNPGM	CDN_AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCDNPGM	CDN_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCDNPGM	CDN_FC_SRV_ID	4	CHAR	2	N	4	The Juvenile Condition Service Id which uniquely identifies a condition assigned to the juvenile.	JUV
T_JUVCDNPGM	CDN_CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the condition originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCDNPGM	JP_JUV_ID_FK	6	CHAR	12	N	6	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCDNPGM	JP_AGY_CODE_FK	7	SMALLINT	2	N	7	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCDNPGM	JP_AGY_ID_FK	8	CHAR	12	N	8	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCDNPGM	JP_PGM_SNR_CODE_FK	9	CHAR	2	N	9	The agency or organization that sponsors the program.	JUV
T_JUVCDNPGM	JP_PGM_CODE_FK	10	CHAR	4	N	10	The program, e.g. Akamai, Teen Court, etc.	JUV
T_JUVCDNPGM	JP_PGM_CLS_CODE_FK	11	CHAR	2	N	11	The program classification, e.g. educational, rehabilitative, etc.	JUV
T_JUVCDNPGM	JP_START_DATE	12	DATE	4	N	12	The month, day and year the juvenile started participation in the program.	JUV
T_JUVCDNPGM	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCDNPGM	CREATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCDNPGM	CREATION_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCDNPGM	CREATOR	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCDNPGM	LAST_UPDATED_BY	17	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCDNPGM	LAST_UPDATE_DATE	18	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVCDNPGM	UPDATER	19	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCDNPHYLOC		**0**					**Juvenile Condition Physical Location - associates the T_JUVCDN, Juvenile Condition and T_JUVPHYLOC, Juvenile Physical Location tables. Maintains the data related to the condition/service and the respective physical locations or facilities.** **Primary Source: Family Court**	
T_JUVCDNPHYLOC	CDN_JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCDNPHYLOC	CDN_AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCDNPHYLOC	CDN_AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCDNPHYLOC	CDN_FC_SRV_ID	4	CHAR	2	N	4	The Juvenile Condition Service Id which uniquely identifies a condition assigned to the juvenile.	JUV
T_JUVCDNPHYLOC	CDN_CCT_CODE_FK	5	SMALLINT	2	N	5	The circuit in which the condition originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCDNPHYLOC	PL_JUV_ID_FK	6	CHAR	12	N	6	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCDNPHYLOC	PL_AGY_CODE_FK	7	SMALLINT	2	N	7	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCDNPHYLOC	PL_AGY_ID_FK	8	CHAR	12	N	8	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCDNPHYLOC	PL_START_DATE	9	DATE	4	N	9	The month, day and year the juvenile is physically placed in a physical location or facility.	JUV
T_JUVCDNPHYLOC	PL_CCT_CODE_FK	10	SMALLINT	2	N	10	The circuit in which the placement originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCDNPHYLOC	PL_FC_PLACEMENT_ID	11	CHAR	2	N	11	The JUSTIS generated sequence number used to identify a placement.	JUV

Table	Column	#	Type	Size	Null	Key	Description	Owner
T_JUVCDNPHYLOC	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCDNPHYLOC	CREATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCDNPHYLOC	CREATION__DATE	14	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCDNPHYLOC	CREATOR	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCDNPHYLOC	LAST_UPDATED_BY	16	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCDNPHYLOC	LAST_UPDATE_DATE	17	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVCDNPHYLOC	UPDATER	18	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCHG		0					**Juvenile Charge - Associates the T_JUV, Juvenile and T_CHG, Charge tables. Maintains the data related to the offense the juvenile is alleged to have committed.**	
T_JUVCHG	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCHG	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCHG	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCHG	POL_RPT_AGY_COD_FK	4	SMALLINT	2	N	4	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVCHG	POL_RPT_NBR_FK	5	CHAR	12	N	5	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVCHG	CNT_FK	6	DECIMAL	2	N	6	The count associated to the offense or charge.	JUV
T_JUVCHG	CHG_TYP_CODE_FK	7	CHAR	1	N	7	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_JUVCHG	CHG_MOD_CODE_FK	8	CHAR	2	Y	0	The offense or charge modifier, e.g. attempted, accomplice, conspiracy to commit, etc.	JUV
T_JUVCHG	OFFENSE_DATE	9	DATE	4	Y	0	The month, day and year the alleged offense was committed.	JUV
T_JUVCHG	OFFENSE_TIME	10	TIME	3	Y	0	The time of day the alleged offense was committed.	JUV
T_JUVCHG	OFFENSE_LOCATION	11	CHAR	50	Y	0	The location of the offense.	JUV
T_JUVCHG	PRS_ADD_ON_FLAG	12	CHAR	1	N	0	The indicator to show if the offense/charge is a prosecutor add-on, e.g. Y or N.	JUV
T_JUVCHG	CHG_NBR_FK	13	CHAR	5	N	0	A violation of a federal or state law or city and county ordinance. This is the offense submitted by the referring agency.	JUV
T_JUVCHG	CCT_CODE_FK	14	SMALLINT	2	Y	0	The circuit in which the offense originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCHG	FC_CSE_SEQ_NBR_FK	15	CHAR	10	Y	0	The unique identifier of the FC-J case number or FC-S case number. Note: This "FC-S" and "FC-J" prefix + number is assigned by the Family Court clerical staff when the case folder is created.	JUV
T_JUVCHG	PRS_CTY_CODE_FK	16	CHAR	1	Y	0	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVCHG	PRS_CSE_SEQ_NBR_FK	17	CHAR	13	Y	0	The prosecutor's case number.	JUV
T_JUVCHG	PRS_CSE_CNT	18	CHAR	6	Y	0	The count associated to the prosecutor's case.	JUV
T_JUVCHG	AGY_TYP_CODE_FK	19	CHAR	2	Y	0	The type of agency, e.g. 1-police, 2-prosecutor, 3-family court, 4-corrections, etc.	JUV
T_JUVCHG	CHG_DSP_CODE_FK	20	CHAR	5	Y	0	The disposition of the offense/charge, e.g. pending, referred to prosecutor, referred to family court, etc.	JUV
T_JUVCHG	CHG_DSP_DATE	21	DATE	4	Y	0	The month, day and year that the disposition was made.	JUV
T_JUVCHG	CHG_DSP_TIME	22	TIME	3	Y	0	The time the disposition was made.	JUV
T_JUVCHG	AGY_DSP_CODE	23	CHAR	1	Y	0	The agency's representation of the charge disposition. This field was provided to facility online data entry so that the users could use the codes they were familiar with. The agency code is translated into the JJIS code when the transactions are processed.	JUV
T_JUVCHG	MST_POL_RPT_NBR_FK	24	CHAR	12	N	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVCHG	JUV_ARR_JUV_ID_FK	25	CHAR	12	Y	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCHG	JUV_ARR_AGY_COD_FK	26	SMALLINT	2	Y	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCHG	JUV_ARR_AGY_ID_FK	27	CHAR	12	Y	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCHG	JUV_ARR_DATE	28	DATE	4	Y	0	The month, day and year of the police contact with the juvenile.	JUV
T_JUVCHG	JUV_ARR_TIME	29	TIME	3	Y	0	The time of the police contact with the juvenile.	JUV
T_JUVCHG	INI_AGY_CODE_FK	30	SMALLINT	2	Y	0	The agency that initiated the offense/charge.	JUV
T_JUVCHG	TRANSMITTAL_FLAG	31	CHAR	1	Y	0	The indicator to show if the offense/charge has been transmitted to the next agency, e.g. Y or N.	JUV
T_JUVCHG	CHG_OPEN_FLAG	32	CHAR	1	Y	0	The indicator to show if an offense/charge is open, e.g. Y or N.	JUV
T_JUVCHG	AUDIT_SEQ_NBR	33	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCHG	CREATED_BY	34	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCHG	CREATION_DATE	35	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCHG	CREATOR	36	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCHG	LAST_UPDATED_BY	37	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCHG	LAST_UPDATE_DATE	38	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV

Table	Column	#	Type	Size	Null		Description	Src
T_JUVCHG	UPDATER	39	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCHGNOT		**0**					**Juvenile Charge Note - maintains the data related to the notes associate to the offense of the juvenile.**	
T_JUVCHGNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCHGNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCHGNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCHGNOT	POL_RPT_AGY_COD_FK	4	SMALLINT	2	N	4	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVCHGNOT	POL_RPT_NBR_FK	5	CHAR	12	N	5	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVCHGNOT	JUV_CHG_CNT_FK	6	DECIMAL	2	N	9	The count associated to the offense or charge.	JUV
T_JUVCHGNOT	CHG_TYP_CODE_FK	7	CHAR	1	N	6	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_JUVCHGNOT	SEQUENCE_NUMBER	8	CHAR	7	N	7	The sequence number of the note.	JUV
T_JUVCHGNOT	LINE_NUMBER	9	SMALLINT	2	N	8	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_JUVCHGNOT	TEXT	10	CHAR	77	N	0	The text field is a free form text field.	JUV
T_JUVCHGNOT	CRITICAL_NOTE_FLAG	11	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVCHGNOT	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCHGNOT	CREATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCHGNOT	CREATION_DATE	14	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCHGNOT	CREATOR	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCHGNOT	LAST_UPDATED_BY	16	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCHGNOT	LAST_UPDATE_DATE	17	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVCHGNOT	UPDATER	18	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVCMB		**0**					**Juvenile Combine - maintains the data related to the combination of records for juveniles who are the same person but had multiple JJIS Ids.**	
T_JUVCMB	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCMB	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCMB	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCMB	CMB_REQ_TYP_CODE	4	CHAR	2	N	4	The type of combine requested, e.g. combine.	JUV
T_JUVCMB	REQ_DATE	5	DATE	4	N	0	The month, day and year the combine request was initiated.	JUV
T_JUVCMB	CMB_REQ_STS_CODE	6	CHAR	2	N	0	The current status of the combine request, e.g. pending, completed or suspended.	JUV
T_JUVCMB	CMB_REQ_RSN_CODE	7	CHAR	2	Y	0	The reason for the combine request, e.g. FC birth certificate matching, demographic verification, fingerprint id matching, photograph comparison, etc.	JUV
T_JUVCMB	REQ_ACTION_DATE	8	DATE	4	Y	0	The month, day and year the combine request was performed.	JUV
T_JUVCMB	CMB_JUV_ID_FK	9	CHAR	12	N	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVCMB	CMB_AGY_CODE_FK	10	SMALLINT	2	N	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVCMB	CMB_AGY_ID_FK	11	CHAR	12	N	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVCMB	AUDIT_SEQ_NBR	12	DECIMAL	12	N	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVCMB	CREATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVCMB	CREATION_DATE	14	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVCMB	CREATOR	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVCMB	LAST_UPDATED_BY	16	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVCMB	LAST_UPDATE_DATE	17	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVCMB	UPDATER	18	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVHYCFOFN		**0**					**Juvenile HYCF Offense - maintains the data of a juvenile's offenses that resulted in the juvenile being admitted to HYCF. Primary Source: HYCF**	
T_JUVHYCFOFN	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVHYCFOFN	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVHYCFOFN	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV

Table	Column		Type		Null		Description	Src
T_JUVHYCFOFN	PHY_LOC_CODE_FK	4	CHAR	3	N	4	The physical location or facility where the juvenile has been placed.	JUV
T_JUVHYCFOFN	ADMIT_DATE	5	DATE	4	N	5	The month, day and year the juvenile was admitted or commited to the facility.	JUV
T_JUVHYCFOFN	ADM_TYPE_CODE_FK	6	CHAR	2	N	0	The type of commitment or admission to the facility, e.g. minority, short term, etc.	JUV
T_JUVHYCFOFN	SEQ_NBR	7	SMALLINT	2	N	6	The sequence number assigned to the offense in the event that the juvenile has multiple offenses associated to a commitment.	JUV
T_JUVHYCFOFN	CHG_NBR_FK	8	CHAR	5	N	0	A violation of a federal or state law or city and county ordinance. This is the offense submitted by the referring agency.	JUV
T_JUVHYCFOFN	CHG_MOD_FK	9	CHAR	2	Y	0	The offense or charge modifier, e.g. attempted, accomplice, conspiracy to commit, etc.	JUV
T_JUVHYCFOFN	CCT_CODE_FK	10	SMALLINT	2	Y	0	The circuit in which the offense originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVHYCFOFN	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVHYCFOFN	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVHYCFOFN	CREATION_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVHYCFOFN	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVHYCFOFN	LAST_UPDATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVHYCFOFN	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVHYCFOFN	UPDATER	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVHYCFPRB		0					**Juvenile HYCF Problem - maintains the data related to the potential problem areas that a juvenile has and needs to be monitored while the juvenile is under the jurisdiction of HYCF. Primary Source: HYCF**	
T_JUVHYCFPRB	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVHYCFPRB	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVHYCFPRB	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVHYCFPRB	PHY_LOC_CODE_FK	4	CHAR	3	N	4	The physical location or facility where the juvenile has been placed.	JUV
T_JUVHYCFPRB	ADMIT_DATE	5	DATE	4	N	5	The month, day and year the juvenile was admitted or commited to the facility.	JUV
T_JUVHYCFPRB	ADM_TYPE_CODE_FK	6	CHAR	2	N	0	The type of commitment or admission to the facility, e.g. minority, short term, etc.	JUV
T_JUVHYCFPRB	SEQ_NBR	7	DECIMAL	1	N	6	The sequence number assigned to the problem type in the event that the juvenile has multiple problems associated to a commitment.	JUV
T_JUVHYCFPRB	PRB_TYPE_CODE_FK	8	CHAR	2	N	0	The problems that have been identified as associated to the juvenile, e.g. anger, drug abuse, mental health, sex offender, suicide, etc.	JUV
T_JUVHYCFPRB	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVHYCFPRB	CREATED_BY	10	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVHYCFPRB	CREATION_DATE	11	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVHYCFPRB	CREATOR	12	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVHYCFPRB	LAST_UPDATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVHYCFPRB	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVHYCFPRB	UPDATER	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVLGLSTS		0					**Juvenile Legal Status - maintains the data related to the juvenile's legal status. Primary Source: Family Court**	
T_JUVLGLSTS	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVLGLSTS	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVLGLSTS	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVLGLSTS	LGL_STS_AGY_COD_FK	4	CHAR	4	N	4	The public or private agency responsible for effecting the legal status.	JUV

Table	Column	Seq	Type	Len	Null	Key	Description	Src
T_JUVLGLSTS	LGL_STS_CODE_FK	5	CHAR	4	N	5	The legal relationship established by the Court following an adjudication of an allegation or pleading, which imposes certain conditions and responsibilities on the juvenile, the parents, and government and/or private agencies designated to provide for the care and/or custody of the juvenile. Note: The legal status can result from more than one referral, and the juvenile can be placed on more than one status. Legal status results from the adjudication of petition groups. It is also necessary to capture the fact that there is only one active legal status for the Juvenile of the same type at any one time. For example, there can only be one Probation status active at any one time.	JUV
T_JUVLGLSTS	START_DATE	6	DATE	4	N	6	The file date of the order placing the juvenile on legal status.	JUV
T_JUVLGLSTS	CCT_CODE_FK	7	SMALLINT	2	N	7	The circuit in which the legal status originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVLGLSTS	REV_DATE	8	DATE	4	Y	0	The date the juvenile's legal status is to be reviewed for termination or extension.	JUV
T_JUVLGLSTS	END_DATE	9	DATE	4	Y	0	The file date of the order terminating the legal status.	JUV
T_JUVLGLSTS	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVLGLSTS	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVLGLSTS	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVLGLSTS	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVLGLSTS	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVLGLSTS	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVLGLSTS	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVLGLSTSDTL		0					**Juvenile Legal Status Detail - maintains additional data related to the juvenile's legal status.** **Primary Source: Family Court**	
T_JUVLGLSTSDTL	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVLGLSTSDTL	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVLGLSTSDTL	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVLGLSTSDTL	LGL_STS_AGY_COD_FK	4	CHAR	4	N	4	The public or private agency responsible for effecting the legal status.	JUV
T_JUVLGLSTSDTL	LGL_STS_CODE_FK	5	CHAR	4	N	5	The legal relationship established by the Court following an adjudication of an allegation or pleading, which imposes certain conditions and responsibilities on the juvenile, the parents, and government and/or private agencies designated to provide for the care and/or custody of the juvenile. Note: The legal status can result from more than one referral, and the juvenile can be placed on more than one status. Legal status results from the adjudication of petition groups. It is also necessary to capture the fact that there is only one active legal status for the Juvenile of the same type at any one time. For example, there can only be one Probation status active at any one time.	JUV
T_JUVLGLSTSDTL	START_DATE	6	DATE	4	N	6	The file date of the order placing the juvenile on legal status.	JUV
T_JUVLGLSTSDTL	CCT_CODE_FK	7	SMALLINT	2	N	7	The circuit in which the legal status originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVLGLSTSDTL	ORI_PET_GRP	8	CHAR	2	N	8	The originating petition group associated to the legal status.	JUV
T_JUVLGLSTSDTL	CONT_DATE	9	DATE	4	Y	0	The month, day and year the legal status was continued.	JUV
T_JUVLGLSTSDTL	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVLGLSTSDTL	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVLGLSTSDTL	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVLGLSTSDTL	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVLGLSTSDTL	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVLGLSTSDTL	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVLGLSTSDTL	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVNOT		0					**Juvenile Note - maintains the data related to notes for a juvenile.**	
T_JUVNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVNOT	OWNER_AGY_CODE_FK	4	SMALLINT	2	N	4	The agency that owns the note. Agencies are allowed to update and delete notes that only belong to their agencies.	JUV
T_JUVNOT	SEQUENCE_NUMBER	5	DECIMAL	7	N	5	The sequence number of the note.	JUV
T_JUVNOT	LINE_NUMBER	6	SMALLINT	2	N	6	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV

Table	Field	Seq	Type	Len	Null	Key	Description	Src
T_JUVNOT	DIVISION	7	CHAR	4	N	0	The division that originated the note.	JUV
T_JUVNOT	USER_ID	8	CHAR	8	N	0	The user id or ACID of the person who entered the note.	JUV
T_JUVNOT	START_DATE	9	DATE	4	N	0	The month, day and year the note was entered.	JUV
T_JUVNOT	REMOVE_DATE	10	DATE	4	Y	0	The month, day and year the note was removed or is scheduled to be removed.	JUV
T_JUVNOT	PURGE_FLAG	11	CHAR	1	N	0	The indicator to show whether or not a note should be purged on the regular cycle or retained indefinitely, e.g. Y or N.	JUV
T_JUVNOT	TEXT	12	CHAR	77	N	0	The text field is a free form text field.	JUV
T_JUVNOT	CRITICAL_NOTE_FLAG	13	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVNOT	AUDIT_SEQ_NBR	14	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVNOT	CREATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVNOT	CREATION_DATE	16	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVNOT	CREATOR	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVNOT	LAST_UPDATED_BY	18	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVNOT	LAST_UPDATE_DATE	19	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVNOT	UPDATER	20	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPGM		0					**Juvenile Program - maintains the data related to the juvenile's participation in a program.**	
T_JUVPGM	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPGM	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPGM	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPGM	PGM_SNR_CODE_FK	4	CHAR	2	N	4	The agency or organization that sponsors the program.	JUV
T_JUVPGM	PGM_CODE_FK	5	CHAR	4	N	5	The program, e.g. Akamai, Teen Court, etc.	JUV
T_JUVPGM	PGM_CLS_CODE_FK	6	CHAR	2	N	6	The program classification, e.g. educational, rehabilitative, etc.	JUV
T_JUVPGM	START_DATE	7	DATE	4	N	7	The month, day and year the juvenile started participation in the program.	JUV
T_JUVPGM	END_DATE	8	DATE	4	Y	0	The month, day and year the juvenile is no longer particpating in the program.	JUV
T_JUVPGM	PGM_CPN_TYP_COD_FK	9	CHAR	2	Y	0	The program completion describes the outcome of the juvenile's participation in the program, e.g. completed, rescheduled, failed, etc.	JUV
T_JUVPGM	PHY_LOC_CODE_FK	10	CHAR	8	Y	0	The physical location or facility where the juvenile has been placed.	JUV
T_JUVPGM	POL_RPT_AGY_COD_FK	11	SMALLINT	2	Y	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVPGM	POL_RPT_NBR_FK	12	CHAR	12	Y	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVPGM	RESCHEDULED_DATE	13	DATE	4	Y	0	The month, day and year that the juvenile was rescheduled to participate in the program.	JUV
T_JUVPGM	MISC_LINE_1	14	CHAR	72	Y	0	A free form text field.	JUV
T_JUVPGM	MISC_LINE_2	15	CHAR	72	Y	0	A free form text field.	JUV
T_JUVPGM	MISC_LINE_3	16	CHAR	72	Y	0	A free form text field.	JUV
T_JUVPGM	AUDIT_SEQ_NBR	17	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVPGM	CREATED_BY	18	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPGM	CREATION_DATE	19	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVPGM	CREATOR	20	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPGM	LAST_UPDATED_BY	21	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVPGM	LAST_UPDATE_DATE	22	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVPGM	UPDATER	23	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPGMNOT		0					**Juvenile Program Note - maintains the data related to notes associated to a juvenile's participation in a program.**	
T_JUVPGMNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPGMNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPGMNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPGMNOT	PGM_SNR_CODE_FK	4	CHAR	2	N	4	The agency or organization that sponsors the program.	JUV
T_JUVPGMNOT	PGM_CODE_FK	5	CHAR	4	N	5	The program, e.g. Akamai, Teen Court, etc.	JUV
T_JUVPGMNOT	START_DATE	6	DATE	4	N	6	The month, day and year the juvenile started participation in the program.	JUV
T_JUVPGMNOT	SEQUENCE_NUMBER	7	CHAR	7	N	7	The sequence number of the note.	JUV
T_JUVPGMNOT	LINE_NUMBER	8	SMALLINT	2	N	8	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_JUVPGMNOT	TEXT	9	CHAR	77	N	0	The text field is a free form text field.	JUV
T_JUVPGMNOT	CRITICAL_NOTE_FLAG	10	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVPGMNOT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV

Table	Column		Type		Null		Seq	Description	
T_JUVPGMNOT	CREATED_BY	12	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPGMNOT	CREATION_DATE	13	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_JUVPGMNOT	CREATOR	14	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPGMNOT	LAST_UPDATED_BY	15	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVPGMNOT	LAST_UPDATE_DATE	16	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_JUVPGMNOT	UPDATER	17	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPGMPHYLOC		0						**Juvenile Program Physical Location - associates T_JUVPGM, Juvenile Program and T_JUVPHYLOC, Juvenile Physical Location tables. Maintains the data related to the locations of the programs the juvenile is participating in.**	
T_JUVPGMPHYLOC	JP_JUV_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPGMPHYLOC	JP_AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPGMPHYLOC	JP_AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPGMPHYLOC	JP_PGM_SNR_CODE_FK	4	CHAR	2	N		4	The agency or organization that sponsors the program.	JUV
T_JUVPGMPHYLOC	JP_PGM_CODE_FK	5	CHAR	4	N		5	The program, e.g. Akamai, Teen Court, etc.	JUV
T_JUVPGMPHYLOC	JP_PGM_CLS_CODE_FK	6	CHAR	2	N		6	The program classification, e.g. educational, rehabilitative, etc.	JUV
T_JUVPGMPHYLOC	JP_START_DATE	7	DATE	4	N		7	The month, day and year the juvenile started participation in the program.	JUV
T_JUVPGMPHYLOC	PL_JUV_ID_FK	8	CHAR	12	N		8	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPGMPHYLOC	PL_AGY_CODE_FK	9	SMALLINT	2	N		9	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPGMPHYLOC	PL_AGY_ID_FK	10	CHAR	12	N		10	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPGMPHYLOC	PL_PHY_LOC_CODE_FK	11	CHAR	3	N		11	The physical location or facility where the juvenile has been placed.	JUV
T_JUVPGMPHYLOC	PL_START_DATE	12	DATE	4	N		12	The month, day and year the juvenile is physically placed in a physical location or facility.	JUV
T_JUVPGMPHYLOC	PL_CCT_CODE_FK	13	SMALLINT	2	N		13	The circuit in which the placement originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVPGMPHYLOC	PL_FC_PLACEMENT_ID	14	CHAR	2	N		14	The JUSTIS generated sequence number used to identify a placement.	JUV
T_JUVPGMPHYLOC	AUDIT_SEQ_NBR	15	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVPGMPHYLOC	CREATED_BY	16	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPGMPHYLOC	CREATION_DATE	17	TIMESTMP	10	N		0	The month, day and year the row was created in the table.	JUV
T_JUVPGMPHYLOC	CREATOR	18	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPGMPHYLOC	LAST_UPDATED_BY	19	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVPGMPHYLOC	LAST_UPDATE_DATE	20	TIMESTMP	10	N		0	The month, day and year the row was updated in the table.	JUV
T_JUVPGMPHYLOC	UPDATER	21	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPGMPR		0						**Juvenile Program Police Report - maintains the data related to the police report numbers of the offenses that resulted in the juvenile's participation in a program.**	
T_JUVPGMPR	JUV_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPGMPR	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPGMPR	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPGMPR	PGM_SNR_CODE_FK	4	CHAR	2	N		4	The agency or organization that sponsors the program.	JUV
T_JUVPGMPR	PGM_CODE_FK	5	CHAR	4	N		5	The program, e.g. Akamai, Teen Court, etc.	JUV
T_JUVPGMPR	PGM_CLS_CODE_FK	6	CHAR	2	N		6	The program classification, e.g. educational, rehabilitative, etc.	JUV
T_JUVPGMPR	PGM_START_DATE	7	DATE	4	N		7	The month, day and year the juvenile started participation in the program.	JUV
T_JUVPGMPR	POL_RPT_AGY_COD_FK	8	SMALLINT	2	N		8	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVPGMPR	POL_RPT_NBR_FK	9	CHAR	12	N		9	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVPGMPR	AUDIT_SEQ_NBR	10	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVPGMPR	CREATED_BY	11	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPGMPR	CREATION_DATE	12	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_JUVPGMPR	CREATOR	13	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPGMPR	LAST_UPDATED_BY	14	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVPGMPR	LAST_UPDATE_DATE	15	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_JUVPGMPR	UPDATER	16	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV

Table	Column		Type		Len	Null	Seq	Description	
T_JUVPHYLOC		0						**Juvenile Physical Location - maintains the data related to the physical location or facility that the juvenile is placed.**	
T_JUVPHYLOC	JUV_ID_FK	1	CHAR		12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPHYLOC	AGY_CODE_FK	2	SMALLINT		2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPHYLOC	AGY_ID_FK	3	CHAR		12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPHYLOC	PHY_LOC_CODE_FK	4	CHAR		8	N	4	The physical location or facility where the juvenile has been placed.	JUV
T_JUVPHYLOC	START_DATE	5	DATE		4	N	5	The month, day and year the juvenile is physically placed in a physical location or facility.	JUV
T_JUVPHYLOC	CCT_CODE_FK	6	SMALLINT		2	N	6	The circuit in which the placement originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVPHYLOC	FC_PLACEMENT_ID	7	CHAR		2	N	7	The JUSTIS generated sequence number used to identify a placement.	JUV
T_JUVPHYLOC	START_TIME	8	TIME		3	N	0	The time the juvenile is physically placed in a physical location or facility.	JUV
T_JUVPHYLOC	SPC_LOC_CODE_FK	9	CHAR		3	Y	0	The specific location of the placement within the facility.	JUV
T_JUVPHYLOC	ADM_TYPE_CODE_FK	10	CHAR		2	Y	0	The type of admission to the physical location or facility, e.g. minority commitment, age 19, age 20, short term, etc.	JUV
T_JUVPHYLOC	CTL_TYPE_CODE_FK	11	CHAR		3	Y	0	The amount of control that is required for a juvenile while in the physical location or facility, e.g. close, medium or minimum.	JUV
T_JUVPHYLOC	REL_DATE	12	DATE		4	Y	0	The month, day and year the juvenile is removed/discharged from a physical location or facility.	JUV
T_JUVPHYLOC	REL_TIME	13	TIME		3	Y	0	The time the juvenile is removed/discharged from a physical location or facility.	JUV
T_JUVPHYLOC	PJT_DCHG_DATE	14	DATE		4	Y	0	The month, day and year the juvenile is projected to be discharged from a physical location or facility.	JUV
T_JUVPHYLOC	REL_TYPE_CODE_FK	15	CHAR		3	Y	0	The type of release from the facility, e.g. discharged, parole, furlough, etc.	JUV
T_JUVPHYLOC	REL_TO_LOC_CODE_FK	16	CHAR		3	Y	0	The location that the juvenile was released to.	JUV
T_JUVPHYLOC	SUPV_REL_END_DATE	17	DATE		4	Y	0	The month, day and year that the supervised released terminated.	JUV
T_JUVPHYLOC	SUPV_REL_END_TIME	18	TIME		3	Y	0	The time the supervised release terminated.	JUV
T_JUVPHYLOC	PHY_LOC_STS_FK	19	CHAR		1	Y	0	The juvenile's status within the physical location or facility, e.g. in facility, discharged, furlough, etc.	JUV
T_JUVPHYLOC	OTR_FLAG	20	CHAR		1	Y	0	The indicator to show if the juvenile is out to return, e.g. Y or N.	JUV
T_JUVPHYLOC	CLS_OBS_FLAG	21	CHAR		1	Y	0	The indicator to show if the juvenile requires close observation, e.g. Y or N.	JUV
T_JUVPHYLOC	NOTIFY_VICTIM	22	CHAR		1	Y	0	The indicator to notify the victim upon the juvenile's release from the physical location or facility.	JUV
T_JUVPHYLOC	NOTIFIED	23	CHAR		1	Y	0	The indicator to show if the victim was notified, e.g. Y or N.	JUV
T_JUVPHYLOC	AUDIT_SEQ_NBR	24	DECIMAL		12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVPHYLOC	CREATED_BY	25	CHAR		4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPHYLOC	CREATION_DATE	26	TIMESTMP		10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVPHYLOC	CREATOR	27	DECIMAL		7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPHYLOC	LAST_UPDATED_BY	28	CHAR		4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVPHYLOC	LAST_UPDATE_DATE	29	TIMESTMP		10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVPHYLOC	UPDATER	30	DECIMAL		7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPHYLOCN		0						**Juvenile Physical Location Note - maintains the data related to notes associated to the juveniles placement in a physical location or facility.**	
T_JUVPHYLOCN	JUV_ID_FK	1	CHAR		12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPHYLOCN	AGY_CODE_FK	2	SMALLINT		2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPHYLOCN	AGY_ID_FK	3	CHAR		12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPHYLOCN	PHY_LOC_CODE_FK	4	CHAR		8	N	4	The physical location or facility where the juvenile has been placed.	JUV
T_JUVPHYLOCN	PHY_LOC_SRT_DAT_FK	5	DATE		4	N	5	The month, day and year the juvenile is physically placed in a physical location or facility.	JUV
T_JUVPHYLOCN	SEQUENCE_NUMBER	6	CHAR		7	N	6	The sequence number of the note.	JUV
T_JUVPHYLOCN	LINE_NUMBER	7	SMALLINT		2	N	7	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_JUVPHYLOCN	TEXT	8	CHAR		77	N	0	The text field is a free form text field.	JUV
T_JUVPHYLOCN	CRITICAL_NOTE_FLAG	9	CHAR		1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVPHYLOCN	AUDIT_SEQ_NBR	10	DECIMAL		12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVPHYLOCN	CREATED_BY	11	CHAR		4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVPHYLOCN	CREATION_DATE	12	TIMESTMP		10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVPHYLOCN	CREATOR	13	DECIMAL		7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVPHYLOCN	LAST_UPDATED_BY	14	CHAR		4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV

T_JUVPHYLOCN	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVPHYLOCN	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVPRSCSE		**0**					**Juvenile Prosecutor Case - maintains the data related to the prosecutor's case numbers assigned to the juvenile.** **Primary Source: Prosecutor**	
T_JUVPRSCSE	PRS_CSE_CTY_FK	1	CHAR	1	N	1	The county the juvenile's case originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVPRSCSE	PRS_CSE_SEQ_NBR_FK	2	CHAR	13	N	2	The prosecutor's case number.	JUV
T_JUVPRSCSE	JUV_ID_FK	3	CHAR	12	N	3	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVPRSCSE	JUV_AGY_COD_FK	4	SMALLINT	2	N	4	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVPRSCSE	JUV_AGY_ID_FK	5	CHAR	12	N	5	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVPRSCSE	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVSCL		**0**					**Juvenile School - maintains the data related to the school the juvenile is attending.**	
T_JUVSCL	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVSCL	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVSCL	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVSCL	SCL_CODE_FK	4	CHAR	3	N	4	A code to record the school the juvenile is attending or attended.	JUV
T_JUVSCL	GRADE_NUMBER	5	CHAR	2	Y	0	The school grade level of the juvenile.	JUV
T_JUVSCL	VERIFICATION_DATE	6	DATE	4	Y	0	The date to signify the currency of the Juvenile's school information	JUV
T_JUVSCL	LAST_ATT_SCL_DATE	7	DATE	4	Y	0	The month, day and year the juvenile last attended school.	JUV
T_JUVSCL	SCL_STS_CODE_FK	8	CHAR	1	Y	0	The juvenile's school attendance and/or status.	JUV
T_JUVSCL	SCL_TYP_CODE_FK	9	CHAR	3	Y	0	The type of school, e.g. vocational, etc.	JUV
T_JUVSCL	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVSCL	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVSCL	CREATION_DATE	12	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVSCL	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVSCL	LAST_UPDATED_BY	14	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVSCL	LAST_UPDATE_DATE	15	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVSCL	UPDATER	16	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVSPCINF		**0**					**Juvenile Special Information - maintains the data related to special information flags and indicators associated to the juvenile that may be of interest to juvenile justice agencies.**	
T_JUVSPCINF	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVSPCINF	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVSPCINF	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVSPCINF	SPC_INF_TYP_COD_FK	4	CHAR	3	N	4	The special information flag used to provide supplementary information, e.g. apprehension letters, weapons involved, resisted arrest, etc.	JUV
T_JUVSPCINF	FROM_DATE	5	DATE	4	N	5	The month, day and year the special information is valid.	JUV
T_JUVSPCINF	TO_DATE	6	DATE	4	Y	0	The month, day and year the special information is no longer valid.	JUV
T_JUVSPCINF	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVSPCINF	CREATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVSPCINF	CREATION_DATE	9	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVSPCINF	CREATOR	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVSPCINF	LAST_UPDATED_BY	11	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVSPCINF	LAST_UPDATE_DATE	12	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVSPCINF	UPDATER	13	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVSPINNOT		**0**					**Juvenile Special Informaiton Note - maintains the data related to notes associated to the special information flags or indicators for the juvenile.**	
T_JUVSPINNOT	JUV_ID_FK	1	CHAR	12	N	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVSPINNOT	AGY_CODE_FK	2	SMALLINT	2	N	0	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVSPINNOT	AGY_ID_FK	3	CHAR	12	N	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV

Table	Field	Seq	Type	Len	Null	Key	Description	Source
T_JUVSPINNOT	SPC_INF_TYP_COD_FK	4	CHAR	3	N	0	The special information flag used to provide supplementary information, e.g. apprehension letters, weapons involved, resisted arrest, etc.	JUV
T_JUVSPINNOT	SEQ_NBR	5	CHAR	7	N	0	The sequence number of the note.	JUV
T_JUVSPINNOT	LINE_NBR	6	SMALLINT	2	N	0	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_JUVSPINNOT	TEXT	7	CHAR	77	N	0	The text field is a free form text field.	JUV
T_JUVSPINNOT	CRITICAL_NOTE_FLAG	8	CHAR	1	Y	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_JUVSPINNOT	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVSPINNOT	CREATED_BY	10	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVSPINNOT	CREATION_DATE	11	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_JUVSPINNOT	CREATOR	12	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVSPINNOT	LAST_UPDATED_BY	13	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVSPINNOT	LAST_UPDATE_DATE	14	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_JUVSPINNOT	UPDATER	15	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_JUVWARSUM		**0**					**Juvenile Warrant Summons - maintains the data related to warrants and summons issued by the Family Court for the juvenile.** **Primary Source: Family Court**	
T_JUVWARSUM	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_JUVWARSUM	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_JUVWARSUM	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_JUVWARSUM	CCT_CODE_FK	4	SMALLINT	2	N	4	The circuit in which the warrant originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_JUVWARSUM	WAR_SEQ_NBR	5	CHAR	2	N	5	The JUSTIS generated sequence number used to identify a warrant.	JUV
T_JUVWARSUM	FC_CSE_SEQ_NBR	6	CHAR	10	N	0	The unique identifier of the FC-J case number or FC-S case number. Note: This "FC-S" and "FC-J" prefix + number is assigned by the Family Court clerical staff when the case folder is created.	JUV
T_JUVWARSUM	ISSUE_DATE	7	DATE	4	N	0	The date the judge signs the warrant.	JUV
T_JUVWARSUM	END_DATE	8	DATE	4	Y	0	The date the warrant was no longer outstanding.	JUV
T_JUVWARSUM	WAR_TYP_CODE_FK	9	CHAR	1	N	0	A unique identifier to designate the type of warrant which has been issued by the court for the arrest/apprehension of an individual for violating a court order.	JUV
T_JUVWARSUM	WAR_STS_CODE_FK	10	CHAR	2	Y	0	The status of the warrant. For example recalled, served, outstanding.	JUV
T_JUVWARSUM	POL_AGY_CODE_FK	11	SMALLINT	2	Y	0	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_JUVWARSUM	POL_SVC_DATE	12	DATE	4	Y	0	The month, day and year the police serviced the warrant.	JUV
T_JUVWARSUM	POL_SVC_TIME	13	TIME	3	Y	0	The time the police serviced the warrant.	JUV
T_JUVWARSUM	POL_RPT_NBR	14	CHAR	12	Y	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_JUVWARSUM	POL_SVC_OFR	15	CHAR	40	Y	0	The police officer who serviced the warrant.	JUV
T_JUVWARSUM	AUDIT_SEQ_NBR	16	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_JUVWARSUM	CREATED_BY	17	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_JUVWARSUM	CREATION_DATE	18	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_JUVWARSUM	CREATOR	19	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_JUVWARSUM	LAST_UPDATED_BY	20	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_JUVWARSUM	LAST_UPDATE_DATE	21	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_JUVWARSUM	UPDATER	22	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_MISPER		**0**					**Missing Person - maintains the data related to a missing person case.** **Primary Source: Police**	
T_MISPER	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_MISPER	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_MISPER	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_MISPER	FBI_NUMBER	4	CHAR	9	Y	0	The number assigned to the case by the FBI.	JUV
T_MISPER	BIRTH_DATE	5	DATE	4	N	0	The month, day and year person was born.	JUV
T_MISPER	EMANCIPATION_DATE	6	DATE	4	Y	0	The month, day and year the missing person was freed from his/her abductor.	JUV
T_MISPER	LAST_CONTACT_DATE	7	DATE	4	N	0	The month, day and year of the known last contact with the missing person.	JUV
T_MISPER	CASE_NUMBER	8	CHAR	9	Y	0	The number assigned to the case by the originating agency.	JUV
T_MISPER	CONTACT_PERSON	9	CHAR	40	Y	0	The contact person for the case.	JUV
T_MISPER	CASE_CLOSED_DATE	10	DATE	4	Y	0	The month, day and year the case was closed.	JUV
T_MISPER	LOCATION_FOUND	11	CHAR	24	Y	0	The location that the missing person was found.	JUV

Table	Column	#	Type	Size	Null	Key	Description	Source
T_MISPER	ORI_AGY_ID_FK	12	CHAR	9	N	0	The agency that originated the missing person case.	JUV
T_MISPER	SSN	13	CHAR	9	Y	0	The social security number of the juvenile.	JUV
T_MISPER	LAST_NAME	14	CHAR	40	N	0	The last name of the missing person.	JUV
T_MISPER	FIRST_NAME	15	CHAR	40	N	0	The first name of the missing person.	JUV
T_MISPER	MIDDLE_NAME	16	CHAR	40	Y	0	The middle name of the missing person.	JUV
T_MISPER	MIDDLE_NAME_2	17	CHAR	40	Y	0	The second middle name of the missing person.	JUV
T_MISPER	SUFFIX	18	CHAR	3	Y	0	The suffix of the missing person.	JUV
T_MISPER	LAST_NAME_PHN_CODE	19	CHAR	7	Y	0	The last name phonetic code used for search.	JUV
T_MISPER	EMPLOYER	20	CHAR	20	Y	0	The employer of the juvenile.	JUV
T_MISPER	SEX_CODE_FK	21	CHAR	1	Y	0	The sex of the juvenile, e.g. M-male, F-female or U-undetermined.	JUV
T_MISPER	AUDIT_SEQ_NBR	22	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_MISPER	CREATED_BY	23	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_MISPER	CREATION_DATE	24	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_MISPER	CREATOR	25	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_MISPER	LAST_UPDATED_BY	26	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_MISPER	LAST_UPDATE_DATE	27	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_MISPER	UPDATER	28	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_MISPERNOT		0					**Missing Person Note - maintains the data related to notes associated to the missing person.** **Primary Source: Police**	
T_MISPERNOT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_MISPERNOT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_MISPERNOT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_MISPERNOT	SEQUENCE_NUMBER	4	CHAR	7	N	4	The sequence number of the note.	JUV
T_MISPERNOT	LINE_NUMBER	5	SMALLINT	2	N	5	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_MISPERNOT	TEXT	6	CHAR	77	N	0	The text field is a free form text field.	JUV
T_MISPERNOT	CRITICAL_NOTE_FLAG	7	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_MISPERNOT	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_MISPERNOT	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_MISPERNOT	CREATION_DATE	10	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_MISPERNOT	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_MISPERNOT	LAST_UPDATED_BY	12	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_MISPERNOT	LAST_UPDATE_DATE	13	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_MISPERNOT	UPDATER	14	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_MISWTDJUV		0					**Missing Wanted Juvenile - maintains the data related to a missing/wanted juvenile case.** **Primary Source: Police**	
T_MISWTDJUV	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_MISWTDJUV	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_MISWTDJUV	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_MISWTDJUV	CASE_TSTAMP	4	TIMESTMP	10	N	4	The system generated timestamp used to uniquely identify a missing/wanted case.	JUV
T_MISWTDJUV	POL_RPT_NBR	5	CHAR	12	N	0	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_MISWTDJUV	WNTD_STS_CODE	6	CHAR	3	N	0	The wanted status describes the type of case, e.g. missing, runaway, escape, etc.	JUV
T_MISWTDJUV	WNTD_DATE	7	DATE	4	N	0	The month, day and year the wanted juvenile case was initiated.	JUV
T_MISWTDJUV	INVESTIGATOR	8	CHAR	10	Y	0	The investigator assigned to the wanted juvenile case.	JUV
T_MISWTDJUV	INV_OFF_PHN_AC	9	CHAR	3	Y	0	The investigator's phone number area code.	JUV
T_MISWTDJUV	INV_OFF_PHN_PFX	10	CHAR	3	Y	0	The investigator's phone number prefix.	JUV
T_MISWTDJUV	INV_OFF_PHN_SFX	11	CHAR	4	Y	0	The investigator's phone number suffix.	JUV
T_MISWTDJUV	NCIC_ID	12	CHAR	12	Y	0	The NCIC Id as assigned by the FBI.	JUV
T_MISWTDJUV	FND_CLSD_DATE	13	DATE	4	Y	0	The month, day and year the wanted juvenile was found or the case was closed.	JUV
T_MISWTDJUV	MISC_DESC	14	CHAR	72	Y	0	This is a free form text field.	JUV
T_MISWTDJUV	AUDIT_SEQ_NBR	15	DECIMAL	12	N	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_MISWTDJUV	CUST_PER_ID	16	CHAR	12	Y	0		JUV
T_MISWTDJUV	CUST_AGY	17	SMALLINT	2	Y	0		JUV
T_MISWTDJUV	CUST_AGY_ID	18	CHAR	12	Y	0		JUV
T_MISWTDJUV	CREATED_BY	19	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_MISWTDJUV	CREATION_DATE	20	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_MISWTDJUV	CREATOR	21	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV

T_MISWTDJUV	LAST_UPDATED_BY	22	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_MISWTDJUV	LAST_UPDATE_DATE	23	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_MISWTDJUV	UPDATER	24	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_MISWTDJUV	APB_NBR	25	CHAR	12	Y		0	The all points bulletin number as assigned by the police.	JUV
T_NFNRSNNOT		**0**						**Notification Reason Note - maintains the data related to the notes associated to the notification of a victim/complainant upon the release of the juvenile.**	
T_NFNRSNNOT	PER_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_NFNRSNNOT	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_NFNRSNNOT	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_NFNRSNNOT	SEQUENCE_NUMBER	4	CHAR	7	N		4	The sequence number of the note.	JUV
T_NFNRSNNOT	LINE_NUMBER	5	SMALLINT	2	N		5	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_NFNRSNNOT	TEXT	6	CHAR	77	N		0	The text field is a free form text field.	JUV
T_NFNRSNNOT	CRITICAL_NOTE_FLAG	7	CHAR	1	N		0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_NFNRSNNOT	AUDIT_SEQ_NBR	8	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_NFNRSNNOT	CREATED_BY	9	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_NFNRSNNOT	CREATION_DATE	10	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_NFNRSNNOT	CREATOR	11	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_NFNRSNNOT	LAST_UPDATED_BY	12	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_NFNRSNNOT	LAST_UPDATE_DATE	13	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_NFNRSNNOT	UPDATER	14	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PAROFRASMT		**0**						**Parole Officer Assignment - maintains the data related to the assignment of a parole officer to the juvenile.**	
T_PAROFRASMT	JUV_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PAROFRASMT	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PAROFRASMT	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PAROFRASMT	PAR_OFR_SEQ_NBR_FK	4	DECIMAL	7	N		4	The parole officer assigned to the juvenile. This is the JJIS assigned staff person number.	JUV
T_PAROFRASMT	START_DATE	5	DATE	4	N		5	The month, day and year the parole officer was assigned to the juvenile.	JUV
T_PAROFRASMT	END_DATE	6	DATE	4	Y		0	The month, day and year the parole officer was no longer assigned to the juvenile.	JUV
T_PAROFRASMT	AUDIT_SEQ_NBR	7	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PAROFRASMT	CREATED_BY	8	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PAROFRASMT	CREATION_DATE	9	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_PAROFRASMT	CREATOR	10	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PAROFRASMT	LAST_UPDATED_BY	11	CHAR	4	Y		0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PAROFRASMT	LAST_UPDATE_DATE	12	DATE	4	Y		0	The month, day and year the row was updated in the table.	JUV
T_PAROFRASMT	UPDATER	13	DECIMAL	7	Y		0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PERADR		**0**						**Person Address - associates T_PER, Person or T_JUV, Juvenile and T_ADR, Address tables. Maintains the data related to a person's address.**	
T_PERADR	PER_ID_FK	1	CHAR	12	N		1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PERADR	AGY_CODE_FK	2	SMALLINT	2	N		2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PERADR	AGY_ID_FK	3	CHAR	12	N		3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PERADR	ADR_ID_FK	4	DECIMAL	12	N		4	The system generated number to uniquely identify an address.	JUV
T_PERADR	START_DATE	5	DATE	4	N		5	The month, day and year the person/juvenile is known to live at an address.	JUV
T_PERADR	END_DATE	6	DATE	4	Y		0	The month, day and year the person/juvenile is known to no longer live at an address.	JUV
T_PERADR	ADR_TYP_CODE_FK	7	CHAR	3	N		0	The address type describes the address, e.g. RES-residential, BUS-business and OTH-Other.	JUV
T_PERADR	AUDIT_SEQ_NBR	8	DECIMAL	12	Y		0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PERADR	CREATED_BY	9	CHAR	4	N		0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PERADR	CREATION_DATE	10	DATE	4	N		0	The month, day and year the row was created in the table.	JUV
T_PERADR	CREATOR	11	DECIMAL	7	N		0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV

Table	Column	Seq	Type	Len	Null	Key	Description	Agency
T_PERADR	LAST_UPDATED_BY	12	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PERADR	LAST_UPDATE_DATE	13	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_PERADR	UPDATER	14	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PERADRNT		0					**Person Address Note - maintains the data related to notes associated to a person's address.**	
T_PERADRNT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PERADRNT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PERADRNT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PERADRNT	ADR_ID_FK	4	DECIMAL	12	N	4	The system generated number to uniquely identify an address.	JUV
T_PERADRNT	ADR_SRT_DATE_FK	5	DATE	4	N	5	The month, day and year the person/juvenile is known to live at an address.	JUV
T_PERADRNT	SEQ_NBR	6	CHAR	7	N	6	The sequence number of the note.	JUV
T_PERADRNT	LINE_NBR	7	SMALLINT	2	N	7	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_PERADRNT	TEXT	8	CHAR	77	N	0	The text field is a free form text field.	JUV
T_PERADRNT	CRITICAL_NOTE_FLAG	9	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_PERADRNT	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PERADRNT	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PERADRNT	CREATION_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PERADRNT	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PERADRNT	LAST_UPDATED_BY	14	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PERADRNT	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PERADRNT	UPDATER	16	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PERETH		0					**Person Ethnicity - associates T_PER, Person or T_JUV, Juvenile and T_ETH, Ethnicity tables. Maintains the data related to the person's ethnicity.**	
T_PERETH	PER_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PERETH	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PERETH	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PERETH	ETH_CODE_FK	4	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_PERETH	REF_NBR	5	CHAR	1	N	4	The number assigned by the JJIS to allow for multiple ethnicities. The first position, i.e. REF_NBR=1, shows the ethnicity considered the highest percentage, 2 the second highest, etc.	JUV
T_PERETH	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PERETH	CREATED_BY	7	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PERETH	CREATION_DATE	8	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_PERETH	CREATOR	9	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PERETH	LAST_UPDATED_BY	10	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PERETH	LAST_UPDATE_DATE	11	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_PERETH	UPDATER	12	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PERPHN		0					**Person Phone - maintains the data related to the person's phone.**	
T_PERPHN	PER_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PERPHN	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PERPHN	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PERPHN	AREA_CODE_NUMBER	4	CHAR	3	N	4	The area code of the phone number.	JUV
T_PERPHN	PREFIX_NUMBER	5	CHAR	3	N	5	The prefix of the phone number.	JUV
T_PERPHN	SUFFIX_NUMBER	6	CHAR	4	N	6	The suffix of the phone number.	JUV
T_PERPHN	PHN_TYP_CODE_FK	7	CHAR	2	N	7	The type of phone number, e.g. residential, business, cell, etc.	JUV
T_PERPHN	EXT_NUMBER	8	CHAR	4	Y	0	The extension of the phone number.	JUV
T_PERPHN	START_DATE	9	DATE	4	N	8	The month, day and year the phone number is known to be valid.	JUV
T_PERPHN	END_DATE	10	DATE	4	Y	0	The month, day and year the phone number is no longer valied.	JUV
T_PERPHN	ADDR_ID_FK	11	DECIMAL	12	Y	0	The system generated number to uniquely identify an address.	JUV
T_PERPHN	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PERPHN	CREATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PERPHN	CREATION_DATE	14	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_PERPHN	CREATOR	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV

T_PERPHN	LAST_UPDATED_BY	16	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PERPHN	LAST_UPDATE_DATE	17	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_PERPHN	UPDATER	18	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PERSMAT		**0**					**Person SMAT - maintains the data related to the person's scars, marks and tattoos.**	
T_PERSMAT	PER_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PERSMAT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PERSMAT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PERSMAT	SMAT_CODE_FK	4	CHAR	10	N	4	The scars, marks and tattoos of the juvenile.	JUV
T_PERSMAT	DESCRIPTION	5	CHAR	30	N	5	A free form text field to briefly describe the scar, mark or tattoo.	JUV
T_PERSMAT	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PERSMAT	CREATED_BY	7	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PERSMAT	CREATION_DATE	8	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_PERSMAT	CREATOR	9	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PERSMAT	LAST_UPDATED_BY	10	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PERSMAT	LAST_UPDATE_DATE	11	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_PERSMAT	UPDATER	12	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PETPETGRP		**0**					**Petition by Petition Group - maintains the data related to petition groups.** **Primary Source: Family Court**	
T_PETPETGRP	FC_PET_GRP_NBR_FK	1	CHAR	2	N	1	One or more petitions filed against the Juvenile that will be processed together. Note: This group of offenses may span referral groups.	JUV
T_PETPETGRP	FC_REF_JUV_ID_FK	2	CHAR	12	N	2	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PETPETGRP	FC_REF_AGY_COD_FK	3	SMALLINT	2	N	3	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PETPETGRP	FC_REF_AGY_ID_FK	4	CHAR	12	N	4	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PETPETGRP	FC_REF_SEQ_NBR_FK	5	CHAR	5	N	5	The number indicated on the docket sheet used to identify each referral.	JUV
T_PETPETGRP	FC_REF_CNT_FK	6	DECIMAL	2	N	6	The count associated to the referral.	JUV
T_PETPETGRP	CCT_CODE_FK	7	SMALLINT	2	N	7	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PETPETGRP	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PETPETGRP	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PETPETGRP	CREATION_DATE	10	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PETPETGRP	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PETPETGRP	LAST_UPDATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PETPETGRP	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PETPETGRP	UPDATER	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PHYDESC		**0**					**Physical Descriptors - maintains the data related to the physical descriptors for the person.**	
T_PHYDESC	PER_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PHYDESC	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PHYDESC	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PHYDESC	HEIGHT	4	CHAR	3	Y	0	The height of the person.	JUV
T_PHYDESC	WEIGHT	5	CHAR	3	Y	0	The weight of the person.	JUV
T_PHYDESC	EYE_COLOR	6	CHAR	3	Y	0	The eye color of the person.	JUV
T_PHYDESC	HAIR_COLOR	7	CHAR	3	Y	0	The hair color of the person.	JUV
T_PHYDESC	SKIN_TONE	8	CHAR	3	Y	0	The skin tone of the person.	JUV
T_PHYDESC	AS_OF_DATE	9	DATE	4	N	0	The month, day and year that the physical descriptors are known to be valid.	JUV
T_PHYDESC	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PHYDESC	CREATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PHYDESC	CREATION_DATE	12	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_PHYDESC	CREATOR	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PHYDESC	LAST_UPDATED_BY	14	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PHYDESC	LAST_UPDATE_DATE	15	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV

Table	Column		Type				Description	
T_PHYDESC	UPDATER	16	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PHYDESC	BUILD	17	CHAR	3	Y	0	The build of the person.	JUV
T_POLRPT		0					**Police Report - maintains the data related to police report numbers that are issued by the police departments.** **Primary Source: Police**	
T_POLRPT	AGY_CODE_FK	1	SMALLINT	2	N	1	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_POLRPT	NUMBER	2	CHAR	12	N	2	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_POLRPT	MST_POL_RPT_NBR_FK	3	CHAR	12	N	3	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_POLRPT	AUDIT_SEQ_NBR	4	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_POLRPT	CREATED_BY	5	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_POLRPT	CREATION_DATE	6	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_POLRPT	CREATOR	7	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_POLRPT	LAST_UPDATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_POLRPT	LAST_UPDATE_DATE	9	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_POLRPT	UPDATER	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_POLRPTPERA		0					**Police Report Person Address - associates T_POLRPT, Police Report and T_PERADR, Person Address tables. Maintains the data related to the person's address and the police report it is associated with.** **Primary Source: Police**	
T_POLRPTPERA	POL_RPT_AGY_COD_FK	1	SMALLINT	2	N	1	The police agency that issued the police report regarding a particular incident or offense.	JUV
T_POLRPTPERA	POL_RPT_NBR_FK	2	CHAR	12	N	2	The unique number assigned by the police to the police report regarding a particular incident or offense.	JUV
T_POLRPTPERA	PER_ID_FK	3	CHAR	12	N	3	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_POLRPTPERA	AGY_CODE_FK	4	SMALLINT	2	N	4	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_POLRPTPERA	AGY_ID_FK	5	CHAR	12	N	5	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_POLRPTPERA	ADR_ID_FK	6	CHAR	12	N	6	The system generated number to uniquely identify an address.	JUV
T_POLRPTPERA	START_DATE	7	DATE	4	N	7	The month, day and year the person/juvenile is known to live at an address.	JUV
T_POLRPTPERA	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRBOFRASMT		0					**Probation Officer Assignment - maintains the data related to the probation officer's assignment to the juvenile.** **Primary Source: Family Court**	
T_PRBOFRASMT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PRBOFRASMT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PRBOFRASMT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PRBOFRASMT	PRB_OFR_SEQ_NBR_FK	4	DECIMAL	7	N	4	The position designation for Family Court employees assigned to intake and field responsibilities and to whom subsequent referral groups for a specific juvenile on their workload will be assigned for processing. This is the JJIS assigned staff person number.	JUV
T_PRBOFRASMT	FC_ASGN_ID	5	CHAR	2	N	5	The number assigned by the JUSTIS system to identify the probation officer's assignment to the case.	JUV
T_PRBOFRASMT	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRBOFRASMT	START_DATE	7	DATE	4	N	0	The month, day year the juvenile case/referral is assigned by the section supervisor to the individual worker.	JUV
T_PRBOFRASMT	END_DATE	8	DATE	4	Y	0	The month, day year the juvenile case is taken off the probation officer's workload as determined by the section supervisor.	JUV
T_PRBOFRASMT	PO_BRANCH	9	CHAR	4	Y	0	The branch within the Family Court to which the probation officer is assigned.	JUV
T_PRBOFRASMT	PO_SECTION	10	CHAR	4	Y	0	The unit within the Family Court's branches to which the probation officer is assigned.	JUV
T_PRBOFRASMT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRBOFRASMT	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PRBOFRASMT	CREATION_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PRBOFRASMT	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PRBOFRASMT	LAST_UPDATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PRBOFRASMT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PRBOFRASMT	UPDATER	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV

Table	Column	#	Type	Len	Null	Key	Description	Source
T_PRBOFRREF		0					**Probation Officer Referral - maintains the data related to the referral and the probation officer that is associated with it.** **Primary Source: Family Court**	
T_PRBOFRREF	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PRBOFRREF	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PRBOFRREF	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PRBOFRREF	STF_PER_NBR_FK	4	DECIMAL	7	N	4	The probation officer assigned to the case/referral. This is the JJIS assigned staff person number.	JUV
T_PRBOFRREF	FC_ASMT_ID	5	CHAR	2	N	5	The number assigned by the JUSTIS system to identify the probation officer's assignment to the referral.	JUV
T_PRBOFRREF	CCT_CODE_FK	6	SMALLINT	2	N	6	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRBOFRREF	FC_REF_NBR	7	CHAR	5	N	7	The number indicated on the docket sheet used to identify each referral.	JUV
T_PRBOFRREF	FC_REF_CNT	8	DECIMAL	2	N	8	The count associated to the referral.	JUV
T_PRBOFRREF	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRBOFRREF	CREATED_BY	10	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PRBOFRREF	CREATION_DATE	11	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PRBOFRREF	CREATOR	12	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PRBOFRREF	LAST_UPDATED_BY	13	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PRBOFRREF	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PRBOFRREF	UPDATER	15	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PRSCSE		0					**Prosecutor Case - maintains the data related to prosecutor's case numbers.** **Primary Source: Prosecutor**	
T_PRSCSE	CTY_CODE_FK	1	CHAR	1	N	1	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRSCSE	SEQUENCE_NUMBER	2	CHAR	13	N	2	The prosecutor's case number.	JUV
T_PRSCSE	AUDIT_SEQ_NBR	3	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRSCSEASMT		0					**Prosecutor Case Assignment - maintains the data related to the prosecutor's case and the prosecutors that are assigned to it.** **Primary Source: Prosecutor**	
T_PRSCSEASMT	JUV_ID_FK	1	CHAR	12	N	1	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_PRSCSEASMT	AGY_CODE_FK	2	SMALLINT	2	N	2	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PRSCSEASMT	AGY_ID_FK	3	CHAR	12	N	3	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PRSCSEASMT	CTY_CODE_FK	4	CHAR	1	N	4	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRSCSEASMT	PRS_CSE_SEQ_NBR_FK	5	CHAR	13	N	5	The prosecutor's case number.	JUV
T_PRSCSEASMT	CNT_FK	6	DECIMAL	2	N	6	The count associated to the offense or charge.	JUV
T_PRSCSEASMT	CHG_TYP_CODE_FK	7	CHAR	1	N	7	The JJIS assigned charge type code to indicate: 1-police initial, 2-police final, 3-prosecutor, 4-prosecutor add-on, 5-family court and 6-family court amended.	JUV
T_PRSCSEASMT	PRS_SEQ_NBR_FK	8	DECIMAL	7	N	8	The prosecutor assigned to the case. This is the JJIS assigned staff person number.	JUV
T_PRSCSEASMT	START_DATE	9	DATE	4	N	0	The month, day and year the prosecutor was assigned to the case.	JUV
T_PRSCSEASMT	END_DATE	10	DATE	4	Y	0	The month, day and year the prosecutor was no longer assigned to the case.	JUV
T_PRSCSEASMT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRSCSEASMT	CREATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PRSCSEASMT	CREATION_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PRSCSEASMT	CREATOR	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PRSCSEASMT	LAST_UPDATED_BY	15	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PRSCSEASMT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PRSCSEASMT	UPDATER	17	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PRSCSEJUVALS		0					**Prosecutor Case Juvenile Alias - associates T_PRSCSE, Prosecutor Case and T_JUVALS, Juvenile Aliase tables. Maintains the data related to the prosecutor's case and the juvenile's aliases associated with it.** **Primary Source: Prosecutor**	
T_PRSCSEJUVALS	CTY_CODE_FK	1	CHAR	1	N	1	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRSCSEJUVALS	PRS_CSE_SEQ_NBR	2	CHAR	13	N	2	The prosecutor's case number.	JUV
T_PRSCSEJUVALS	JUV_ID_FK	3	CHAR	12	N	3	The JJIS generated number to uniquely identify a person/juvenile.	JUV

T_PRSCSEJUVALS	AGY_CODE_FK	4	SMALLINT	2	N	4	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_PRSCSEJUVALS	AGY_ID_FK	5	CHAR	12	N	5	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_PRSCSEJUVALS	SEQUENCE_NUMBER	6	CHAR	2	N	6	The sequence number of the alias.	JUV
T_PRSCSEJUVALS	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRSCSEJUVALS	CREATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PRSCSEJUVALS	CREATION_DATE	9	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_PRSCSEJUVALS	CREATOR	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PRSCSEJUVALS	LAST_UPDATED_BY	11	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PRSCSEJUVALS	LAST_UPDATE_DATE	12	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_PRSCSEJUVALS	UPDATER	13	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_PRSCSENOT		**0**					**Prosecutor Case Note - maintains the data related to the notes associated to a prosecutor's case.** **Primary Source: Prosecutor**	
T_PRSCSENOT	CTY_CODE_FK	1	CHAR	1	N	1	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_PRSCSENOT	PRS_CSE_SEQ_NBR_FK	2	CHAR	13	N	2	The prosecutor's case number.	JUV
T_PRSCSENOT	SEQUENCE_NUMBER	3	CHAR	7	N	3	The sequence number of the note.	JUV
T_PRSCSENOT	LINE_NUMBER	4	SMALLINT	2	N	4	The line number related to the note's sequence number. Each note sequence number can have zero to n number of lines.	JUV
T_PRSCSENOT	TEXT	5	CHAR	77	N	0	The text field is a free form text field.	JUV
T_PRSCSENOT	CRITICAL_NOTE_FLAG	6	CHAR	1	N	0	An indicator to show if a note is critical or not, e.g. Y or N.	JUV
T_PRSCSENOT	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_PRSCSENOT	CREATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_PRSCSENOT	CREATION_DATE	9	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_PRSCSENOT	CREATOR	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_PRSCSENOT	LAST_UPDATED_BY	11	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_PRSCSENOT	LAST_UPDATE_DATE	12	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_PRSCSENOT	UPDATER	13	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_REFREFGRP		**0**					**Referral by Referral Group - maintains the data related to referral groups.** **Primary Source: Family Court**	
T_REFREFGRP	FC_REF_GRP_NBR_FK	1	CHAR	2	N	1	All the referrals received by the court between the period the first referral is received and the scheduled Arraignment and Plea date or the non-judicial referral termination date for that first referral.	JUV
T_REFREFGRP	FC_REF_JUV_ID_FK	2	CHAR	12	N	2	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_REFREFGRP	AGY_CODE_FK	3	SMALLINT	2	N	3	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_REFREFGRP	AGY_ID_FK	4	CHAR	12	N	4	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_REFREFGRP	FC_REF_SEQ_NBR_FK	5	CHAR	5	N	5	The number indicated on the docket sheet used to identify each referral.	JUV
T_REFREFGRP	FC_REF_CNT_FK	6	DECIMAL	2	N	6	The count associated to the referral.	JUV
T_REFREFGRP	CCT_CODE_FK	7	SMALLINT	2	N	7	The circuit in which the referral originated. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_REFREFGRP	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_REFREFGRP	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_REFREFGRP	CREATION_DATE	10	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_REFREFGRP	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_REFREFGRP	LAST_UPDATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_REFREFGRP	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_REFREFGRP	UPDATER	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_SRCHJUV		**0**					**Search for Juvenile - maintains the data related to searching for the juvenile.**	
T_SRCHJUV	AGY_COUNTY	1	CHAR	1	N	0	The county the juvenile's record originated in. 1-Honolulu, 2-Maui, 3-Hawaii and 5-Kauai.	JUV
T_SRCHJUV	AGY_TYPE	2	CHAR	1	N	0	The type of agency. 1-police, 2-prosecutor, 3-court and 4-correctional.	JUV
T_SRCHJUV	AGENCY_SEARCH_ID	3	CHAR	12	N	0	The alphanumeric identifier used by the participating agencies to uniquely identify a person/juvenile in their own operational systems. If an agency does not have their own operational system, the JJIS Id is used as the Agency Id.	JUV
T_SRCHJUV	JJIS_ID	4	CHAR	12	N	0	The JJIS generated number to uniquely identify a person/juvenile.	JUV

T_SRCHJUV	JMID_ID	5	CHAR	12	N	0	Juvenile Master Index number. A unique number automatically generated by the computer and assigned to a juvenile upon initial entry into the JUSTIS system. Note: A juvenile will always have one JMID.	JUV
T_SRCHJUV	JUV_STS_FLAG	6	CHAR	1	N	0	The indicator to show the juvenile's wanted status, e.g. runaway,missing, escape, etc.	JUV
T_SRCHJUV	NAME_TYPE	7	CHAR	1	N	0	The type of name. A-alias, U-unverified and L-legal.	JUV
T_SRCHJUV	NAME_LAST	8	CHAR	40	N	0	The last name of the juvenile.	JUV
T_SRCHJUV	NAME_LAST_PHON	9	CHAR	7	N	0	The last name phonetic code used for search.	JUV
T_SRCHJUV	NAME_FIRST	10	CHAR	40	N	0	The first name of the juvenile.	JUV
T_SRCHJUV	NAME_MIDDLE	11	CHAR	40	N	0	The middle name of the juvenile.	JUV
T_SRCHJUV	NAME_MIDDLE2	12	CHAR	40	N	0	The second middle name of the juvenile.	JUV
T_SRCHJUV	NAME_SUFFIX	13	CHAR	3	N	0	The suffix of the juvenile.	JUV
T_SRCHJUV	DATE_OF_BIRTH	14	DATE	4	N	0	The month, day and year person was born.	JUV
T_SRCHJUV	SSN	15	CHAR	9	N	0	The social security number of the juvenile.	JUV
T_SRCHJUV	SEX_CODE	16	CHAR	1	N	0	The sex of the juvenile, e.g. M-male, F-female or U-undetermined.	JUV
T_SRCHJUV	ETH1	17	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_SRCHJUV	ETH2	18	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_SRCHJUV	ETH3	19	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_SRCHJUV	ETH4	20	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_SRCHJUV	ETH5	21	CHAR	4	N	0	The ethnic origin of the juvenile.	JUV
T_SRCHJUV	SMAT1	22	CHAR	10	N	0	The scars, marks and tattoos of the juvenile.	JUV
T_SRCHJUV	SMAT2	23	CHAR	10	N	0	The scars, marks and tattoos of the juvenile.	JUV
T_SRCHJUV	SMAT3	24	CHAR	10	N	0	The scars, marks and tattoos of the juvenile.	JUV
T_SRCHJUV	SMAT4	25	CHAR	10	N	0	The scars, marks and tattoos of the juvenile.	JUV
T_SRCHJUV	SEQ_NBR	26	CHAR	2	N	0		JUV
T_SRCHJUV	AGY_ABBREV	27	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency.	JUV
T_SRCHJUV	AUDIT_SEQ_NBR	28	DECIMAL	12	N	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_SRCHJUV	DISP_NAME_LAST	29	CHAR	40	N	0	The last name that is displayed on the Search for Juvenile Summary screen.	JUV
T_SRCHJUV	DISP_NAME_FIRST	30	CHAR	40	N	0	The first name that is displayed on the Search for Juvenile Summary screen.	JUV
T_SRCHJUV	DISP_NAME_MIDDLE	31	CHAR	40	N	0	The middle name that is displayed on the Search for Juvenile Summary screen.	JUV
T_SRCHJUV	DISP_NAME_MIDDLE2	32	CHAR	40	N	0	The second middle name that is displayed on the Search for Juvenile Summary screen.	JUV
T_SRCHJUV	DISP_NAME_SUFFIX	33	CHAR	3	N	0	The suffix that is displayed on the Search for Juvenile Summary screen.	JUV
T_SRCHJUV	CREATED_BY	34	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_SRCHJUV	CREATION_DATE	35	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_SRCHJUV	CREATOR	36	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_SRCHJUV	LAST_UPDATED_BY	37	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_SRCHJUV	LAST_UPDATE_DATE	38	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_SRCHJUV	UPDATER	39	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_STFPER		0					**Staff Person - maintains the data related to personnel of participating agencies.**	
T_STFPER	SEQUENCE_NUMBER	1	DECIMAL	7	N	1	The unique number assigned to agency personnel by the JJIS.	JUV
T_STFPER	LAST_NAME	2	CHAR	40	N	0	The last name of the staff person.	JUV
T_STFPER	FIRST_NAME	3	CHAR	40	N	0	The first name of the staff person.	JUV
T_STFPER	MIDDLE_NAME	4	CHAR	40	Y	0	The middle name of the staff person.	JUV
T_STFPER	STF_PER_STS_COD_FK	5	CHAR	1	N	0	The staff person status code describes whether the staff person is currently active or inactive.	JUV
T_STFPER	STF_PER_TYP_COD_FK	6	CHAR	1	N	0	The staff person type code describes what position the staff person occupies.	JUV
T_STFPER	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_STFPER	CREATED_BY	8	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_STFPER	CREATION_DATE	9	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_STFPER	CREATOR	10	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_STFPER	LAST_UPDATED_BY	11	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_STFPER	LAST_UPDATE_DATE	12	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_STFPER	UPDATER	13	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_STFPERNBR		0					**Staff Person Number - maintains the data related to the unique number assigned by the JJIS to personnel of participating agencies.**	
T_STFPERNBR	AGY_CODE_FK	1	SMALLINT	2	N	1	The unique number assigned by the JJIS to identify agencies participating in the JJIS.	JUV
T_STFPERNBR	NUMBER	2	CHAR	12	N	2	The unique number assigned to agency personnel by the agency.	JUV
T_STFPERNBR	BEGIN_DATE	3	DATE	4	N	4	The month, day and year the person is a member of the agency's staff.	JUV
T_STFPERNBR	END_DATE	4	DATE	4	N	0	The month, day and year the person is no longer a member of the agency's staff.	JUV
T_STFPERNBR	STF_PER_SEQ_NBR_FK	5	DECIMAL	7	N	0	The unique number assigned to agency personnel by the JJIS.	JUV

Table	Column	#	Type	Len	Null	#	Description	
T_STFPERNBR	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_STFPERNBR	CREATED_BY	7	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_STFPERNBR	CREATION_DATE	8	DATE	4	N	0	The month, day and year the row was created in the table.	JUV
T_STFPERNBR	CREATOR	9	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_STFPERNBR	LAST_UPDATED_BY	10	CHAR	4	Y	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_STFPERNBR	LAST_UPDATE_DATE	11	DATE	4	Y	0	The month, day and year the row was updated in the table.	JUV
T_STFPERNBR	UPDATER	12	DECIMAL	7	Y	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV
T_STFPERNBR	STF_PER_TYP_COD_FK	13	CHAR	1	N	3	The staff person type code describes what position the staff person occupies.	JUV
T_TRANSMITTAL		0					**Transmittal - maintains the data related to the transfer of documents between agencies.**	
T_TRANSMITTAL	TO_AGY_CODE_FK	1	SMALLINT	2	N	1	The agency to which the transmittal has been sent.	JUV
T_TRANSMITTAL	FR_AGY_CODE_FK	2	SMALLINT	2	N	2	The agency from which the transmittal originated.	JUV
T_TRANSMITTAL	JUV_ID_FK	3	CHAR	12	N	3	The JJIS generated number to uniquely identify a person/juvenile.	JUV
T_TRANSMITTAL	SRC_DOC_NBR	4	CHAR	12	N	4	The 8 digit number that appears on the petition. This number corresponds to the police report number on which the alleged violation in the petition is based. Petition numbers apply only to petitions received from law enforcement agencies. (DOE petitions, PS violation petitions, and Probation Violation petitions do not have numbers)	JUV
T_TRANSMITTAL	SRC_DOC_NBR_CNT	5	DECIMAL	2	N	5	The count associated to the source document number.	JUV
T_TRANSMITTAL	TRANS_TYPE	6	CHAR	1	N	6	The transmittal type	JUV
T_TRANSMITTAL	TRANS_DATE	7	DATE	4	N	0	The month, day and year the transmittal was sent to the receiving agency.	JUV
T_TRANSMITTAL	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0	The unique number assigned by the JJIS to identify each transaction that is processed by the Universal Transaction Processor (UTP).	JUV
T_TRANSMITTAL	CREATED_BY	9	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that created the row in the table.	JUV
T_TRANSMITTAL	CREATION_DATE	10	TIMESTMP	10	N	0	The month, day and year the row was created in the table.	JUV
T_TRANSMITTAL	CREATOR	11	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user created the row in the table.	JUV
T_TRANSMITTAL	LAST_UPDATED_BY	12	CHAR	4	N	0	The alpha abbreviation assigned by the JJIS to identify the agency that updated the row in the table.	JUV
T_TRANSMITTAL	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0	The month, day and year the row was updated in the table.	JUV
T_TRANSMITTAL	UPDATER	14	DECIMAL	7	N	0	The numeric identifier assigned by the JJIS to indicate which user updated the row in the table.	JUV

TBNAME	NAME	COLNO	COLTYPE	LENGTH	NULLS	KEYSEQ	DESCRIPTION	TYPE
T_AAIPRCS		**0**					**AAI Process - maintains controls for AAI processing.**	
T_AAIPRCS	QNAME	1	CHAR	8	N	1		AAI
T_AAIPRCS	PROC_SW	2	CHAR	1	Y	0		AAI
T_AAIPRCS	PROC_AGY	3	SMALLINT	2	Y	0		AAI
T_AAIPRCS	PROC_STARTED	4	TIMESTMP	10	Y	0		AAI
T_AAIPRCS	PROC_ENDED	5	TIMESTMP	10	Y	0		AAI
T_AAIPRCS	RECORD_COUNT	6	DECIMAL	6	Y	0		AAI
T_ADJRES		**0**					**Adjudication Result**	
T_ADJRES	CODE	1	CHAR	3	N	1		CODE
T_ADJRES	DESCRIPTION	2	CHAR	30	N	0		CODE
T_ADJRES	ABBREV	3	CHAR	10	N	0		CODE
T_ADMTYP		**0**					**Admit Type**	
T_ADMTYP	CODE	1	CHAR	2	N	1		CODE
T_ADMTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_ADMTYP	ABBREV	3	CHAR	10	Y	0		CODE
T_ADMTYP	CALC_VAR	4	SMALLINT	2	Y	0		CODE
T_ADMTYP	REPORT_CODE	5	CHAR	2	Y	0		CODE
T_ADRCDADT		**0**					**Admin Record Audit- maintains the audit data related to administrative screens for the maintenance of code tables.**	
T_ADRCDADT	AUDIT_TSTAMP	1	TIMESTMP	10	N	1		UTP
T_ADRCDADT	ACID	2	CHAR	10	N	0		UTP
T_ADRCDADT	TRM_ID	3	CHAR	10	N	0		UTP
T_ADRCDADT	TBL_ID	4	CHAR	15	N	0		UTP
T_ADRCDADT	ACT_CODE	5	CHAR	1	N	0		UTP
T_ADRCDADT	ADMIN_RCD	6	CHAR	254	N	0		UTP
T_ADRID		**0**					**Address ID**	
T_ADRID	ID	1	CHAR	1	N	1		UTP
T_ADRID	ADDRESS_ID	2	DECIMAL	12	N	0		UTP
T_ADRTYP		**0**					**Address Type**	
T_ADRTYP	CODE	1	CHAR	3	N	1		CODE
T_ADRTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_ADTSEQNBR		**0**					**Audit Sequence Number**	
T_ADTSEQNBR	ID	1	CHAR	1	N	0		UTP
T_ADTSEQNBR	AUDIT_SEQ_NBR	2	DECIMAL	12	N	0		UTP
T_ADTSEQNBR	CREATED_BY	3	CHAR	4	N	0		UTP
T_ADTSEQNBR	CREATION_DATE	4	DATE	4	N	0		UTP
T_ADTSEQNBR	CREATOR	5	DECIMAL	7	N	0		UTP
T_ADTSEQNBR	LAST_UPDATED_BY	6	CHAR	4	Y	0		UTP
T_ADTSEQNBR	LAST_UPDATE_DATE	7	DATE	4	Y	0		UTP
T_ADTSEQNBR	UPDATER	8	DECIMAL	7	Y	0		UTP
T_AGY		**0**					**Agency - the agencies participating in the JJIS.**	
T_AGY	CODE	1	SMALLINT	2	N	1		CODE
T_AGY	NAME	2	CHAR	21	N	0		CODE
T_AGY	ABBREVIATION	3	CHAR	4	N	0		CODE
T_AGY	AGY_TYP_CODE_FK	4	CHAR	2	N	0		CODE
T_AGY	SYSTEM_TYPE	5	CHAR	1	N	0		CODE
T_AGY	CREATED_BY	6	CHAR	4	N	0		CODE
T_AGY	CREATION_DATE	7	TIMESTMP	10	N	0		CODE
T_AGY	CREATOR	8	DECIMAL	7	N	0		CODE
T_AGY	LAST_UPDATED_BY	9	CHAR	4	N	0		CODE
T_AGY	LAST_UPDATE_DATE	10	TIMESTMP	10	N	0		CODE
T_AGY	UPDATER	11	DECIMAL	7	N	0		CODE
T_AGY	RECEIVING_DATA	12	CHAR	1	Y	0		CODE
T_AGYCHGDSPFWD		**0**					**Agency Charge Disposition Forward**	
T_AGYCHGDSPFWD	AGY_CODE_FK	1	SMALLINT	2	N	1		UTP
T_AGYCHGDSPFWD	AGY_DSP_CODE	2	CHAR	1	N	2		UTP
T_AGYCHGDSPFWD	TRANS_TYPE_CODE	3	CHAR	2	N	3		UTP
T_AGYCMBDSP		**0**					**Agency Combine Disposition - maintains the data related to the combine disposition for each agency's combine phase and table/sequence.**	
T_AGYCMBDSP	AUDIT_SEQ_NBR	1	DECIMAL	12	N	1		UTP
T_AGYCMBDSP	SEQ	2	SMALLINT	2	N	2		UTP
T_AGYCMBDSP	TBL_ABBV	3	CHAR	4	N	3		UTP
T_AGYCMBDSP	CMB_PHASE	4	SMALLINT	2	N	4		UTP
T_AGYCMBDSP	TBL_DSP	5	CHAR	4	N	0		UTP
T_AGYCMBDSP	CREATED_BY	6	CHAR	4	N	0		UTP
T_AGYCMBDSP	CREATION_DATE	7	TIMESTMP	10	N	0		UTP
T_AGYCMBDSP	CREATOR	8	DECIMAL	7	N	0		UTP
T_AGYCMBDSP	LAST_UPDATED_BY	9	CHAR	4	N	0		UTP
T_AGYCMBDSP	LAST_UPDATE_DATE	10	TIMESTMP	10	N	0		UTP
T_AGYCMBDSP	UPDATER	11	DECIMAL	7	N	0		UTP
T_AGYCMBPHASE		**0**					**Agency Combine Phase - maintains the data that determines commit type and frequency for each combine phase.**	
T_AGYCMBPHASE	AGENCY_CODE	1	SMALLINT	2	N	1		UTP
T_AGYCMBPHASE	CMB_PHASE	2	SMALLINT	2	N	2		UTP
T_AGYCMBPHASE	COMMIT_FREQ_TYPE	3	CHAR	2	N	0		UTP
T_AGYCMBPHASE	COMMIT_FREQ	4	SMALLINT	2	N	0		UTP
T_AGYCMBPHASE	CREATED_BY	5	CHAR	4	N	0		UTP
T_AGYCMBPHASE	CREATION_DATE	6	TIMESTMP	10	N	0		UTP
T_AGYCMBPHASE	CREATOR	7	DECIMAL	7	N	0		UTP
T_AGYCMBPHASE	LAST_UPDATED_BY	8	CHAR	4	N	0		UTP
T_AGYCMBPHASE	LAST_UPDATE_DATE	9	TIMESTMP	10	N	0		UTP
T_AGYCMBPHASE	UPDATER	10	DECIMAL	7	N	0		UTP

T_AGYCMBPRCS		0					Agency Combine Process - maintains the data that defines which tables are valid for combine by agency and combine phase.	
T_AGYCMBPRCS	AGENCY_CODE	1	SMALLINT	2	N	3		UTP
T_AGYCMBPRCS	CMB_PHASE	2	SMALLINT	2	N	2		UTP
T_AGYCMBPRCS	TBL_ABBV	3	CHAR	4	N	1		UTP
T_AGYCMBPRCS	FR_DATE	4	DATE	4	N	4		UTP
T_AGYCMBPRCS	TO_DATE	5	DATE	4	N	0		UTP
T_AGYCMBPRCS	CREATED_BY	6	CHAR	4	N	0		UTP
T_AGYCMBPRCS	CREATION_DATE	7	TIMESTMP	10	N	0		UTP
T_AGYCMBPRCS	CREATOR	8	DECIMAL	7	N	0		UTP
T_AGYCMBPRCS	LAST_UPDATED_BY	9	CHAR	4	N	0		UTP
T_AGYCMBPRCS	LAST_UPDATE_DATE	10	TIMESTMP	10	N	0		UTP
T_AGYCMBPRCS	UPDATER	11	DECIMAL	7	N	0		UTP
T_AGYCMBTYP		0					Agency Combine Type - maintains the data that defines which combine types are allowed from an agency.	
T_AGYCMBTYP	AGY_CODE_FK	1	SMALLINT	2	N	1		UTP
T_AGYCMBTYP	CMB_CODE	2	CHAR	5	N	2		UTP
T_AGYCMBTYP	SYS_SRC_TYP	3	CHAR	1	N	3		UTP
T_AGYCMBTYP	CREATED_BY	4	CHAR	4	N	0		UTP
T_AGYCMBTYP	CREATION_DATE	5	TIMESTMP	10	N	0		UTP
T_AGYCMBTYP	CREATOR	6	DECIMAL	7	N	0		UTP
T_AGYCMBTYP	LAST_UPDATED_BY	7	CHAR	4	N	0		UTP
T_AGYCMBTYP	LAST_UPDATE_DATE	8	TIMESTMP	10	N	0		UTP
T_AGYCMBTYP	UPDATER	9	DECIMAL	7	N	0		UTP
T_AGYDATCTL		0					Agency Data Control - maintains the data that defines data control types allowed from an agency.	
T_AGYDATCTL	AGENCY_CODE	1	CHAR	2	N	0		UTP
T_AGYDATCTL	DATA_CONTROL_CODE	2	CHAR	3	N	0		UTP
T_AGYDATCTL	START_DATE	3	DATE	4	N	0		UTP
T_AGYDATCTL	END_DATE	4	DATE	4	N	0		UTP
T_AGYDATCTL	CREATED_BY	5	CHAR	4	N	0		UTP
T_AGYDATCTL	CREATION_DATE	6	DATE	4	N	0		UTP
T_AGYDATCTL	CREATOR	7	DECIMAL	7	N	0		UTP
T_AGYDATCTL	LAST_UPDATED_BY	8	CHAR	4	Y	0		UTP
T_AGYDATCTL	LAST_UPDATE_DATE	9	DATE	4	Y	0		UTP
T_AGYDATCTL	UPDATER	10	DECIMAL	7	Y	0		UTP
T_AGYIDTYP		0					Agency ID Type	
T_AGYIDTYP	CODE	1	CHAR	1	N	1		CODE
T_AGYIDTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_AGYIFFLDID		0					Agency Interface Field ID - maintains the data that defines agency field ids' field names, maximum length, translation and validation types.	
T_AGYIFFLDID	AGENCY_CODE	1	CHAR	2	N	1		UTP
T_AGYIFFLDID	FIELD_ID_FK	2	DECIMAL	4	N	2		UTP
T_AGYIFFLDID	UT_VERSION_NBR	3	CHAR	3	N	3		UTP
T_AGYIFFLDID	AGENCY_TABLE	4	CHAR	18	N	0		UTP
T_AGYIFFLDID	AGENCY_COLUMN	5	CHAR	18	N	0		UTP
T_AGYIFFLDID	AGENCY_LENGTH	6	CHAR	3	N	0		UTP
T_AGYIFFLDID	TRANSLATION_FLAG	7	CHAR	1	N	0		UTP
T_AGYIFFLDID	VALIDATION_CODE	8	CHAR	1	N	0		UTP
T_AGYIFFLDID	VALID_FOR_AGENCY	9	CHAR	1	N	0		UTP
T_AGYIFFLDID	SUBJECT_AREA	10	CHAR	2	N	0		UTP
T_AGYIFFLDID	CREATED_BY	11	CHAR	4	N	0		UTP
T_AGYIFFLDID	CREATION_DATE	12	DATE	4	N	0		UTP
T_AGYIFFLDID	CREATOR	13	DECIMAL	7	N	0		UTP
T_AGYIFFLDID	LAST_UPDATED_BY	14	CHAR	4	N	0		UTP
T_AGYIFFLDID	LAST_UPDATE_DATE	15	DATE	4	N	0		UTP
T_AGYIFFLDID	UPDATER	16	DECIMAL	7	N	0		UTP
T_AGYIFVSNEXP		0					Agency Interface Version	
T_AGYIFVSNEXP	AGENCY_CODE	1	CHAR	2	N	0		UTP
T_AGYIFVSNEXP	FIELD_ID	2	DECIMAL	4	N	0		UTP
T_AGYIFVSNEXP	UT_VERSION_NBR	3	CHAR	3	N	0		UTP
T_AGYIFVSNEXP	ACTION_CODE	4	CHAR	1	N	0		UTP
T_AGYIFVSNEXP	END_DATE	5	DATE	4	N	0		UTP
T_AGYIFVSNEXP	CREATED_BY	6	CHAR	4	N	0		UTP
T_AGYIFVSNEXP	CREATION_DATE	7	DATE	4	N	0		UTP
T_AGYIFVSNEXP	CREATOR	8	DECIMAL	7	N	0		UTP
T_AGYIFVSNEXP	LAST_UPDATED_BY	9	CHAR	4	N	0		UTP
T_AGYIFVSNEXP	LAST_UPDATE_DATE	10	DATE	4	N	0		UTP
T_AGYIFVSNEXP	UPDATER	11	DECIMAL	7	N	0		UTP
T_AGYJUV		0					Agency Juvenile - maintains the data related to agency ids and the agencies that generated them.	
T_AGYJUV	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_AGYJUV	FR_AGY_ID	2	CHAR	12	N	2		UTP
T_AGYJUV	TO_ID_TYPE_CODE	3	CHAR	1	N	3		UTP
T_AGYJUV	FR_COUNTY	4	CHAR	1	N	4		UTP
T_AGYJUV	FR_AGY_TYPE_CODE	5	CHAR	1	N	5		UTP
T_AGYJUV	TO_COUNTY	6	CHAR	1	N	6		UTP
T_AGYJUV	TO_AGY_TYPE_CODE	7	CHAR	1	N	7		UTP
T_AGYJUV	TO_AGY_ID	8	CHAR	12	N	0		UTP
T_AGYJUV	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		UTP
T_AGYJUV	CREATED_BY	10	CHAR	4	N	0		UTP
T_AGYJUV	CREATION_DATE	11	TIMESTMP	10	N	0		UTP
T_AGYJUV	CREATOR	12	DECIMAL	7	N	0		UTP
T_AGYJUV	LAST_UPDATED_BY	13	CHAR	4	N	0		UTP
T_AGYJUV	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0		UTP

T_AGYJUV	UPDATER	15	DECIMAL	7	N		0		UTP
T_AGYSUSPSTS		0						Agency Suspense Status - maintains the data that determines which universal transactions will not suspend.	
T_AGYSUSPSTS	AGY_CODE_FK	1	SMALLINT	2	N		1		UTP
T_AGYSUSPSTS	SUSP_TRAN_TYPE_FK	2	CHAR	2	N		2		UTP
T_AGYSUSPSTS	SUSP_TYPE_FK	3	CHAR	2	N		3		UTP
T_AGYSUSPSTS	TRAN_TYPE_FK	4	CHAR	2	N		4		UTP
T_AGYTYP		0						Agency Type	
T_AGYTYP	CODE	1	CHAR	2	N		1		CODE
T_AGYTYP	DESCRIPTION	2	CHAR	12	N		0		CODE
T_AGYTYP	CREATED_BY	3	CHAR	4	N		0		CODE
T_AGYTYP	CREATION_DATE	4	TIMESTMP	10	N		0		CODE
T_AGYTYP	CREATOR	5	DECIMAL	7	N		0		CODE
T_AGYTYP	LAST_UPDATED_BY	6	CHAR	4	N		0		CODE
T_AGYTYP	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		CODE
T_AGYTYP	UPDATER	8	DECIMAL	7	N		0		CODE
T_AGYTYPCDP		0						Agency Type Charge Disposition	
T_AGYTYPCDP	AGY_TYP_CODE_FK	1	CHAR	2	N		1		CODE
T_AGYTYPCDP	CHG_DSP_CODE_FK	2	CHAR	5	N		2		CODE
T_AGYUSRID		0						Agency User ID - maintains the data related to the JJIS Staff Person Id that is used in P4 as the Updated-By Id.	
T_AGYUSRID	AGY_CODE	1	SMALLINT	2	N		0		UTP
T_AGYUSRID	USER_ID	2	CHAR	10	N		0		UTP
T_AGYUSRID	SYS_CODE	3	CHAR	2	N		0		UTP
T_AGYUSRID	JJIS_SEQ_NBR	4	DECIMAL	7	N		0		UTP
T_APPMETTYP		0						Apprehension Method Type	
T_APPMETTYP	CODE	1	CHAR	4	N		1		CODE
T_APPMETTYP	DESCRIPTION	2	CHAR	20	N		0		CODE
T_APPMETTYP	TYP	3	CHAR	1	Y		0		CODE
T_APPMSG		0						Application Message	
T_APPMSG	MESSAGE_CODE	1	CHAR	5	N		0		UTP
T_APPMSG	PGM_ID	2	CHAR	8	Y		0		UTP
T_APPMSG	MODULE_ID	3	CHAR	8	Y		0		UTP
T_APPMSG	CREATED_BY	4	CHAR	4	N		0		UTP
T_APPMSG	CREATION_DATE	5	DATE	4	N		0		UTP
T_APPMSG	CREATOR	6	DECIMAL	7	N		0		UTP
T_APPMSG	LAST_UPDATED_BY	7	CHAR	4	Y		0		UTP
T_APPMSG	LAST_UPDATE_DATE	8	DATE	4	Y		0		UTP
T_APPMSG	UPDATER	9	DECIMAL	7	Y		0		UTP
T_ARCHIVE		0						Archive - maintains the data related to juveniles who have been purged/archived.	
T_ARCHIVE	ARCHIVE_ID	1	CHAR	12	N		1		PURGE
T_ARCHIVE	AGY_CODE_FK	2	SMALLINT	2	N		2		PURGE
T_ARCHIVE	AGY_ID_FK	3	CHAR	12	N		3		PURGE
T_ARCHIVE	ARCHIVE_DATE	4	DATE	4	N		0		PURGE
T_ARCHIVE	ARCHIVE_TYPE	5	CHAR	1	N		0		PURGE
T_ARCHIVE	JJIS_ID	6	CHAR	12	N		0		PURGE
T_ARCHIVE	LAST_NAME	7	CHAR	40	N		0		PURGE
T_ARCHIVE	FIRST_NAME	8	CHAR	40	N		0		PURGE
T_ARCHIVE	MIDDLE_NAME	9	CHAR	40	Y		0		PURGE
T_ARCHIVE	SUFFIX	10	CHAR	3	Y		0		PURGE
T_ARCHIVE	DATE_OF_BIRTH	11	DATE	4	N		0		PURGE
T_ARCHIVE	AFIS_ID	12	CHAR	12	Y		0		PURGE
T_ARRACTTYP		0						Arrest Action Type	
T_ARRACTTYP	CODE	1	CHAR	4	N		1		CODE
T_ARRACTTYP	DESCRIPTION	2	CHAR	30	N		0		CODE
T_ASDPERTYP		0						Associated Person Type	
T_ASDPERTYP	CODE	1	CHAR	2	N		1		CODE
T_ASDPERTYP	DESCRIPTION	2	CHAR	20	N		0		CODE
T_BEAT		0						Beat	
T_BEAT	CODE	1	CHAR	5	N		2		CODE
T_BEAT	DESCRIPTION	2	CHAR	20	N		0		CODE
T_BEAT	POL_DCT_CODE_FK	3	CHAR	5	N		0		CODE
T_BEAT	AGY_CODE_FK	4	SMALLINT	2	N		1		CODE
T_BUILD		0						Build	
T_BUILD	CODE	1	CHAR	3	N		1		CODE
T_BUILD	DESCRIPTION	2	CHAR	24	N		0		CODE
T_CALTYP		0						Calendar Type	
T_CALTYP	CODE	1	CHAR	3	N		1		CODE
T_CALTYP	DESCRIPTION	2	CHAR	40	N		0		CODE
T_CALTYP	ABBREV	3	CHAR	10	N		0		CODE
T_CCT		0						Circuit	
T_CCT	CODE	1	SMALLINT	2	N		1		CODE
T_CCT	NAME	2	CHAR	24	N		0		CODE
T_CDNAGY		0						Condition Agency	
T_CDNAGY	CODE	1	CHAR	4	N		1		CODE
T_CDNAGY	DESCRIPTION	2	CHAR	50	N		0		CODE
T_CDNAGY	ABBREV	3	CHAR	10	N		0		CODE
T_CDNSTS		0						Condition Status	
T_CDNSTS	CODE	1	CHAR	1	N		1		CODE
T_CDNSTS	DESCRIPTION	2	CHAR	24	N		0		CODE
T_CDNSTS	ABBREV	3	CHAR	10	N		0		CODE
T_CDNTYP		0						Condition Type	
T_CDNTYP	CODE	1	CHAR	3	N		1		CODE
T_CDNTYP	DESCRIPTION	2	CHAR	24	N		0		CODE
T_CDNTYP	ABBREV	3	CHAR	10	N		0		CODE
T_CHG		0						Charge	

T_CHG	NUMBER	1	CHAR	5	N		1	CODE
T_CHG	DESCRIPTION	2	CHAR	24	N		0	CODE
T_CHG	ABBREVIATION	3	CHAR	12	N		0	CODE
T_CHG	MAND_NOTIF_FLAG	4	CHAR	1	N		0	CODE
T_CHG	SECTION_CODE	5	CHAR	16	N		0	CODE
T_CHG	CTY_CODE_FK	6	CHAR	1	Y		0	CODE
T_CHG	CHG_CLS_CODE_FK	7	CHAR	2	N		0	CODE
T_CHG	SEV_TYP_CODE_FK	8	CHAR	2	N		0	CODE
T_CHG	START_DATE	9	DATE	4	N		0	CODE
T_CHG	END_DATE	10	DATE	4	N		0	CODE
T_CHG	UCR_CLS_CODE_FK	11	CHAR	3	Y		0	CODE
T_CHG	UCR_SUBCLS_CODE_FK	12	CHAR	3	Y		0	CODE
T_CHGCLS		0				**Charge Classification**		
T_CHGCLS	CODE	1	CHAR	2	N		1	CODE
T_CHGCLS	DESCRIPTION	2	CHAR	24	N		0	CODE
T_CHGDSP		0				**Charge Disposition**		
T_CHGDSP	CODE	1	CHAR	5	N		1	CODE
T_CHGDSP	DESCRIPTION	2	CHAR	24	N		0	CODE
T_CHGDSP	ABBREVIATION	3	CHAR	12	Y		0	CODE
T_CHGDSP	FINAL	4	CHAR	1	Y		0	CODE
T_CHGMOD		0				**Charge Modifier**		
T_CHGMOD	CODE	1	CHAR	2	N		1	CODE
T_CHGMOD	DESCRIPTION	2	CHAR	24	N		0	CODE
T_CHGTYP		0				**Charge Type**		
T_CHGTYP	CODE	1	CHAR	1	N		1	CODE
T_CHGTYP	DESCRIPTION	2	CHAR	20	N		0	CODE
T_CHGTYP	ABBREVIATION	3	CHAR	5	Y		0	CODE
T_CITY		0				**City**		
T_CITY	NAME	1	CHAR	24	N		1	CODE
T_CITY	STAT_ABBV_CODE_FK	2	CHAR	2	N		0	CODE
T_CITYZIP		0				**City Zipcode**		
T_CITYZIP	CITY_NAME_FK	1	CHAR	24	N		1	CODE
T_CITYZIP	ZIP_PREFIX_NBR_FK	2	CHAR	5	N		2	CODE
T_CITYZIP	STAT_ABBV_CODE_FK	3	CHAR	2	N		0	CODE
T_CITYZIP	AMS_NAME	4	CHAR	24	Y		0	CODE
T_CMBPHASE		0				**Combine Phase**		
T_CMBPHASE	CODE	1	SMALLINT	2	N		1	CODE
T_CMBPHASE	DESCRIPTION	2	CHAR	60	N		0	CODE
T_CMBPHASE	CREATED_BY	3	CHAR	4	N		0	CODE
T_CMBPHASE	CREATION_DATE	4	TIMESTMP	10	N		0	CODE
T_CMBPHASE	CREATOR	5	DECIMAL	7	N		0	CODE
T_CMBPHASE	LAST_UPDATED_BY	6	CHAR	4	N		0	CODE
T_CMBPHASE	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0	CODE
T_CMBPHASE	UPDATER	8	DECIMAL	7	N		0	CODE
T_CMBREQRSN		0				**Combine Request Reason**		
T_CMBREQRSN	CODE	1	CHAR	2	N		1	CODE
T_CMBREQRSN	DESCRIPTION	2	CHAR	30	N		0	CODE
T_CMBREQRSNTYP		0				**Combine Request Reason Type**		
T_CMBREQRSNTYP	CMB_REQ_RSN_FK	1	CHAR	2	N		1	CODE
T_CMBREQRSNTYP	CMB_REQ_TYP_FK	2	CHAR	2	N		2	CODE
T_CMBREQSTS		0				**Combine Request Status**		
T_CMBREQSTS	CODE	1	CHAR	2	N		1	CODE
T_CMBREQSTS	DESCRIPTION	2	CHAR	20	N		0	CODE
T_CMBREQTYP		0				**Combine Request Type**		
T_CMBREQTYP	CODE	1	CHAR	2	N		1	CODE
T_CMBREQTYP	DESCRIPTION	2	CHAR	20	N		0	CODE
T_CMBTYP		0				**Combine Type**		
T_CMBTYP	CODE	1	CHAR	8	N		1	CODE
T_CMBTYP	DESCRIPTION	2	CHAR	60	N		0	CODE
T_CMBTYP	CREATED_BY	3	CHAR	4	N		0	CODE
T_CMBTYP	CREATION_DATE	4	TIMESTMP	10	N		0	CODE
T_CMBTYP	CREATOR	5	DECIMAL	7	N		0	CODE
T_CMBTYP	LAST_UPDATED_BY	6	CHAR	4	N		0	CODE
T_CMBTYP	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0	CODE
T_CMBTYP	UPDATER	8	DECIMAL	7	N		0	CODE
T_CMBTYPPHASE		0				**Combine Type Phase**		
T_CMBTYPPHASE	CMB_TYPE	1	CHAR	5	N		1	UTP
T_CMBTYPPHASE	AGY_SYS_TYP	2	CHAR	1	N		2	UTP
T_CMBTYPPHASE	SYS_SRC_TYP	3	CHAR	1	N		3	UTP
T_CMBTYPPHASE	CMB_PHASE	4	SMALLINT	2	N		4	UTP
T_CMBTYPPHASE	CREATED_BY	5	CHAR	4	N		0	UTP
T_CMBTYPPHASE	CREATION_DATE	6	TIMESTMP	10	N		0	UTP
T_CMBTYPPHASE	CREATOR	7	DECIMAL	7	N		0	UTP
T_CMBTYPPHASE	LAST_UPDATED_BY	8	CHAR	4	N		0	UTP
T_CMBTYPPHASE	LAST_UPDATE_DATE	9	TIMESTMP	10	N		0	UTP
T_CMBTYPPHASE	UPDATER	10	DECIMAL	7	N		0	UTP
T_CMTFREQTYP		0				**Commit Frequency Type**		
T_CMTFREQTYP	CODE	1	CHAR	2	N		1	UTP
T_CMTFREQTYP	DESCRIPTION	2	CHAR	60	N		0	UTP
T_CMTFREQTYP	CREATED_BY	3	CHAR	4	N		0	UTP
T_CMTFREQTYP	CREATION_DATE	4	TIMESTMP	10	N		0	UTP
T_CMTFREQTYP	CREATOR	5	DECIMAL	7	N		0	UTP
T_CMTFREQTYP	LAST_UPDATED_BY	6	CHAR	4	N		0	UTP
T_CMTFREQTYP	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0	UTP
T_CMTFREQTYP	UPDATER	8	DECIMAL	7	N		0	UTP

Table	Field	Seq	Type	Len	Null	Key	Description	Cat
T_CODTRN		0					**Code Translation - maintains the data that is used to translate incoming agency codes from the interface to JJIS standard codes.**	
T_CODTRN	UT_VERSION_NBR	1	CHAR	3	N	1		UTP
T_CODTRN	FIELD_ID	2	DECIMAL	4	N	2		UTP
T_CODTRN	FR_AGENCY_CODE	3	SMALLINT	2	N	3		UTP
T_CODTRN	TO_AGENCY_CODE	4	SMALLINT	2	N	4		UTP
T_CODTRN	FR_TRNSLN_CODE	5	CHAR	30	N	5		UTP
T_CODTRN	TO_TRNSLN_CODE	6	CHAR	30	Y	0		UTP
T_CODTRN	FR_AGY_CODE_LEN	7	SMALLINT	2	Y	0		UTP
T_CODTRN	TO_AGY_CODE_LEN	8	SMALLINT	2	Y	0		UTP
T_CODTRN	CREATED_BY	9	CHAR	4	Y	0		UTP
T_CODTRN	CREATION_DATE	10	DATE	4	Y	0		UTP
T_CODTRN	CREATOR	11	DECIMAL	7	Y	0		UTP
T_CODTRN	LAST_UPDATED_BY	12	CHAR	4	Y	0		UTP
T_CODTRN	LAST_UPDATE_DATE	13	DATE	4	Y	0		UTP
T_CODTRN	UPDATER	14	DECIMAL	7	Y	0		UTP
T_COUNTRY		0					**Country**	
T_COUNTRY	CODE	1	CHAR	2	N	1		CODE
T_COUNTRY	NAME	2	CHAR	24	N	0		CODE
T_CTLTYP		0					**Control Type**	
T_CTLTYP	CODE	1	CHAR	3	N	1		CODE
T_CTLTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_CTLTYP	ABBREV	3	CHAR	10	Y	0		CODE
T_CTLTYP	REPORT_CODE	4	CHAR	1	Y	0		CODE
T_CTY		0					**County**	
T_CTY	CODE	1	CHAR	1	N	1		CODE
T_CTY	NAME	2	CHAR	24	N	0		CODE
T_CTY	STAT_ABBV_CODE_FK	3	CHAR	2	N	0		CODE
T_DATACTL		0					**Data Control**	
T_DATACTL	TRANS_DATE	1	DATE	4	N	0		UTP
T_DATACTL	FR_AGENCY_CODE	2	SMALLINT	2	N	0		UTP
T_DATACTL	TO_AGENCY_CODE	3	SMALLINT	2	N	0		UTP
T_DATACTL	DATA_CONTROL_CODE	4	CHAR	2	N	0		UTP
T_DATACTL	CTL_SRC_CODE	5	CHAR	3	N	0		UTP
T_DATACTL	TTL_TRANS_CNT	6	DECIMAL	7	Y	0		UTP
T_DATACTL	SUSP_TRANS_CNT	7	DECIMAL	5	Y	0		UTP
T_DATACTL	SUCC_TRANS_CNT	8	DECIMAL	5	Y	0		UTP
T_DATACTL	CREATED_BY	9	CHAR	4	N	0		UTP
T_DATACTL	CREATION_DATE	10	DATE	4	N	0		UTP
T_DATACTL	CREATOR	11	DECIMAL	7	N	0		UTP
T_DATACTL	LAST_UPDATED_BY	12	CHAR	4	Y	0		UTP
T_DATACTL	LAST_UPDATE_DATE	13	DATE	4	Y	0		UTP
T_DATACTL	UPDATER	14	DECIMAL	7	Y	0		UTP
T_DATACTLCOD		0					**Data Control Code**	
T_DATACTLCOD	CODE	1	CHAR	3	N	0		CODE
T_DATACTLCOD	DESCRIPTION	2	CHAR	20	N	0		CODE
T_DATACTLCOD	CREATED_BY	3	CHAR	4	N	0		CODE
T_DATACTLCOD	CREATION_DATE	4	TIMESTMP	10	N	0		CODE
T_DATACTLCOD	CREATOR	5	DECIMAL	7	N	0		CODE
T_DATACTLCOD	LAST_UPDATED_BY	6	CHAR	4	N	0		CODE
T_DATACTLCOD	LAST_UPDATE_DATE	7	TIMESTMP	10	N	0		CODE
T_DATACTLCOD	UPDATER	8	DECIMAL	7	N	0		CODE
T_DATE		0					**Date**	
T_DATE	UPDATE_DATE	1	DATE	4	N	0		UTP
T_DIV		0					**Division**	
T_DIV	AGENCY_CODE_FK	1	SMALLINT	2	N	1		CODE
T_DIV	DIVISION	2	CHAR	4	N	2		CODE
T_DIV	DESCRIPTION	3	CHAR	30	N	0		CODE
T_DIV	BEG_DATE	4	DATE	4	N	0		CODE
T_DIV	END_DATE	5	DATE	4	N	0		CODE
T_DOWNLOAD		0					**Download**	
T_DOWNLOAD	AGY_CODE_FK	1	SMALLINT	2	N	1		UTP
T_DOWNLOAD	INFO_TYPE	2	CHAR	12	N	2		UTP
T_DOWNLOAD	USER_ID	3	CHAR	12	N	3		UTP
T_DOWNLOAD	SEQ_NBR	4	DECIMAL	7	N	4		UTP
T_DOWNLOAD	CREATED_BY	5	CHAR	4	N	0		UTP
T_DOWNLOAD	CREATION_DATE	6	TIMESTMP	10	N	0		UTP
T_DOWNLOAD	CREATOR	7	DECIMAL	7	N	0		UTP
T_DOWNLOAD	LAST_UPDATED_BY	8	CHAR	4	N	0		UTP
T_DOWNLOAD	LAST_UPDATE_DATE	9	TIMESTMP	10	N	0		UTP
T_DOWNLOAD	UPDATER	10	DECIMAL	7	N	0		UTP
T_DOWNLOAD	DL_RCD	11	VARCHAR	4056	N	0		UTP
T_DRGTYP		0					**Drug Type**	
T_DRGTYP	CODE	1	CHAR	5	N	1		CODE
T_DRGTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_DSPRPT		0					**Disposition Report - maintains the data used to generate the Disposition Discrepancy Report.**	
T_DSPRPT	TYPE_DISCREP	1	CHAR	2	N	1		PURGE
T_DSPRPT	AGY_ABBREV	2	CHAR	5	N	3		PURGE
T_DSPRPT	POL_RPT_NBR	3	CHAR	12	N	4		PURGE
T_DSPRPT	CODE	4	CHAR	5	N	0		PURGE
T_DSPRPT	NAME	5	CHAR	40	N	0		PURGE
T_DSPRPT	JJIS_ID	6	CHAR	12	N	2		PURGE
T_DUAL		0					**Dual - a single row table used by SQL DML to get the current date or timestamp.**	
T_DUAL	DUMMY	1	CHAR	1	N	0		UTP

T_ERRTNSLN		0					Error Translation	
T_ERRTNSLN	AGY_CODE_FK	1	SMALLINT	2	N	1		UTP
T_ERRTNSLN	ERR_NBR	2	DECIMAL	4	N	2		UTP
T_ERRTNSLN	FLD_NBR	3	DECIMAL	4	N	3		UTP
T_ERRTNSLN	MSG_CODE_FK	4	DECIMAL	4	Y	0		UTP
T_ERRTNSLN	RESP_CODE_FK	5	DECIMAL	4	Y	0		UTP
T_ERRTNSLN	CREATED_BY	6	CHAR	4	N	0		UTP
T_ERRTNSLN	CREATION_DATE	7	TIMESTMP	10	N	0		UTP
T_ERRTNSLN	CREATOR	8	DECIMAL	7	N	0		UTP
T_ERRTNSLN	LAST_UPDATED_BY	9	CHAR	4	N	0		UTP
T_ERRTNSLN	LAST_UPDATE_DATE	10	TIMESTMP	10	N	0		UTP
T_ERRTNSLN	UPDATER	11	DECIMAL	7	N	0		UTP
T_ETH		0					Ethnicity	
T_ETH	CODE	1	CHAR	4	N	1		CODE
T_ETH	DESCRIPTION	2	CHAR	24	N	0		CODE
T_ETH	RACE_CODE_FK	3	CHAR	1	N	0		CODE
T_EYECOLOR		0					Eye Color	
T_EYECOLOR	CODE	1	CHAR	3	N	1		CODE
T_EYECOLOR	DESCRIPTION	2	CHAR	12	N	0		CODE
T_FCNBRTYP		0					Family Court Number Type	
T_FCNBRTYP	CODE	1	CHAR	1	N	1		CODE
T_FCNBRTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_FLDERRCTL		0					Field Error Control - maintains the field errors resulting from processing universal transactions.	
T_FLDERRCTL	AUDIT_SEQ_NBR	1	DECIMAL	12	N	1		UTP
T_FLDERRCTL	FIELD_ID	2	DECIMAL	4	N	2		UTP
T_FLDERRCTL	MESSAGE_CODE	3	DECIMAL	4	N	3		UTP
T_FLDERRCTL	SEVERITY_CODE	4	CHAR	1	N	0		UTP
T_FLDERRCTL	FLD_ERR_PGM_ID	5	CHAR	6	Y	0		UTP
T_FLDERRCTL	CLOSED_DATE	6	TIMESTMP	10	Y	0		UTP
T_FLDERRCTL	CREATED_BY	7	CHAR	4	N	0		UTP
T_FLDERRCTL	CREATION_DATE	8	TIMESTMP	10	N	0		UTP
T_FLDERRCTL	CREATOR	9	DECIMAL	7	N	0		UTP
T_FLDERRCTL	LAST_UPDATED_BY	10	CHAR	4	N	0		UTP
T_FLDERRCTL	LAST_UPDATE_DATE	11	TIMESTMP	10	N	0		UTP
T_FLDERRCTL	UPDATER	12	DECIMAL	7	N	0		UTP
T_FLDIDPARSE		0					Field ID Parse - maintains the data that determines which fields are parsed.	
T_FLDIDPARSE	UT_VERSION_NBR	1	CHAR	3	N	1		UTP
T_FLDIDPARSE	FR_FIELD_ID	2	DECIMAL	4	N	2		UTP
T_FLDIDPARSE	FR_AGENCY_CODE	3	SMALLINT	2	N	3		UTP
T_FLDIDPARSE	TO_AGENCY_CODE	4	SMALLINT	2	N	4		UTP
T_FLDIDPARSE	SEQUENCE_NUMBER	5	DECIMAL	2	N	5		UTP
T_FLDIDPARSE	TO_FIELD_ID	6	DECIMAL	4	N	0		UTP
T_FLDIDPARSE	CREATED_BY	7	CHAR	4	N	0		UTP
T_FLDIDPARSE	CREATION_DATE	8	DATE	4	N	0		UTP
T_FLDIDPARSE	CREATOR	9	DECIMAL	7	N	0		UTP
T_FLDIDPARSE	LAST_UPDATED_BY	10	CHAR	4	Y	0		UTP
T_FLDIDPARSE	LAST_UPDATE_DATE	11	DATE	4	Y	0		UTP
T_FLDIDPARSE	UPDATER	12	DECIMAL	7	Y	0		UTP
T_FLDIDTNSPRS		0					Field ID Translation Parse - maintains the data that determines which fields are parsed and translated.	
T_FLDIDTNSPRS	UT_VERSION_NBR	1	CHAR	3	N	0		UTP
T_FLDIDTNSPRS	FR_FIELD_ID	2	DECIMAL	4	N	0		UTP
T_FLDIDTNSPRS	FR_AGENCY_CODE	3	SMALLINT	2	N	0		UTP
T_FLDIDTNSPRS	TO_AGENCY_CODE	4	SMALLINT	2	N	0		UTP
T_FLDIDTNSPRS	FR_TRNSLN_CODE	5	CHAR	16	Y	0		UTP
T_FLDIDTNSPRS	SEQUENCE_NUMBER	6	DECIMAL	2	N	0		UTP
T_FLDIDTNSPRS	TO_FIELD_ID	7	DECIMAL	4	Y	0		UTP
T_FLDIDTNSPRS	CREATED_BY	8	CHAR	4	N	0		UTP
T_FLDIDTNSPRS	CREATION_DATE	9	DATE	4	N	0		UTP
T_FLDIDTNSPRS	CREATOR	10	DECIMAL	7	N	0		UTP
T_FLDIDTNSPRS	LAST_UPDATED_BY	11	CHAR	4	Y	0		UTP
T_FLDIDTNSPRS	LAST_UPDATE_DATE	12	DATE	4	Y	0		UTP
T_FLDIDTNSPRS	UPDATER	13	DECIMAL	7	Y	0		UTP
T_HAIRCOLOR		0					Hair Color	
T_HAIRCOLOR	CODE	1	CHAR	3	N	1		CODE
T_HAIRCOLOR	DESCRIPTION	2	CHAR	26	N	0		CODE
T_HPDDSP		0					Agency Disposition	
T_HPDDSP	CODE	1	CHAR	1	N	2		CODE
T_HPDDSP	DESCRIPTION	2	CHAR	30	N	0		CODE
T_HPDDSP	ABBREVIATION	3	CHAR	12	N	0		CODE
T_HPDDSP	AGY_CODE	4	SMALLINT	2	N	1		CODE
T_HRGSTS		0					Hearing Status	
T_HRGSTS	CODE	1	CHAR	4	N	1		CODE
T_HRGSTS	DESCRIPTION	2	CHAR	30	N	0		CODE
T_HRGSTS	ABBREV	3	CHAR	10	N	0		CODE
T_HRGTYP		0					Hearing Type	
T_HRGTYP	CODE	1	CHAR	3	N	1		CODE
T_HRGTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_HRGTYP	ABBREV	3	CHAR	10	N	0		CODE
T_IFFLDID		0					Interface Field ID	
T_IFFLDID	FIELD_ID	1	DECIMAL	4	N	0		UTP
T_IFFLDID	DESCRIPTION	2	CHAR	20	N	0		UTP
T_IFFLDID	JJIS_TABLE	3	CHAR	18	Y	0		UTP
T_IFFLDID	JJIS_COLUMN	4	CHAR	18	Y	0		UTP
T_IFFLDID	JJIS_LENGTH	5	CHAR	3	N	0		UTP

T_IFFLDID	SUBJ_AREA	6	CHAR	2	N		0		UTP
T_INTAGYSVC		0						Interface Agency Service - maintains the data related to AAI services and their associated transactions.	
T_INTAGYSVC	SEND_TO_AGY	1	SMALLINT	2	N		1		AAI
T_INTAGYSVC	TRANS_TYPE_CD	2	CHAR	2	N		2		AAI
T_INTAGYSVC	AUDIT_SEQ_NBR	3	DECIMAL	12	N		0		AAI
T_INTAGYSVC	NODE_SERVICE	4	CHAR	26	N		0		AAI
T_INTAGYSVC	EXE_SEND_FLAG	5	CHAR	1	N		0		AAI
T_INTERRCTL		0						Interface Error Control - maintains the errors that are generated from AAI pull processing.	
T_INTERRCTL	CREATION_DATE	1	TIMESTMP	10	N		1		UTP
T_INTERRCTL	AUDIT_SEQ_NBR	2	DECIMAL	12	Y		0		UTP
T_INTERRCTL	UT_SEQ_NBR	3	DECIMAL	4	Y		0		UTP
T_INTERRCTL	UT_TOT_NBR	4	DECIMAL	4	Y		0		UTP
T_INTERRCTL	NODE_SERVICE	5	CHAR	26	Y		0		UTP
T_INTERRCTL	TRANS_TYPE_CD	6	CHAR	2	Y		0		UTP
T_INTERRCTL	TBL_ID	7	CHAR	4	Y		0		UTP
T_INTERRCTL	AAI_URM_RTN_CD	8	DECIMAL	4	Y		0		UTP
T_INTERRCTL	AAI_URM_ERR_MSG	9	CHAR	86	Y		0		UTP
T_INTERRCTL	AAI_RQH_RTN_CD	10	DECIMAL	4	Y		0		UTP
T_INTERRCTL	AAI_RQH_ERR_MSG	11	CHAR	94	Y		0		UTP
T_INTERRCTL	SQL_RTN_CD	12	SMALLINT	2	Y		0		UTP
T_INTERRCTL	ERR_MSG	13	CHAR	100	N		0		UTP
T_INTSVCCTL		0						Interface Service Control - maintains the cycling data for the pull program.	
T_INTSVCCTL	ID	1	SMALLINT	2	N		1		UTP
T_INTSVCCTL	EXE_SEND_FLAG	2	CHAR	1	N		0		UTP
T_INTSVCCTL	EXE_CYCLE_FLAG	3	CHAR	1	N		0		UTP
T_INTSVCCTL	ERR_NODE_SERVICE	4	CHAR	26	N		0		UTP
T_INTSVCCTL	TIME_INTERVAL	5	DECIMAL	6	N		0		UTP
T_JJISID		0						JJIS ID - maintains the data related to Id transactions that are sent back to the agencies via the interfaces.	
T_JJISID	AUDIT_SEQ_NBR	1	DECIMAL	12	N		1		UTP
T_JJISID	JUV_ID_FK	2	CHAR	12	N		0		UTP
T_JJISID	AGY_CODE_FK	3	SMALLINT	2	N		2		UTP
T_JJISID	AGY_ID_FK	4	CHAR	12	N		0		UTP
T_JJISID	JJIS_ID_REC	5	CHAR	222	N		0		UTP
T_JJISID	PROCESS_DATE	6	TIMESTMP	10	Y		0		UTP
T_JJISID	CREATION_DATE	7	TIMESTMP	10	N		0		UTP
T_JJISTBLS		0						JJIS Tables	
T_JJISTBLS	NAME	1	CHAR	18	N		1		UTP
T_JJISTBLS	DESCRIPTION	2	CHAR	60	N		0		UTP
T_JJISTBLS	TBL_ABBV_FK	3	CHAR	4	N		0		UTP
T_JJISTBLS	TBL_TYP_FK	4	CHAR	4	N		0		UTP
T_JJISTBLS	VALID_FOR_CMB	5	CHAR	1	N		0		UTP
T_JJISTBLS	CMB_SEQ	6	SMALLINT	2	N		0		UTP
T_JJISTBLS	CREATED_BY	7	CHAR	4	N		0		UTP
T_JJISTBLS	CREATION_DATE	8	TIMESTMP	10	N		0		UTP
T_JJISTBLS	CREATOR	9	DECIMAL	7	N		0		UTP
T_JJISTBLS	LAST_UPDATED_BY	10	CHAR	4	N		0		UTP
T_JJISTBLS	LAST_UPDATE_DATE	11	TIMESTMP	10	N		0		UTP
T_JJISTBLS	UPDATER	12	DECIMAL	7	N		0		UTP
T_JJISTBLTYP		0						JJIS Table Type	
T_JJISTBLTYP	CODE	1	CHAR	4	N		1		CODE
T_JJISTBLTYP	DESCRIPTION	2	CHAR	60	N		0		CODE
T_JJISTBLTYP	CREATED_BY	3	CHAR	4	N		0		CODE
T_JJISTBLTYP	CREATION_DATE	4	TIMESTMP	10	N		0		CODE
T_JJISTBLTYP	CREATOR	5	DECIMAL	7	N		0		CODE
T_JJISTBLTYP	LAST_UPDATED_BY	6	CHAR	4	N		0		CODE
T_JJISTBLTYP	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		CODE
T_JJISTBLTYP	UPDATER	8	DECIMAL	7	N		0		CODE
T_JUVNOTTYP		0						Juvenile Note Type	
T_JUVNOTTYP	CODE	1	CHAR	2	N		1		CODE
T_JUVNOTTYP	DESCRIPTION	2	CHAR	24	N		0		CODE
T_JUVSPCINFT		0						Juvenile Special Information Type	
T_JUVSPCINFT	CODE	1	CHAR	3	N		1		CODE
T_JUVSPCINFT	DESCRIPTION	2	CHAR	24	N		0		CODE
T_JUVTMPSEQNBR		0						Juvenile Temporary Sequence Number - maintains the temporary sequence number that is assigned to juveniles that don't have an agency id who are entered via the online screen.	
T_JUVTMPSEQNBR	ID	1	CHAR	1	N		1		JUV
T_JUVTMPSEQNBR	TEMP_SEQ_NBR	2	DECIMAL	12	N		0		JUV
T_JUVTMPSEQNBR	CREATED_BY	3	CHAR	4	N		0		JUV
T_JUVTMPSEQNBR	CREATION_DATE	4	TIMESTMP	10	N		0		JUV
T_JUVTMPSEQNBR	CREATOR	5	DECIMAL	7	N		0		JUV
T_JUVTMPSEQNBR	LAST_UPDATED_BY	6	CHAR	4	N		0		JUV
T_JUVTMPSEQNBR	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		JUV
T_JUVTMPSEQNBR	UPDATER	8	DECIMAL	7	N		0		JUV
T_JUVUPDCTL		0						Juvenile Update Control - maintains the Master Person Pk associated to a juvenile.	
T_JUVUPDCTL	JUV_ID_FK	1	CHAR	12	N		1		UTP
T_JUVUPDCTL	AGY_CODE_FK	2	SMALLINT	2	N		2		UTP
T_JUVUPDCTL	AGY_ID_FK	3	CHAR	12	N		3		UTP
T_JUVUPDCTL	AS_OF_DATE	4	DATE	4	N		0		UTP
T_JUVUPDCTL	MASTER_PER_PK	1	CHAR	12	N		1		UTP
T_LGLSTS		0						Legal Status	

Table	Column	Seq	Type	Len	Null	Key	Description	Ref
T_LGLSTS	CODE	1	CHAR	4	N	1		CODE
T_LGLSTS	DESCRIPTION	2	CHAR	30	N	0		CODE
T_LGLSTS	ABBREV	3	CHAR	10	N	0		CODE
T_LGLSTSAGY		0					**Legal Status Agency**	
T_LGLSTSAGY	CODE	1	CHAR	4	N	1		CODE
T_LGLSTSAGY	DESCRIPTION	2	CHAR	30	N	0		CODE
T_LGLSTSAGY	ABBREV	3	CHAR	10	N	0		CODE
T_LINKALIAS		0					**Link Alias - maintains the object id associated to an alias.**	
T_LINKALIAS	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKALIAS	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKALIAS	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKALIAS	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKALIAS	SEQUENCE_NUMBER	5	CHAR	2	N	0		UTP
T_LINKARREST		0					**Link Arrest - maintains the object id associated to an arrest.**	
T_LINKARREST	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKARREST	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKARREST	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKARREST	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKARREST	POL_RPT_NBR	5	CHAR	20	N	5		UTP
T_LINKARREST	DATE	6	DATE	4	N	0		UTP
T_LINKARREST	TIME	7	TIME	3	N	0		UTP
T_LINKARREST	EVENTNUMBER	8	CHAR	20	N	0		UTP
T_LINKARREST	POL_RPT_NBR_CNT	9	DECIMAL	2	N	0		UTP
T_LINKMISWTD		0					**Link Missing Wanted - maintains the object id associated to a missing/wanted case.**	
T_LINKMISWTD	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKMISWTD	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKMISWTD	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKMISWTD	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKMISWTD	CASE_TSTAMP	5	TIMESTMP	10	N	0		UTP
T_LINKSMAT		0					**Link Scars Marks And Tattoos - maintains the object id associated to a SMAT.**	
T_LINKSMAT	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKSMAT	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKSMAT	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKSMAT	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKSMAT	SMAT_CODE_FK	5	CHAR	10	N	0		UTP
T_LINKSMAT	DESCRIPTION	6	CHAR	30	N	0		UTP
T_LINKSPCINF		0					**Link Special Information - maintains the object id associated to a special information flag.**	
T_LINKSPCINF	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKSPCINF	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKSPCINF	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKSPCINF	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKSPCINF	SPC_INF_TYP_COD_FK	5	CHAR	3	N	0		UTP
T_LINKSPCINF	FROM_DATE	6	DATE	4	N	0		UTP
T_LINKWARRANT		0					**Link Warrant - maintains the object id associated to a warrant.**	
T_LINKWARRANT	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_LINKWARRANT	AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_LINKWARRANT	AGY_ID_FK	3	CHAR	12	N	3		UTP
T_LINKWARRANT	OBJECTID	4	CHAR	40	N	4		UTP
T_LINKWARRANT	WAR_SEQ_NBR	5	CHAR	2	N	0		UTP
T_MSGCOD		0					**Message Code**	
T_MSGCOD	MESSAGE_CODE	1	DECIMAL	4	N	0		CODE
T_MSGCOD	DESCRIPTION	2	CHAR	60	N	0		CODE
T_MSGCOD	MSG_SEV_CODE	3	CHAR	1	N	0		CODE
T_MSGCOD	MSG_TYP_CODE	4	CHAR	1	N	0		CODE
T_MSGCOD	CREATED_BY	5	CHAR	4	N	0		CODE
T_MSGCOD	CREATION_DATE	6	DATE	4	N	0		CODE
T_MSGCOD	CREATOR	7	DECIMAL	7	N	0		CODE
T_MSGCOD	LAST_UPDATED_BY	8	CHAR	4	Y	0		CODE
T_MSGCOD	LAST_UPDATE_DATE	9	DATE	4	Y	0		CODE
T_MSGCOD	UPDATER	10	DECIMAL	7	Y	0		CODE
T_MSGCOD	SPN_RSN	11	CHAR	2	N	0		CODE
T_MSGCODARR		0					**Message Code Array**	
T_MSGCODARR	ID	1	CHAR	1	N	0		UTP
T_MSGCODARR	CREATED_BY	2	CHAR	4	N	0		UTP
T_MSGCODARR	CREATION_DATE	3	DATE	4	N	0		UTP
T_MSGCODARR	CREATOR	4	DECIMAL	7	N	0		UTP
T_MSGCODARR	LAST_UPDATED_BY	5	CHAR	4	Y	0		UTP
T_MSGCODARR	LAST_UPDATE_DATE	6	DATE	4	Y	0		UTP
T_MSGCODARR	UPDATER	7	DECIMAL	7	Y	0		UTP
T_MSGCODARR	MSG_COD_ARR	8	VARCHAR	500	N	0		UTP
T_ORIAGY		0					**Originating Agency**	
T_ORIAGY	ID	1	CHAR	9	N	1		CODE
T_ORIAGY	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PER		0					**Person - maintains the JJIS Id to be assigned to newly created juveniles or persons.**	
T_PER	ID_NBR	1	CHAR	1	N	1		UTP
T_PER	JJIS_ID	2	DECIMAL	12	N	0		UTP
T_PGM		0					**Program**	
T_PGM	CODE	1	CHAR	4	N	1		CODE
T_PGM	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PGMCLS		0					**Program Classification**	
T_PGMCLS	CODE	1	CHAR	2	N	1		CODE

Table	Column	Seq	Type	Len	Null	Key	Description	Cat
T_PGMCLS	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PGMCPNDSP		0					**Program Completion Disposition**	
T_PGMCPNDSP	AGY_CODE_FK	1	SMALLINT	2	N	1		CODE
T_PGMCPNDSP	PGM_CODE_FK	2	CHAR	4	N	2		CODE
T_PGMCPNDSP	PGM_CPN_TYP_COD_FK	3	CHAR	2	N	3		CODE
T_PGMCPNDSP	AGY_DSP_CODE_FK	4	CHAR	5	Y	0		CODE
T_PGMCPNDSP	CHG_DSP_CODE_FK	5	CHAR	5	Y	0		CODE
T_PGMCPNTYP		0					**Program Completion Type**	
T_PGMCPNTYP	CODE	1	CHAR	2	N	2		CODE
T_PGMCPNTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PGMCPNTYP	AGY_CODE	3	SMALLINT	2	N	1		CODE
T_PGMCPNTYP	ABBREV	4	CHAR	10	Y	0		CODE
T_PGMSNR		0					**Program Sponsor**	
T_PGMSNR	CODE	1	CHAR	2	N	1		CODE
T_PGMSNR	NAME	2	CHAR	24	N	0		CODE
T_PGMSNRPGM		0					**Program Sponsor Program - maintains the data related to the association of a program sponsor and the program.**	
T_PGMSNRPGM	PGM_SNR_CODE_FK	1	CHAR	2	N	2		CODE
T_PGMSNRPGM	PGM_CODE_FK	2	CHAR	4	N	1		CODE
T_PGMSNRPGM	PGM_CLS_CODE_FK	3	CHAR	2	N	3		CODE
T_PGMSNRPGM	START_DATE	4	DATE	4	N	0		CODE
T_PGMSNRPGM	END_DATE	5	DATE	4	N	0		CODE
T_PGMSNRPGM	PGM_TYP_CODE_FK	6	CHAR	1	Y	0		CODE
T_PGMSNRPGMAGY		0					**Program Sponsor Program Agency -**	
T_PGMSNRPGMAGY	AGY_CODE_FK	1	SMALLINT	2	N	1		CODE
T_PGMSNRPGMAGY	PGM_SNR_CODE_FK	2	CHAR	2	N	2		CODE
T_PGMSNRPGMAGY	PGM_CODE_FK	3	CHAR	4	N	3		CODE
T_PGMSNRPGMAGY	PGM_CLS_CODE_FK	4	CHAR	2	N	4		CODE
T_PGMTYP		0					**Program Type**	
T_PGMTYP	CODE	1	CHAR	1	N	1		CODE
T_PGMTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_PHNTYP		0					**Phone Type**	
T_PHNTYP	CODE	1	CHAR	2	N	1		CODE
T_PHNTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PHYDSPTYP		0					**Physical Disposition Type**	
T_PHYDSPTYP	CODE	1	CHAR	1	N	1		CODE
T_PHYDSPTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PHYLOC		0					**Physical Location**	
T_PHYLOC	CODE	1	CHAR	8	N	2		CODE
T_PHYLOC	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PHYLOC	ADDRESS	3	CHAR	30	Y	0		CODE
T_PHYLOC	SECURED_VIEWING	4	CHAR	1	Y	0		CODE
T_PHYLOC	AGY_CODE_FK	5	SMALLINT	2	N	1		CODE
T_PHYLOC	PHY_LOC_TYP_FK	6	CHAR	2	Y	0		CODE
T_PHYLOC	REPORT_CODE	7	CHAR	2	Y	0		CODE
T_PHYLOCSTS		0					**Physical Location Status**	
T_PHYLOCSTS	CODE	1	CHAR	1	N	1		CODE
T_PHYLOCSTS	DESCRIPTION	2	CHAR	20	N	0		CODE
T_PHYLOCTYP		0					**Physical Location Type**	
T_PHYLOCTYP	CODE	1	CHAR	2	N	1		CODE
T_PHYLOCTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_PLEA		0					**Plea**	
T_PLEA	CODE	1	CHAR	2	N	1		CODE
T_PLEA	DESCRIPTION	2	CHAR	12	N	0		CODE
T_POLDCT		0					**Police District**	
T_POLDCT	CODE	1	CHAR	5	N	1		CODE
T_POLDCT	DESCRIPTION	2	CHAR	24	N	0		CODE
T_POLDCT	CTY_CODE_FK	3	CHAR	1	N	0		CODE
T_PRBTYP		0					**Problem Type - potential problem areas as identified by the HYCF.**	
T_PRBTYP	CODE	1	CHAR	2	N	1		CODE
T_PRBTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_PRBTYP	ABBREV	3	CHAR	10	Y	0		CODE
T_PROCESS		0					**Process - maintains the data related to the processing of miscellaneous tasks.**	
T_PROCESS	AGY_CODE_FK	1	SMALLINT	2	N	1		AAI
T_PROCESS	NAME	2	CHAR	8	N	2		AAI
T_PROCESS	EXE_FLAG	3	CHAR	1	N	0		AAI
T_PROCESS	LIMIT_SW	4	CHAR	1	Y	0		AAI
T_PROCESS	PROCESS_DATE	5	DATE	4	Y	0		AAI
T_PURGE		0					**Purge - maintains the data of juveniles that are purge eligible.**	
T_PURGE	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_PURGE	LAST_NAME	2	CHAR	40	N	0		PURGE
T_PURGE	FIRST_NAME	3	CHAR	40	N	0		PURGE
T_PURGE	MIDDLE_NAME	4	CHAR	40	Y	0		PURGE
T_PURGE	SUFFIX	5	CHAR	3	Y	0		PURGE
T_PURGE	DOB	6	DATE	4	N	0		PURGE
T_PURGE	PURGE_DATE	7	DATE	4	N	0		PURGE
T_PURGE	REVIEW_FLAG	8	CHAR	1	N	0		PURGE
T_PURGE	REVIEW_AGY	9	SMALLINT	2	Y	0		PURGE
T_PURGE	CREATED_BY	10	CHAR	4	N	0		PURGE
T_PURGE	CREATION_DATE	11	TIMESTMP	10	N	0		PURGE
T_PURGE	CREATOR	12	DECIMAL	7	N	0		PURGE
T_PURGE	LAST_UPDATED_BY	13	CHAR	4	Y	0		PURGE
T_PURGE	LAST_UPDATE_DATE	14	TIMESTMP	10	Y	0		PURGE
T_PURGE	UPDATER	15	DECIMAL	7	Y	0		PURGE

Table	Column	Seq	Type	Len	Null	Key	Description	Src
T_PURGE	SPC_RET_CODE_FK	16	CHAR	5	Y	0		PURGE
T_PURGECRIT		0					**Purge Criteria - maintains the purge criteria based on the Family Court's retention schedule.**	
T_PURGECRIT	CHG_NBR_FK	1	CHAR	5	N	1		PURGE
T_PURGECRIT	CHG_MOD_FK	2	CHAR	2	N	2		PURGE
T_PURGECRIT	AGE	3	SMALLINT	2	N	3		PURGE
T_PURGECRIT	NUMBER	4	SMALLINT	2	N	0		PURGE
T_PURGECRIT	CHG_MOD_JOIN	5	CHAR	2	Y	0		PURGE
T_RACE		0					**Race**	
T_RACE	CODE	1	CHAR	1	N	1		CODE
T_RACE	DESCRIPTION	2	CHAR	30	N	0		CODE
T_RACE	RACIAL_GROUP	3	CHAR	12	Y	0		CODE
T_REFSRC		0					**Referral Source**	
T_REFSRC	CODE	1	CHAR	3	N	1		CODE
T_REFSRC	DESCRIPTION	2	CHAR	40	N	0		CODE
T_REFSRC	ABBREV	3	CHAR	10	N	0		CODE
T_REFSRC	DISPLAY_CODE	4	CHAR	4	Y	0		CODE
T_REFTRMRSN		0					**Referral Termination Reason**	
T_REFTRMRSN	CODE	1	CHAR	3	N	1		CODE
T_REFTRMRSN	DESCRIPTION	2	CHAR	30	N	0		CODE
T_REFTRMRSN	ABBREV	3	CHAR	10	N	0		CODE
T_REFTRMTYP		0					**Referral Termination Type**	
T_REFTRMTYP	CODE	1	CHAR	4	N	1		CODE
T_REFTRMTYP	DESCRIPTION	2	CHAR	30	N	0		CODE
T_REFTRMTYP	ABBREV	3	CHAR	10	N	0		CODE
T_REFTTAR		0					**Referral Termination Type Adjudication Result**	
T_REFTTAR	REF_TRM_TYP_COD_FK	1	CHAR	4	N	1		CODE
T_REFTTAR	ADJ_RES_CODE_FK	2	CHAR	3	N	2		CODE
T_REFTTRSN		0					**Referral Termination Type Termination Reason**	
T_REFTTRSN	REF_TRM_TYP_COD_FK	1	CHAR	4	N	1		CODE
T_REFTTRSN	REF_TRM_RSN_COD_FK	2	CHAR	3	N	2		CODE
T_RELTYP		0					**Release Type**	
T_RELTYP	AGY_CODE_FK	1	SMALLINT	2	N	1		CODE
T_RELTYP	CODE	2	CHAR	3	N	2		CODE
T_RELTYP	DESCRIPTION	3	CHAR	40	N	0		CODE
T_RELTYP	ABBREV	4	CHAR	10	N	0		CODE
T_SBJAREA		0					**Subject Area**	
T_SBJAREA	CODE	1	CHAR	2	N	1		CODE
T_SBJAREA	DESCRIPTION	2	CHAR	60	N	0		CODE
T_SBJAREA	CREATED_BY	3	CHAR	4	N	0		CODE
T_SBJAREA	CREATION_DATE	4	TIMESTMP	10	N	0		CODE
T_SBJAREA	CREATOR	5	DECIMAL	7	N	0		CODE
T_SBJAREA	LAST_UPDATED_BY	6	CHAR	4	N	0		CODE
T_SBJAREA	LAST_UPDATE_DATE	7	TIMESTMP	10	N	0		CODE
T_SBJAREA	UPDATER	8	DECIMAL	7	N	0		CODE
T_SCHTYP		0					**Schedule Type - the type of schedule, e.g. add-on or special set.**	
T_SCHTYP	CODE	1	CHAR	1	N	1		CODE
T_SCHTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_SCHTYP	ABBREV	3	CHAR	10	N	0		CODE
T_SCL		0					**School**	
T_SCL	CODE	1	CHAR	3	N	1		CODE
T_SCL	NAME	2	CHAR	24	N	0		CODE
T_SCL	COUNTY_CODE	3	CHAR	1	N	0		CODE
T_SCL	START_DATE	4	DATE	4	N	0		CODE
T_SCL	END_DATE	5	DATE	4	N	0		CODE
T_SCLSTS		0					**School Status**	
T_SCLSTS	CODE	1	CHAR	1	N	1		CODE
T_SCLSTS	DESCRIPTION	2	CHAR	30	N	0		CODE
T_SCLTYP		0					**School Type**	
T_SCLTYP	CODE	1	CHAR	3	N	1		CODE
T_SCLTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_SEVTYP		0					**Severity Type - the severity of an offense or charge, e.g. felony, misdemeanor, etc.**	
T_SEVTYP	CODE	1	CHAR	2	N	1		CODE
T_SEVTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_SEX		0					**Sex**	
T_SEX	CODE	1	CHAR	1	N	1		CODE
T_SEX	DESCRIPTION	2	CHAR	6	N	0		CODE
T_SKINTONE		0					**Skin Tone**	
T_SKINTONE	CODE	1	CHAR	3	N	1		CODE
T_SKINTONE	DESCRIPTION	2	CHAR	12	N	0		CODE
T_SMAT		0					**Scars Marks And Tattoos**	
T_SMAT	CODE	1	CHAR	10	N	1		CODE
T_SMAT	DESCRIPTION	2	CHAR	30	N	0		CODE
T_SPCRET		0					**Special Retention - reasons why a juvenile will not be purged even though he/she is purge eligible.**	
T_SPCRET	CODE	1	CHAR	5	N	1		CODE
T_SPCRET	DESCRIPTION	2	CHAR	50	N	0		CODE
T_SQLERR		0					**Structured Query Language Error - maintains the errors that resulted from SQL DML while processing a universal transaction.**	
T_SQLERR	AUDIT_SEQ_NBR	1	DECIMAL	12	N	1		UTP
T_SQLERR	PGM_ID	2	CHAR	6	N	2		UTP
T_SQLERR	SQL_FAILURE	3	CHAR	4	N	3		UTP
T_SQLERR	SQL_CODE	4	SMALLINT	2	N	0		UTP
T_SQLERR	SQL_ERRML	5	SMALLINT	2	Y	0		UTP

Table	Column	#	Type	Len	Null	Key	Description	Src
T_SQLERR	SQL_ERRMC	6	CHAR	70	N	0		UTP
T_SQLERR	TBL_PRCSD_ABBREV	7	CHAR	4	Y	0		UTP
T_SQLERR	CLOSED_DATE	8	TIMESTMP	10	Y	0		UTP
T_SQLERR	CREATED_BY	9	CHAR	4	N	0		UTP
T_SQLERR	CREATION_DATE	10	TIMESTMP	10	N	0		UTP
T_SQLERR	CREATOR	11	DECIMAL	7	N	0		UTP
T_SQLERR	LAST_UPDATED_BY	12	CHAR	4	N	0		UTP
T_SQLERR	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0		UTP
T_SQLERR	UPDATER	14	DECIMAL	7	N	0		UTP
T_STATE		0					**State**	
T_STATE	ABBV_CODE	1	CHAR	2	N	1		CODE
T_STATE	NAME	2	CHAR	24	N	0		CODE
T_STATE	COUNTRY_CODE_FK	3	CHAR	2	N	0		CODE
T_STFPERSEQNBR		0					**Staff Person Sequence Number - maintains the next staff person number assigned to a newly created staff person.**	
T_STFPERSEQNBR	ID	1	CHAR	1	N	1		CODE
T_STFPERSEQNBR	STF_PER_SEQ_NBR	2	DECIMAL	7	N	0		CODE
T_STFPERSTS		0					**Staff Person Status - the status of the staff person, e.g. active or inactive.**	
T_STFPERSTS	CODE	1	CHAR	1	N	1		CODE
T_STFPERSTS	DESCRIPTION	2	CHAR	24	N	0		CODE
T_STFPERTYP		0					**Staff Person Type - the type of staff person, e.g. police, prosecutor, probation officer, etc.**	
T_STFPERTYP	CODE	1	CHAR	1	N	1		CODE
T_STFPERTYP	DESCRIPTION	2	CHAR	20	N	0		CODE
T_SUSPENSE		0					**Suspense - maintains the errors that resulted in the suspension of a universal transaction.**	
T_SUSPENSE	JUV_ID_FK	1	CHAR	12	N	1		UTP
T_SUSPENSE	FR_AGY_CODE_FK	2	SMALLINT	2	N	2		UTP
T_SUSPENSE	FR_AGY_ID_FK	3	CHAR	12	N	3		UTP
T_SUSPENSE	AUDIT_SEQ_NBR	4	DECIMAL	12	N	4		UTP
T_SUSPENSE	SUSP_TYPE_CODE_FK	5	CHAR	2	N	0		UTP
T_SUSPENSE	SUSP_STS_CODE_FK	6	CHAR	1	N	0		UTP
T_SUSPENSE	ORI_SUSP_STS_CD_FK	7	CHAR	1	N	0		UTP
T_SUSPENSE	TRANS_TYPE_CODE_FK	8	CHAR	2	N	0		UTP
T_SUSPENSE	AGY_ERR_FLAG	9	CHAR	1	N	0		UTP
T_SUSPENSE	UTP_ERR_FLAG	10	CHAR	1	N	0		UTP
T_SUSPENSE	NOTIF_AGY_FLAG	11	CHAR	1	N	0		UTP
T_SUSPENSE	AGY_FIXED_FLAG	12	CHAR	1	N	0		UTP
T_SUSPENSE	COUNTY_CODE_FK	13	CHAR	1	Y	0		UTP
T_SUSPENSE	MSTR_AUDIT_SEQ_NBR	14	DECIMAL	12	Y	0		UTP
T_SUSPENSE	REF_AUDIT_SEQ_NBR	15	DECIMAL	12	Y	0		UTP
T_SUSPENSE	CREATED_BY	16	CHAR	4	N	0		UTP
T_SUSPENSE	CREATION_DATE	17	TIMESTMP	10	N	0		UTP
T_SUSPENSE	CREATOR	18	DECIMAL	7	N	0		UTP
T_SUSPENSE	LAST_UPDATED_BY	19	CHAR	4	N	0		UTP
T_SUSPENSE	LAST_UPDATE_DATE	20	TIMESTMP	10	N	0		UTP
T_SUSPENSE	UPDATER	21	DECIMAL	7	N	0		UTP
T_SUSPSTS		0					**Suspense Status - the status of the suspended universal transaction, e.g. unreviewed, ignored, resubmitted, etc.**	
T_SUSPSTS	CODE	1	CHAR	1	N	1		CODE
T_SUSPSTS	DESCRIPTION	2	CHAR	20	N	0		CODE
T_SUSPTYP		0					**Suspense Type - the type of suspension, e.g. full online, full interface, partial online or partial interface.**	
T_SUSPTYP	CODE	1	CHAR	2	N	1		CODE
T_SUSPTYP	DESCRIPTION	2	CHAR	24	N	0		CODE
T_TBLABBV		0					**Table Abbreviation**	
T_TBLABBV	ABBREVIATION	1	CHAR	4	N	1		CODE
T_TBLABBV	CREATED_BY	2	CHAR	4	N	0		CODE
T_TBLABBV	CREATION_DATE	3	TIMESTMP	10	N	0		CODE
T_TBLABBV	CREATOR	4	DECIMAL	7	N	0		CODE
T_TBLABBV	LAST_UPDATED_BY	5	CHAR	4	N	0		CODE
T_TBLABBV	LAST_UPDATE_DATE	6	TIMESTMP	10	N	0		CODE
T_TBLABBV	UPDATER	7	DECIMAL	7	N	0		CODE
T_TBLDSP		0					**Table Disposition**	
T_TBLDSP	CODE	1	CHAR	4	N	1		CODE
T_TBLDSP	DESCRIPTION	2	CHAR	60	N	0		CODE
T_TBLDSP	CREATED_BY	3	CHAR	4	N	0		CODE
T_TBLDSP	CREATION_DATE	4	TIMESTMP	10	N	0		CODE
T_TBLDSP	CREATOR	5	DECIMAL	7	N	0		CODE
T_TBLDSP	LAST_UPDATED_BY	6	CHAR	4	N	0		CODE
T_TBLDSP	LAST_UPDATE_DATE	7	TIMESTMP	10	N	0		CODE
T_TBLDSP	UPDATER	8	DECIMAL	7	N	0		CODE
T_TBLSBJAREA		0					**Table Subject Area - maintains the data relating JJIS tables to their associated subject areas.**	
T_TBLSBJAREA	TBL_ABBV	1	CHAR	4	N	1		UTP
T_TBLSBJAREA	SUBJ_AREA_CODE	2	CHAR	2	N	2		UTP
T_TBLSBJAREA	FR_DATE	3	DATE	4	N	3		UTP
T_TBLSBJAREA	TO_DATE	4	DATE	4	N	0		UTP
T_TBLSBJAREA	CREATED_BY	5	CHAR	4	N	0		UTP
T_TBLSBJAREA	CREATION_DATE	6	TIMESTMP	10	N	0		UTP
T_TBLSBJAREA	CREATOR	7	DECIMAL	7	N	0		UTP
T_TBLSBJAREA	LAST_UPDATED_BY	8	CHAR	4	N	0		UTP
T_TBLSBJAREA	LAST_UPDATE_DATE	9	TIMESTMP	10	N	0		UTP
T_TBLSBJAREA	UPDATER	10	DECIMAL	7	N	0		UTP
T_TNSACTCOD		0					**Transaction Action Code - the action related to universal transaction processing, e.g. add, delete, change, etc.**	

T_TNSACTCOD	CODE	1	CHAR	1	N		0		CODE
T_TNSACTCOD	DESCRIPTION	2	CHAR	40	N		0		CODE
T_TNSACTCOD	CREATED_BY	3	CHAR	4	N		0		CODE
T_TNSACTCOD	CREATION_DATE	4	TIMESTMP	10	N		0		CODE
T_TNSACTCOD	CREATOR	5	DECIMAL	7	N		0		CODE
T_TNSACTCOD	LAST_UPDATED_BY	6	CHAR	4	N		0		CODE
T_TNSACTCOD	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		CODE
T_TNSACTCOD	UPDATER	8	DECIMAL	7	N		0		CODE
T_TNSERRCTL		0						**Transaction Error Control - maintains the data related to universal transaction errors.**	
T_TNSERRCTL	AUDIT_SEQ_NBR	1	DECIMAL	12	N		1		UTP
T_TNSERRCTL	MESSAGE_CODE	2	DECIMAL	4	N		2		UTP
T_TNSERRCTL	MSG_SEV_TYP_COD	3	CHAR	1	N		0		UTP
T_TNSERRCTL	TNS_ERR_PGM_ID	4	CHAR	6	Y		0		UTP
T_TNSERRCTL	CLOSED_DATE	5	TIMESTMP	10	Y		0		UTP
T_TNSERRCTL	CREATED_BY	6	CHAR	4	N		0		UTP
T_TNSERRCTL	CREATION_DATE	7	TIMESTMP	10	N		0		UTP
T_TNSERRCTL	CREATOR	8	DECIMAL	7	N		0		UTP
T_TNSERRCTL	LAST_UPDATED_BY	9	CHAR	4	N		0		UTP
T_TNSERRCTL	LAST_UPDATE_DATE	10	TIMESTMP	10	N		0		UTP
T_TNSERRCTL	UPDATER	11	DECIMAL	7	N		0		UTP
T_TNSFWDSVC		0						**Transaction Forward Service - maintains the data related to AAI node services and their associated universal transactions.**	
T_TNSFWDSVC	SEND_TO_AGY	1	SMALLINT	2	N		1		AAI
T_TNSFWDSVC	TRANS_TYPE_CD	2	CHAR	2	N		2		AAI
T_TNSFWDSVC	NODE_SERVICE	3	CHAR	26	N		0		AAI
T_TNSFWDSVC	AUDIT_FLAG	4	CHAR	1	N		0		AAI
T_TNSFWDSVC	EXE_SEND_FLAG	5	CHAR	1	N		0		AAI
T_TNSSTSCOD		0						**Transaction Status Code - the status of the universal transaction, e.g. completed, suspended, partially suspended, etc.**	
T_TNSSTSCOD	CODE	1	CHAR	2	N		0		CODE
T_TNSSTSCOD	DESCRIPTION	2	CHAR	40	N		0		CODE
T_TNSSTSCOD	CREATED_BY	3	CHAR	4	N		0		CODE
T_TNSSTSCOD	CREATION_DATE	4	TIMESTMP	10	N		0		CODE
T_TNSSTSCOD	CREATOR	5	DECIMAL	7	N		0		CODE
T_TNSSTSCOD	LAST_UPDATED_BY	6	CHAR	4	N		0		CODE
T_TNSSTSCOD	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		CODE
T_TNSSTSCOD	UPDATER	8	DECIMAL	7	N		0		CODE
T_TNSTYPAGY		0						**Transaction Type Agency - maintains the data that determines which universal transaction types and versions are valid for an agency.**	
T_TNSTYPAGY	TRANS_TYPE_CODE	1	CHAR	2	N		1		UTP
T_TNSTYPAGY	FR_AGENCY_CODE	2	CHAR	2	N		2		UTP
T_TNSTYPAGY	TO_AGENCY_CODE	3	CHAR	2	N		3		UTP
T_TNSTYPAGY	UT_VERSION_NUMBER	4	CHAR	3	N		4		UTP
T_TNSTYPAGY	ACTION_CODE	5	CHAR	1	N		5		UTP
T_TNSTYPAGY	START_DATE	6	DATE	4	N		6		UTP
T_TNSTYPAGY	END_DATE	7	DATE	4	N		0		UTP
T_TNSTYPAGY	SYSTEM_CODE	8	CHAR	2	N		0		UTP
T_TNSTYPAGY	JUV_KEY_FLAG	9	CHAR	1	Y		0		UTP
T_TNSTYPCOD		0						**Transaction Type Code - the different universal transaction types allowed via the interface.**	
T_TNSTYPCOD	CODE	1	CHAR	2	N		0		CODE
T_TNSTYPCOD	DESCRIPTION	2	CHAR	40	N		0		CODE
T_TNSTYPCOD	CREATED_BY	3	CHAR	4	N		0		CODE
T_TNSTYPCOD	CREATION_DATE	4	TIMESTMP	10	N		0		CODE
T_TNSTYPCOD	CREATOR	5	DECIMAL	7	N		0		CODE
T_TNSTYPCOD	LAST_UPDATED_BY	6	CHAR	4	N		0		CODE
T_TNSTYPCOD	LAST_UPDATE_DATE	7	TIMESTMP	10	N		0		CODE
T_TNSTYPCOD	UPDATER	8	DECIMAL	7	N		0		CODE
T_TRAN		0						**Transaction - maintains the data related to online transactions and their associated controls like GOTO and Push.**	
T_TRAN	TRAN_ID	1	CHAR	4	N		0		ADMIN
T_TRAN	PROGRAM_ID	2	CHAR	8	N		0		ADMIN
T_TRAN	TRAN_ABBREV	3	CHAR	6	N		0		ADMIN
T_TRAN	TRAN_NAME	4	CHAR	25	Y		0		ADMIN
T_TRAN	TRAN_TSSRNAME	5	CHAR	8	Y		0		ADMIN
T_TRAN	TRAN_GOTO_FLAG	6	CHAR	1	Y		0		ADMIN
T_TRAN	TRAN_PSDRIVER	7	CHAR	8	Y		0		ADMIN
T_TRAN	TRAN_PUSH_FLAG	8	CHAR	1	Y		0		ADMIN
T_TRMTYP		0						**Termination Type - the reason why the juvenile is no longer under the jurisdiction of a juvenile justice agency, e.g. waived, deceased, majority, etc.**	
T_TRMTYP	CODE	1	CHAR	1	N		1		CODE
T_TRMTYP	DESCRIPTION	2	CHAR	24	N		0		CODE
T_TRNLINENBR		0						**Transaction Line Number**	
T_TRNLINENBR	DATE	1	DATE	4	N		1		
T_TRNLINENBR	AGY_CODE_FK	2	SMALLINT	2	N		2		
T_TRNLINENBR	TRN_LINE_NBR	3	SMALLINT	2	N		0		
T_USRSEC		0						**User Security - maintains the data that determines which users are allowed access to the JJIS at the JJ01 transaction level.**	
T_USRSEC	ACID	1	CHAR	8	N		0		ADMIN
T_USRSEC	USER_NAME	2	CHAR	24	N		0		ADMIN

T_USRSEC	DEPARTMENT	3	SMALLINT	2	N	0		ADMIN
T_USRSEC	DIVISION	4	CHAR	20	N	0		ADMIN
T_UT		0					**Universal Transaction**	
T_UT	UT_DATA1	1	CHAR	65	N	0		UTP
T_UT	UT_DATA2	2	CHAR	65	N	0		UTP
T_UT	UT_DATA3	3	CHAR	65	N	0		UTP
T_UT	UT_DATA4	4	CHAR	65	N	0		UTP
T_UTCDNHDRFMT		0					**Universal Transaction Header Format - maintains the data that determines which fields are conditionally required for universal transaction processing.**	
T_UTCDNHDRFMT	TRANS_TYPE_CODE	1	CHAR	2	N	0		UTP
T_UTCDNHDRFMT	FR_AGENCY_CODE	2	CHAR	2	N	0		UTP
T_UTCDNHDRFMT	TO_AGENCY_CODE	3	CHAR	2	N	0		UTP
T_UTCDNHDRFMT	HEADER_FIELD_NBR	4	CHAR	2	N	0		UTP
T_UTCDNHDRFMT	START_DATE	5	DATE	4	N	0		UTP
T_UTCDNHDRFMT	FIELD_RQMT_CODE	6	CHAR	1	N	0		UTP
T_UTCDNHDRFMT	FIELD_ID	7	DECIMAL	4	N	0		UTP
T_UTCDNHDRFMT	END_DATE	8	DATE	4	N	0		UTP
T_UTCONV		0					**Universal Transaction Conversion - maintains the universal transactions that may be processed using transaction JJ03.**	
T_UTCONV	UT_RCD_SEQ_NBR	1	DECIMAL	12	N	1		ADMIN
T_UTCONV	UT_RECORD	2	VARCHAR	4000	N	0		ADMIN
T_UTDELTA		0					**Universal Transaction Delta**	
T_UTDELTA	CREATION_DATE	1	TIMESTMP	10	N	1		ADMIN
T_UTDELTA	UT_RECORD	2	VARCHAR	4000	N	0		ADMIN
T_UTFTLERR		0					**Universal Transaction Fatal Error - maintains the Fatal Error Flag which allows universal transaction processing.**	
T_UTFTLERR	FATAL_ERR_FLAG	1	CHAR	1	N	0		UTP
T_UTHDRADT		0					**Universal Transaction Header Audit - maintains the header audit records that have been processed by the Universal Transaction Processor.**	
T_UTHDRADT	AUDIT_SEQ_NBR	1	DECIMAL	12	N	1		UTP
T_UTHDRADT	FR_AGENCY_CODE	2	CHAR	2	N	0		UTP
T_UTHDRADT	JJIS_JUV_ID	3	CHAR	12	Y	0		UTP
T_UTHDRADT	FR_AGENCY_JUV_ID	4	CHAR	12	Y	0		UTP
T_UTHDRADT	TO_AGENCY_CODE	5	CHAR	2	N	0		UTP
T_UTHDRADT	TO_AGENCY_JUV_ID	6	CHAR	12	Y	0		UTP
T_UTHDRADT	OWNR_AGENCY_CODE	7	CHAR	2	N	0		UTP
T_UTHDRADT	POL_RPT_AGENCY	8	CHAR	2	Y	0		UTP
T_UTHDRADT	MSTR_RPT_NBR	9	CHAR	12	Y	0		UTP
T_UTHDRADT	POL_RPT_NBR	10	CHAR	12	Y	0		UTP
T_UTHDRADT	POL_JUV_ID	11	CHAR	12	Y	0		UTP
T_UTHDRADT	CASE_NBR	12	CHAR	10	Y	0		UTP
T_UTHDRADT	TRANS_TYPE_CODE	13	CHAR	2	N	0		UTP
T_UTHDRADT	TRANS_DATE	14	CHAR	8	N	0		UTP
T_UTHDRADT	TRANS_TIME	15	CHAR	8	N	0		UTP
T_UTHDRADT	TERMINAL_ID	16	CHAR	10	N	0		UTP
T_UTHDRADT	LOGIN_ID	17	CHAR	10	N	0		UTP
T_UTHDRADT	AGENCY_TRANS_ID	18	CHAR	8	N	0		UTP
T_UTHDRADT	PGM_ID	19	CHAR	8	N	0		UTP
T_UTHDRADT	TRANS_STS_CODE	20	CHAR	2	N	0		UTP
T_UTHDRADT	TRANS_VRSN_NBR	21	CHAR	3	N	0		UTP
T_UTHDRADT	REF_AUDIT_SEQ_NBR	22	DECIMAL	12	Y	0		UTP
T_UTHDRADT	MST_AUDIT_SEQ_NBR	23	DECIMAL	12	Y	0		UTP
T_UTHDRADT	ACTION_CODE	24	CHAR	1	N	0		UTP
T_UTHDRADT	FORWARD_TO_AGENCY	25	CHAR	2	Y	0		UTP
T_UTHDRADT	TRANSMITTAL_DATE	26	CHAR	8	Y	0		UTP
T_UTHDRADT	TRANSMITTAL_TIME	27	CHAR	6	Y	0		UTP
T_UTHDRADT	TRANSMITTAL_LINE	28	CHAR	3	Y	0		UTP
T_UTHDRADT	SYSTEM_CODE	29	CHAR	2	N	0		UTP
T_UTHDRADT	COUNTY_CODE	30	CHAR	1	N	0		UTP
T_UTHDRADT	AGY_TYPE_CODE	31	CHAR	1	N	0		UTP
T_UTHDRADT	FATAL_ERROR_FLAG	32	CHAR	1	Y	0		UTP
T_UTHDRADT	CREATED_BY	33	CHAR	4	N	0		UTP
T_UTHDRADT	CREATION_DATE	34	TIMESTMP	10	N	0		UTP
T_UTHDRADT	CREATOR	35	DECIMAL	7	N	0		UTP
T_UTHDRADT	LAST_UPDATED_BY	36	CHAR	4	N	0		UTP
T_UTHDRADT	LAST_UPDATE_DATE	37	TIMESTMP	10	N	0		UTP
T_UTHDRADT	UPDATER	38	DECIMAL	7	N	0		UTP
T_UTMNDHDRFMT		0					**Universal Transaction Mandatory Header Format - maintains the data that determines which header fields are considered mandatory for universal transaction processing.**	
T_UTMNDHDRFMT	HEADER_FIELD_NBR	1	CHAR	2	N	0		UTP
T_UTMNDHDRFMT	START_DATE	2	DATE	4	N	0		UTP
T_UTMNDHDRFMT	FIELD_ID	3	DECIMAL	4	N	0		UTP
T_UTMNDHDRFMT	END_DATE	4	DATE	4	N	0		UTP
T_UTRCDADT		0					**Universal Transaction Record Audit - maintains the audit records that have been processed by the Universal Transaction Processor.**	
T_UTRCDADT	AUDIT_SEQ_NBR	1	DECIMAL	12	N	1		UTP
T_UTRCDADT	TRANS_STS_CODE	2	CHAR	2	N	2		UTP
T_UTRCDADT	CREATED_BY	3	CHAR	4	N	0		UTP
T_UTRCDADT	CREATION_DATE	4	DATE	4	N	0		UTP
T_UTRCDADT	CREATOR	5	DECIMAL	7	N	0		UTP
T_UTRCDADT	LAST_UPDATED_BY	6	CHAR	4	Y	0		UTP

T_UTRCDADT	LAST_UPDATE_DATE	7	DATE	4	Y	0		UTP
T_UTRCDADT	UPDATER	8	DECIMAL	7	Y	0		UTP
T_UTRCDADT	UT_RECORD	9	VARCHAR	4056	N	0		UTP
T_UTVSN		0					Univeral Transaction Version	
T_UTVSN	UT_VERSION_NBR	1	CHAR	3	N	1		UTP
T_UTVSN	AGENCY_CODE	2	CHAR	2	N	2		UTP
T_UTVSN	START_DATE	3	DATE	4	N	0		UTP
T_UTVSN	END_DATE	4	DATE	4	N	0		UTP
T_UTVSN	CREATED_BY	5	CHAR	4	N	0		UTP
T_UTVSN	CREATION_DATE	6	DATE	4	N	0		UTP
T_UTVSN	CREATOR	7	DECIMAL	7	N	0		UTP
T_UTVSN	LAST_UPDATED_BY	8	CHAR	4	Y	0		UTP
T_UTVSN	LAST_UPDATE_DATE	9	DATE	4	Y	0		UTP
T_UTVSN	UPDATER	10	DECIMAL	7	Y	0		UTP
T_UTVSNDTL		0					Univeral Transaction Version Detail	
T_UTVSNDTL	UT_VSN_NBR	1	CHAR	3	N	0		UTP
T_UTVSNDTL	VSN_ARR_SEQ_NBR	2	SMALLINT	2	N	0		UTP
T_UTVSNDTL	VSN_ARRAY_QTY	3	DECIMAL	3	N	0		UTP
T_UTVSNDTL	VSN_MAX_FIELD_ID	4	CHAR	4	Y	0		UTP
T_UTVSNDTL	CREATED_BY	5	CHAR	4	N	0		UTP
T_UTVSNDTL	CREATION_DATE	6	DATE	4	N	0		UTP
T_UTVSNDTL	CREATOR	7	DECIMAL	7	N	0		UTP
T_UTVSNDTL	LAST_UPDATED_BY	8	CHAR	4	Y	0		UTP
T_UTVSNDTL	LAST_UPDATE_DATE	9	DATE	4	Y	0		UTP
T_UTVSNDTL	UPDATER	10	DECIMAL	7	Y	0		UTP
T_UTVSNDTL	VSN_DETAIL	11	VARCHAR	4000	N	0		UTP
T_WARSTS		0					Warrant Status - the status of the warrant, e.g. active, recalled, served, etc.	
T_WARSTS	CODE	1	CHAR	2	N	1		CODE
T_WARSTS	DESCRIPTION	2	CHAR	30	N	0		CODE
T_WARSTS	ABBREV	3	CHAR	10	N	0		CODE
T_WARTYP		0					Warrant Type - the type of warrant, e.g. bench warrant or warrant for arrest of a minor.	
T_WARTYP	CODE	1	CHAR	1	N	1		CODE
T_WARTYP	DESCRIPTION	2	CHAR	30	N	0		CODE
T_WARTYP	ABBREV	3	CHAR	10	N	0		CODE
T_WTDSTS		0					Wanted Status - what the juvenile is wanted for, e.g. missing, runaway, escape, etc.	
T_WTDSTS	CODE	1	CHAR	3	N	1		CODE
T_WTDSTS	ABBREVIATION	2	CHAR	7	N	0		CODE
T_WTDSTS	DESCRIPTION	3	CHAR	20	N	0		CODE
T_ZIP		0					Zip Code - five digit zip codes of Hawaii	
T_ZIP	NUMBER	1	CHAR	5	N	1		CODE

TBNAME	NAME	COLNO	COLTYPE	LENGTH	NULLS	KEYSEQ	DESCRIPTION - See associated descriptions on the Juvenile Tables tab.	TYPE
T_H_ABDUCTOR		0					**Abductor**	
T_H_ABDUCTOR	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_ABDUCTOR	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_ABDUCTOR	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_ABDUCTOR	CASE_TIMESTAMP	4	TIMESTMP	10	N	4		PURGE
T_H_ABDUCTOR	POL_RPT_NBR	5	CHAR	12	N	0		PURGE
T_H_ABDUCTOR	PROBABLE_DEST	6	CHAR	50	Y	0		PURGE
T_H_ABDUCTOR	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0		PURGE
T_H_ABDUCTOR	CREATED_BY	8	CHAR	4	N	0		PURGE
T_H_ABDUCTOR	CREATION_DATE	9	DATE	4	N	0		PURGE
T_H_ABDUCTOR	CREATOR	10	DECIMAL	7	N	0		PURGE
T_H_ABDUCTOR	LAST_UPDATED_BY	11	CHAR	4	Y	0		PURGE
T_H_ABDUCTOR	LAST_UPDATE_DATE	12	DATE	4	Y	0		PURGE
T_H_ABDUCTOR	UPDATER	13	DECIMAL	7	Y	0		PURGE
T_H_ADR		0					**Address**	
T_H_ADR	ID	1	DECIMAL	12	N	1		PURGE
T_H_ADR	STREET_ADDR	2	CHAR	66	N	0		PURGE
T_H_ADR	EXTRA_ADDR_DESC	3	CHAR	30	Y	0		PURGE
T_H_ADR	CITY_NAME_FK	4	CHAR	24	Y	0		PURGE
T_H_ADR	ZIP_PREFIX_NBR	5	CHAR	5	Y	0		PURGE
T_H_ADR	STAT_ABBV_CODE_FK	6	CHAR	2	Y	0		PURGE
T_H_ADR	ZIP_SUFFIX_NBR	7	CHAR	4	Y	0		PURGE
T_H_ADR	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_ADR	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_ADR	CREATION_DATE	10	DATE	4	N	0		PURGE
T_H_ADR	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_ADR	LAST_UPDATED_BY	12	CHAR	4	Y	0		PURGE
T_H_ADR	LAST_UPDATE_DATE	13	DATE	4	Y	0		PURGE
T_H_ADR	UPDATER	14	DECIMAL	7	Y	0		PURGE
T_H_AGYJUV		0					**Agency Juvenile**	
T_H_AGYJUV	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_AGYJUV	FR_AGY_ID	2	CHAR	12	N	2		PURGE
T_H_AGYJUV	TO_ID_TYPE_CODE	3	CHAR	1	N	3		PURGE
T_H_AGYJUV	FR_COUNTY	4	CHAR	1	N	4		PURGE
T_H_AGYJUV	FR_AGY_TYPE_CODE	5	CHAR	1	N	5		PURGE
T_H_AGYJUV	TO_COUNTY	6	CHAR	1	N	6		PURGE
T_H_AGYJUV	TO_AGY_TYPE_CODE	7	CHAR	1	N	7		PURGE
T_H_AGYJUV	TO_AGY_ID	8	CHAR	12	N	0		PURGE
T_H_AGYJUV	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_AGYJUV	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_AGYJUV	CREATION_DATE	11	TIMESTMP	10	N	0		PURGE
T_H_AGYJUV	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_AGYJUV	LAST_UPDATED_BY	13	CHAR	4	N	0		PURGE
T_H_AGYJUV	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0		PURGE
T_H_AGYJUV	UPDATER	15	DECIMAL	7	N	0		PURGE
T_H_AGYJUVREF		0					**Agency Juvenile Referral**	
T_H_AGYJUVREF	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_AGYJUVREF	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_AGYJUVREF	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_AGYJUVREF	REC_AGY_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_AGYJUVREF	DATE	5	DATE	4	N	5		PURGE
T_H_AGYJUVREF	SEQ_NBR	6	DECIMAL	5	N	6		PURGE
T_H_AGYJUVREF	REC_DATE	7	DATE	4	Y	0		PURGE
T_H_AGYJUVREF	FC_REF_JUV_ID_FK	8	CHAR	12	Y	0		PURGE
T_H_AGYJUVREF	FC_REF_AGY_FK	9	SMALLINT	2	Y	0		PURGE
T_H_AGYJUVREF	FC_REF_AGY_ID_FK	10	CHAR	12	Y	0		PURGE
T_H_AGYJUVREF	FC_REF_SEQ_NBR	11	DECIMAL	5	Y	0		PURGE
T_H_AGYJUVREF	FC_REF_COUNT	12	DECIMAL	2	Y	0		PURGE
T_H_AGYJUVREF	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0		PURGE
T_H_AGYJUVREF	CREATED_BY	14	CHAR	4	N	0		PURGE
T_H_AGYJUVREF	CREATION_DATE	15	DATE	4	N	0		PURGE
T_H_AGYJUVREF	CREATOR	16	DECIMAL	7	N	0		PURGE
T_H_AGYJUVREF	LAST_UPDATED_BY	17	CHAR	4	Y	0		PURGE
T_H_AGYJUVREF	LAST_UPDATE_DATE	18	DATE	4	Y	0		PURGE
T_H_AGYJUVREF	UPDATER	19	DECIMAL	7	Y	0		PURGE
T_H_ASDPER		0					**Associated Person**	
T_H_ASDPER	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_ASDPER	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_ASDPER	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_ASDPER	BIRTH_DATE	4	DATE	4	Y	0		PURGE
T_H_ASDPER	SSN	5	CHAR	9	Y	0		PURGE
T_H_ASDPER	LAST_NAME	6	CHAR	40	N	0		PURGE

Table	Column	#	Type	Len	Null	Key	Description	Purge
T_H_ASDPER	FIRST_NAME	7	CHAR	40	N	0		PURGE
T_H_ASDPER	MIDDLE_NAME	8	CHAR	40	Y	0		PURGE
T_H_ASDPER	MIDDLE_NAME_2	9	CHAR	40	Y	0		PURGE
T_H_ASDPER	LAST_NAME_PHN_CODE	10	CHAR	7	Y	0		PURGE
T_H_ASDPER	SUFFIX	11	CHAR	3	Y	0		PURGE
T_H_ASDPER	EMPLOYER	12	CHAR	20	Y	0		PURGE
T_H_ASDPER	SEX_CODE_FK	13	CHAR	1	Y	0		PURGE
T_H_ASDPER	AUDIT_SEQ_NBR	14	DECIMAL	12	Y	0		PURGE
T_H_ASDPER	CREATED_BY	15	CHAR	4	N	0		PURGE
T_H_ASDPER	CREATION_DATE	16	DATE	4	N	0		PURGE
T_H_ASDPER	CREATOR	17	DECIMAL	7	N	0		PURGE
T_H_ASDPER	LAST_UPDATED_BY	18	CHAR	4	Y	0		PURGE
T_H_ASDPER	LAST_UPDATE_DATE	19	DATE	4	Y	0		PURGE
T_H_ASDPER	UPDATER	20	DECIMAL	7	Y	0		PURGE
T_H_CDNREFGRP		0					**Condition Referral Group**	
T_H_CDNREFGRP	JUV_CDN_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CDNREFGRP	JUV_CDN_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_CDNREFGRP	JUV_CDN_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CDNREFGRP	JUV_CDN_SRV_ID_FK	4	CHAR	2	N	4		PURGE
T_H_CDNREFGRP	CDN_CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_CDNREFGRP	FC_REF_OR_GRP_NBR	6	CHAR	5	N	6		PURGE
T_H_CDNREFGRP	FC_NBR_TYP_FK	7	CHAR	1	N	7		PURGE
T_H_CDNREFGRP	FC_REF_COUNT	8	DECIMAL	2	Y	0		PURGE
T_H_CDNREFGRP	REF_CCT_CODE_FK	9	SMALLINT	2	Y	0		PURGE
T_H_CDNREFGRP	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_CDNREFGRP	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_CDNREFGRP	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_CDNREFGRP	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_CDNREFGRP	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_CDNREFGRP	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_CDNREFGRP	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_CMPT		0					**Complainant**	
T_H_CMPT	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CMPT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_CMPT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CMPT	CASE_TIMESTAMP	4	TIMESTMP	10	N	4		PURGE
T_H_CMPT	POL_RPT_NBR	5	CHAR	12	Y	0		PURGE
T_H_CMPT	NOTIF_UPON_REL	6	CHAR	1	N	0		PURGE
T_H_CMPT	OTHER_TYP_NOTIF	7	CHAR	1	N	0		PURGE
T_H_CMPT	NOTIF_NOTE	8	CHAR	77	Y	0		PURGE
T_H_CMPT	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_CMPT	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_CMPT	CREATION_DATE	11	DATE	4	N	0		PURGE
T_H_CMPT	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_CMPT	LAST_UPDATED_BY	13	CHAR	4	Y	0		PURGE
T_H_CMPT	LAST_UPDATE_DATE	14	DATE	4	Y	0		PURGE
T_H_CMPT	UPDATER	15	DECIMAL	7	Y	0		PURGE
T_H_CMPTJUVCHG		0					**Complainant Juvenile Charge**	
T_H_CMPTJUVCHG	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CMPTJUVCHG	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_CMPTJUVCHG	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CMPTJUVCHG	JUV_CHG_JUV_ID_FK	4	CHAR	12	N	4		PURGE
T_H_CMPTJUVCHG	JUV_CHG_AGY_COD_FK	5	SMALLINT	2	N	5		PURGE
T_H_CMPTJUVCHG	JUV_CHG_AGY_ID_FK	6	CHAR	12	N	6		PURGE
T_H_CMPTJUVCHG	POL_RPT_AGY_COD_FK	7	SMALLINT	2	N	7		PURGE
T_H_CMPTJUVCHG	POL_RPT_NBR_FK	8	CHAR	12	N	8		PURGE
T_H_CMPTJUVCHG	JUV_CHG_CNT_FK	9	DECIMAL	2	N	9		PURGE
T_H_CMPTJUVCHG	CHG_TYP_CODE_FK	10	CHAR	1	N	10		PURGE
T_H_CMPTJUVCHG	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_CRTAPP		0					**Court Appearance**	
T_H_CRTAPP	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CRTAPP	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_CRTAPP	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CRTAPP	FC_APP_ID	4	CHAR	3	N	4		PURGE
T_H_CRTAPP	CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_CRTAPP	APP_DATE	6	DATE	4	N	0		PURGE
T_H_CRTAPP	APP_TIME	7	TIME	3	N	0		PURGE
T_H_CRTAPP	CAL_TYPE_FK	8	CHAR	3	Y	0		PURGE
T_H_CRTAPP	CAL_PHASE_FK	9	CHAR	2	Y	0		PURGE
T_H_CRTAPP	CAL_PRI_FK	10	CHAR	3	Y	0		PURGE
T_H_CRTAPP	CAL_SCH_FK	11	CHAR	1	Y	0		PURGE
T_H_CRTAPP	FC_CSE_SEQ_NBR_FK	12	CHAR	10	N	0		PURGE
T_H_CRTAPP	HRG_STS_CODE_FK	13	CHAR	4	Y	0		PURGE
T_H_CRTAPP	INACTIVE_DATE	14	DATE	4	Y	0		PURGE

T_H_CRTAPP	AUDIT_SEQ_NBR	15	DECIMAL	12	Y	0		PURGE
T_H_CRTAPP	CREATED_BY	16	CHAR	4	N	0		PURGE
T_H_CRTAPP	CREATION_DATE	17	TIMESTMP	10	N	0		PURGE
T_H_CRTAPP	CREATOR	18	DECIMAL	7	N	0		PURGE
T_H_CRTAPP	LAST_UPDATED_BY	19	CHAR	4	N	0		PURGE
T_H_CRTAPP	LAST_UPDATE_DATE	20	TIMESTMP	10	N	0		PURGE
T_H_CRTAPP	UPDATER	21	DECIMAL	7	N	0		PURGE
T_H_CRTAPPASDPER		**0**					**Court Appearance Associated Person**	
T_H_CRTAPPASDPER	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CRTAPPASDPER	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_CRTAPPASDPER	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CRTAPPASDPER	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4		PURGE
T_H_CRTAPPASDPER	CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_CRTAPPASDPER	ASD_PER_ID_FK	6	CHAR	12	N	6		PURGE
T_H_CRTAPPASDPER	ASD_AGY_COD_FK	7	SMALLINT	2	N	7		PURGE
T_H_CRTAPPASDPER	ASD_AGY_ID_FK	8	CHAR	12	N	8		PURGE
T_H_CRTAPPASDPER	FC_TYP_COD_FK	9	CHAR	2	N	9		PURGE
T_H_CRTAPPASDPER	FC_SEQ_NBR	10	CHAR	2	Y	0		PURGE
T_H_CRTAPPASDPER	AUDIT_SEQ_NBR	11	DECIMAL	12	N	0		PURGE
T_H_CRTAPPASDPER	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_CRTAPPASDPER	CREATION_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_CRTAPPASDPER	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_CRTAPPASDPER	LAST_UPDATED_BY	15	CHAR	4	N	0		PURGE
T_H_CRTAPPASDPER	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0		PURGE
T_H_CRTAPPASDPER	UPDATER	17	DECIMAL	7	N	0		PURGE
T_H_CRTAPPNOT		**0**					**Court Appearance Note**	
T_H_CRTAPPNOT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_CRTAPPNOT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_CRTAPPNOT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_CRTAPPNOT	CRT_APP_SEQ_NBR	4	CHAR	3	N	4		PURGE
T_H_CRTAPPNOT	CCT_CODE_FK	5	SMALLINT	2	N	0		PURGE
T_H_CRTAPPNOT	CRT_APP_TYP_FK	6	CHAR	3	N	0		PURGE
T_H_CRTAPPNOT	SEQUENCE_NUMBER	7	CHAR	7	N	5		PURGE
T_H_CRTAPPNOT	LINE_NUMBER	8	SMALLINT	2	N	6		PURGE
T_H_CRTAPPNOT	TEXT	9	CHAR	77	N	0		PURGE
T_H_CRTAPPNOT	CRITICAL_NOTE_FLAG	10	CHAR	1	N	0		PURGE
T_H_CRTAPPNOT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_CRTAPPNOT	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_CRTAPPNOT	CREATION_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_CRTAPPNOT	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_CRTAPPNOT	LAST_UPDATED_BY	15	CHAR	4	N	0		PURGE
T_H_CRTAPPNOT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0		PURGE
T_H_CRTAPPNOT	UPDATER	17	DECIMAL	7	N	0		PURGE
T_H_FCCSE		**0**					**Family Court Case**	
T_H_FCCSE	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_FCCSE	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_FCCSE	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_FCCSE	CCT_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_FCCSE	FC_CSE_SEQ_NBR	5	CHAR	10	N	5		PURGE
T_H_FCCSE	FC_CSE_STS_FK	6	CHAR	1	Y	0		PURGE
T_H_FCCSE	FC_CSE_STS_DATE	7	DATE	4	Y	0		PURGE
T_H_FCCSE	CLOSED_DATE	8	DATE	4	Y	0		PURGE
T_H_FCCSE	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_FCCSE	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_FCCSE	CREATION_DATE	11	TIMESTMP	10	N	0		PURGE
T_H_FCCSE	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_FCCSE	LAST_UPDATED_BY	13	CHAR	4	N	0		PURGE
T_H_FCCSE	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0		PURGE
T_H_FCCSE	UPDATER	15	DECIMAL	7	N	0		PURGE
T_H_FCPET		**0**					**Family Court Petition**	
T_H_FCPET	FC_REF_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_FCPET	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_FCPET	FC_REF_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_FCPET	FC_REF_NBR_FK	4	CHAR	5	N	4		PURGE
T_H_FCPET	FC_REF_CNT_FK	5	DECIMAL	2	N	5		PURGE
T_H_FCPET	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_FCPET	FC_REF_FIL_DATE	7	DATE	4	N	0		PURGE
T_H_FCPET	REF_SRC_DOC_NBR	8	CHAR	12	Y	0		PURGE
T_H_FCPET	JA_TERM_DATE	9	DATE	4	Y	0		PURGE
T_H_FCPET	JTRM_TYP_CODE_FK	10	CHAR	4	Y	0		PURGE
T_H_FCPET	ADJ_RLT_CODE_FK	11	CHAR	3	Y	0		PURGE
T_H_FCPET	JUV_CHG_JUV_ID_FK	12	CHAR	12	Y	0		PURGE
T_H_FCPET	JUV_CHG_AGY_COD_FK	13	SMALLINT	2	Y	0		PURGE
T_H_FCPET	JUV_CHG_AGY_ID_FK	14	CHAR	12	Y	0		PURGE

Table	Column	Seq	Type	Len	Null	Key	Description	Purge
T_H_FCPET	POL_RPT_AGY_COD_FK	15	SMALLINT	2	Y	0		PURGE
T_H_FCPET	POL_RPT_NBR_FK	16	CHAR	12	Y	0		PURGE
T_H_FCPET	JUV_CHG_CNT_FK	17	DECIMAL	2	Y	0		PURGE
T_H_FCPET	CHG_TYP_CODE_FK	18	CHAR	1	Y	0		PURGE
T_H_FCPET	AUDIT_SEQ_NBR	19	DECIMAL	12	Y	0		PURGE
T_H_FCPET	CREATED_BY	20	CHAR	4	N	0		PURGE
T_H_FCPET	CREATION_DATE	21	TIMESTMP	10	N	0		PURGE
T_H_FCPET	CREATOR	22	DECIMAL	7	N	0		PURGE
T_H_FCPET	LAST_UPDATED_BY	23	CHAR	4	N	0		PURGE
T_H_FCPET	LAST_UPDATE_DATE	24	TIMESTMP	10	N	0		PURGE
T_H_FCPET	UPDATER	25	DECIMAL	7	N	0		PURGE
T_H_FCREF		0					**Family Court Referral**	
T_H_FCREF	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_FCREF	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_FCREF	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_FCREF	FC_REF_NBR	4	CHAR	5	N	4		PURGE
T_H_FCREF	FC_REF_CNT	5	DECIMAL	2	N	5		PURGE
T_H_FCREF	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_FCREF	REF_SRC_DOC_NBR	7	CHAR	12	Y	0		PURGE
T_H_FCREF	REF_DATE	8	DATE	4	Y	0		PURGE
T_H_FCREF	REF_TERM_DATE	9	DATE	4	Y	0		PURGE
T_H_FCREF	INFL_ADJ_AGR_DATE	10	DATE	4	Y	0		PURGE
T_H_FCREF	JUV_CHG_JUV_ID_FK	11	CHAR	12	Y	0		PURGE
T_H_FCREF	JUV_CHG_AGY_COD_FK	12	SMALLINT	2	Y	0		PURGE
T_H_FCREF	JUV_CHG_AGY_ID_FK	13	CHAR	12	Y	0		PURGE
T_H_FCREF	POL_RPT_AGY_COD_FK	14	SMALLINT	2	Y	0		PURGE
T_H_FCREF	POL_RPT_NBR_FK	15	CHAR	12	Y	0		PURGE
T_H_FCREF	JUV_CHG_CNT_FK	16	DECIMAL	2	Y	0		PURGE
T_H_FCREF	CHG_TYP_CODE_FK	17	CHAR	1	Y	0		PURGE
T_H_FCREF	NJTRM_TYP_CODE_FK	18	CHAR	4	Y	0		PURGE
T_H_FCREF	TRM_RSN_CODE_FK	19	CHAR	3	Y	0		PURGE
T_H_FCREF	REF_AGY_CODE_FK	20	CHAR	3	N	0		PURGE
T_H_FCREF	AUDIT_SEQ_NBR	21	DECIMAL	12	Y	0		PURGE
T_H_FCREF	CREATED_BY	22	CHAR	4	N	0		PURGE
T_H_FCREF	CREATION_DATE	23	TIMESTMP	10	N	0		PURGE
T_H_FCREF	CREATOR	24	DECIMAL	7	N	0		PURGE
T_H_FCREF	LAST_UPDATED_BY	25	CHAR	4	N	0		PURGE
T_H_FCREF	LAST_UPDATE_DATE	26	TIMESTMP	10	N	0		PURGE
T_H_FCREF	UPDATER	27	DECIMAL	7	N	0		PURGE
T_H_FCREFCHG		0					**Family Court Referral Charge**	
T_H_FCREFCHG	FC_REF_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_FCREFCHG	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_FCREFCHG	FC_REF_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_FCREFCHG	FC_REF_NBR_FK	4	CHAR	5	N	4		PURGE
T_H_FCREFCHG	FC_REF_CNT_FK	5	DECIMAL	2	N	5		PURGE
T_H_FCREFCHG	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_FCREFCHG	CHG_NBR_FK	7	CHAR	5	N	7		PURGE
T_H_FCREFCHG	CHG_TYP_FK	8	CHAR	1	N	8		PURGE
T_H_FCREFCHG	CHG_MOD_FK	9	CHAR	2	Y	0		PURGE
T_H_FCREFCHG	AUDIT_SEQ_NBR	10	DECIMAL	12	N	0		PURGE
T_H_FCREFCHG	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_FCREFCHG	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_FCREFCHG	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_FCREFCHG	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_FCREFCHG	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_FCREFCHG	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_FCREFPLEA		0					**Family Court Referral Plea**	
T_H_FCREFPLEA	FC_REF_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_FCREFPLEA	FC_REF_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_FCREFPLEA	FC_REF_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_FCREFPLEA	FC_REF_NBR_FK	4	CHAR	5	N	4		PURGE
T_H_FCREFPLEA	FC_REF_CNT_FK	5	DECIMAL	2	N	5		PURGE
T_H_FCREFPLEA	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_FCREFPLEA	PLEA_TYPE	7	CHAR	1	N	7		PURGE
T_H_FCREFPLEA	PLEA_CODE_FK	8	CHAR	2	N	0		PURGE
T_H_FCREFPLEA	PLEA_DATE	9	DATE	4	N	0		PURGE
T_H_FCREFPLEA	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_FCREFPLEA	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_FCREFPLEA	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_FCREFPLEA	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_FCREFPLEA	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_FCREFPLEA	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_FCREFPLEA	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_HRG		0					**Hearing**	

Table	Column	Seq	Type	Len	Null	Key	Description	Purge
T_H_HRG	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_HRG	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_HRG	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_HRG	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4		PURGE
T_H_HRG	CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_HRG	HRG_TYP_CODE_FK	6	CHAR	3	N	6		PURGE
T_H_HRG	BASE_APP_TYP_FK	7	CHAR	3	Y	0		PURGE
T_H_HRG	APP_PRIORITY	8	DECIMAL	3	N	0		PURGE
T_H_HRG	SCH_TYP_CODE_FK	9	CHAR	1	Y	0		PURGE
T_H_HRG	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_HRG	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_HRG	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_HRG	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_HRG	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_HRG	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_HRG	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_HRGREF		0					**Hearing Referral**	
T_H_HRGREF	CRT_APP_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_HRGREF	CRT_APP_AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_HRGREF	CRT_APP_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_HRGREF	CRT_APP_SEQ_NBR_FK	4	CHAR	3	N	4		PURGE
T_H_HRGREF	APP_CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_HRGREF	HRG_TYP_CODE_FK	6	CHAR	3	N	6		PURGE
T_H_HRGREF	REF_JUV_ID_FK	7	CHAR	12	N	7		PURGE
T_H_HRGREF	REF_AGY_CODE_FK	8	SMALLINT	2	N	8		PURGE
T_H_HRGREF	REF_AGY_ID_FK	9	CHAR	12	N	9		PURGE
T_H_HRGREF	REF_SEQ_NBR_FK	10	CHAR	5	N	10		PURGE
T_H_HRGREF	REF_CNT_FK	11	DECIMAL	2	N	11		PURGE
T_H_HRGREF	REF_CCT_CODE_FK	12	SMALLINT	2	N	12		PURGE
T_H_HRGREF	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0		PURGE
T_H_HRGREF	CREATED_BY	14	CHAR	4	N	0		PURGE
T_H_HRGREF	CREATION_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_HRGREF	CREATOR	16	DECIMAL	7	N	0		PURGE
T_H_HRGREF	LAST_UPDATED_BY	17	CHAR	4	N	0		PURGE
T_H_HRGREF	LAST_UPDATE_DATE	18	TIMESTMP	10	N	0		PURGE
T_H_HRGREF	UPDATER	19	DECIMAL	7	N	0		PURGE
T_H_HYCFSWASMT		0					**HYCF Social Worker Assignment**	
T_H_HYCFSWASMT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_HYCFSWASMT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_HYCFSWASMT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_HYCFSWASMT	PHY_LOC_CODE_FK	4	CHAR	3	N	4		PURGE
T_H_HYCFSWASMT	ADMIT_DATE	5	DATE	4	N	5		PURGE
T_H_HYCFSWASMT	ADM_TYPE_CODE_FK	6	CHAR	2	N	0		PURGE
T_H_HYCFSWASMT	STF_PER_NBR_FK	7	DECIMAL	7	N	0		PURGE
T_H_HYCFSWASMT	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_HYCFSWASMT	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_HYCFSWASMT	CREATION_DATE	10	TIMESTMP	10	N	0		PURGE
T_H_HYCFSWASMT	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_HYCFSWASMT	LAST_UPDATED_BY	12	CHAR	4	N	0		PURGE
T_H_HYCFSWASMT	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_HYCFSWASMT	UPDATER	14	DECIMAL	7	N	0		PURGE
T_H_JUV		0					**Juvenile**	
T_H_JUV	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUV	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUV	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUV	ESTABLISHED_DATE	4	DATE	4	N	0		PURGE
T_H_JUV	BIRTH_DATE	5	DATE	4	N	0		PURGE
T_H_JUV	DOB_VERIFIED_FLAG	6	CHAR	1	N	0		PURGE
T_H_JUV	NAME_VERIFIED_FLAG	7	CHAR	1	N	0		PURGE
T_H_JUV	LAST_FINGERPRNT_DT	8	DATE	4	Y	0		PURGE
T_H_JUV	FINGERPRINT_FLAG	9	CHAR	1	N	0		PURGE
T_H_JUV	LAST_PHOTOGRAPH_DT	10	DATE	4	Y	0		PURGE
T_H_JUV	PHOTOGRAPH_FLAG	11	CHAR	1	N	0		PURGE
T_H_JUV	SJO_DATE	12	DATE	4	Y	0		PURGE
T_H_JUV	SJO_FLAG	13	CHAR	1	N	0		PURGE
T_H_JUV	US_CITIZEN_FLAG	14	CHAR	1	N	0		PURGE
T_H_JUV	OCCUPATION_NAME	15	CHAR	30	Y	0		PURGE
T_H_JUV	TERMINATION_DATE	16	DATE	4	Y	0		PURGE
T_H_JUV	TRM_TYP_CODE_FK	17	CHAR	1	Y	0		PURGE
T_H_JUV	SSN	18	CHAR	9	Y	0		PURGE
T_H_JUV	LAST_NAME	19	CHAR	40	N	0		PURGE
T_H_JUV	FIRST_NAME	20	CHAR	40	N	0		PURGE
T_H_JUV	MIDDLE_NAME	21	CHAR	40	Y	0		PURGE
T_H_JUV	MIDDLE_NAME_2	22	CHAR	40	Y	0		PURGE

T_H_JUV	SUFFIX	23	CHAR	3	Y	0		PURGE
T_H_JUV	LAST_NAME_PHN_CODE	24	CHAR	7	Y	0		PURGE
T_H_JUV	EMPLOYER	25	CHAR	20	Y	0		PURGE
T_H_JUV	SEX_CODE_FK	26	CHAR	1	Y	0		PURGE
T_H_JUV	OFFENDER_FLAG	27	CHAR	1	Y	0		PURGE
T_H_JUV	MISSING_FLAG	28	CHAR	1	Y	0		PURGE
T_H_JUV	WANTED_FLAG	29	CHAR	1	Y	0		PURGE
T_H_JUV	AUDIT_SEQ_NBR	30	DECIMAL	12	Y	0		PURGE
T_H_JUV	CREATED_BY	31	CHAR	4	N	0		PURGE
T_H_JUV	CREATION_DATE	32	DATE	4	N	0		PURGE
T_H_JUV	CREATOR	33	DECIMAL	7	N	0		PURGE
T_H_JUV	LAST_UPDATED_BY	34	CHAR	4	Y	0		PURGE
T_H_JUV	LAST_UPDATE_DATE	35	DATE	4	Y	0		PURGE
T_H_JUV	UPDATER	36	DECIMAL	7	Y	0		PURGE
T_H_JUV	WARRANT_FLAG	37	CHAR	1	Y	0		PURGE
T_H_JUVALS		**0**					**Juvenile Alias**	
T_H_JUVALS	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVALS	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVALS	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVALS	SEQUENCE_NUMBER	4	CHAR	2	N	4		PURGE
T_H_JUVALS	LAST_NAME	5	CHAR	40	N	0		PURGE
T_H_JUVALS	FIRST_NAME	6	CHAR	40	Y	0		PURGE
T_H_JUVALS	MIDDLE_NAME	7	CHAR	40	Y	0		PURGE
T_H_JUVALS	MIDDLE_NAME_2	8	CHAR	40	Y	0		PURGE
T_H_JUVALS	SUFFIX	9	CHAR	3	Y	0		PURGE
T_H_JUVALS	NAME_PHON_CODE	10	CHAR	7	Y	0		PURGE
T_H_JUVALS	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_JUVALS	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_JUVALS	CREATION_DATE	13	DATE	4	N	0		PURGE
T_H_JUVALS	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_JUVALS	LAST_UPDATED_BY	15	CHAR	4	Y	0		PURGE
T_H_JUVALS	LAST_UPDATE_DATE	16	DATE	4	Y	0		PURGE
T_H_JUVALS	UPDATER	17	DECIMAL	7	Y	0		PURGE
T_H_JUVARR		**0**					**Juvenile Arrest**	
T_H_JUVARR	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVARR	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVARR	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVARR	DATE	4	DATE	4	N	4		PURGE
T_H_JUVARR	TIME	5	TIME	3	N	5		PURGE
T_H_JUVARR	REARREST_FLAG	6	CHAR	1	N	0		PURGE
T_H_JUVARR	FINGERPRINT_DATE	7	DATE	4	Y	0		PURGE
T_H_JUVARR	PHOTOGRAPH_DATE	8	DATE	4	Y	0		PURGE
T_H_JUVARR	FINGERPRINTED	9	CHAR	1	N	0		PURGE
T_H_JUVARR	LOCATION_DESC	10	CHAR	50	Y	0		PURGE
T_H_JUVARR	INJURY_DESC	11	CHAR	70	Y	0		PURGE
T_H_JUVARR	PER_RLSD_TO_NAME	12	CHAR	30	Y	0		PURGE
T_H_JUVARR	PER_RLSD_TO_RLN	13	CHAR	12	Y	0		PURGE
T_H_JUVARR	RELEASE_DATE	14	DATE	4	Y	0		PURGE
T_H_JUVARR	RELEASE_TIME	15	TIME	3	Y	0		PURGE
T_H_JUVARR	REL_TO_AREA_CODE	16	CHAR	3	Y	0		PURGE
T_H_JUVARR	REL_TO_PRE_NBR	17	CHAR	3	Y	0		PURGE
T_H_JUVARR	REL_TO_SFX_NBR	18	CHAR	4	Y	0		PURGE
T_H_JUVARR	REL_TO_EXT_NBR	19	CHAR	4	Y	0		PURGE
T_H_JUVARR	SEC_DET_START_DATE	20	DATE	4	Y	0		PURGE
T_H_JUVARR	SEC_DET_START_TIME	21	TIME	3	Y	0		PURGE
T_H_JUVARR	SEC_DET_REM_DATE	22	DATE	4	Y	0		PURGE
T_H_JUVARR	SEC_DET_REM_TIME	23	TIME	3	Y	0		PURGE
T_H_JUVARR	BOOKING_SEQ_NBR	24	DECIMAL	9	Y	0		PURGE
T_H_JUVARR	APP_MET_TYP_COD_FK	25	CHAR	4	Y	0		PURGE
T_H_JUVARR	BEAT_CODE_FK	26	CHAR	5	Y	0		PURGE
T_H_JUVARR	MST_POL_AGY_COD_FK	27	SMALLINT	2	N	0		PURGE
T_H_JUVARR	MST_POL_RPT_NBR_FK	28	CHAR	12	N	0		PURGE
T_H_JUVARR	PHY_DSP_TYP_COD_FK	29	CHAR	1	Y	0		PURGE
T_H_JUVARR	AFIS_ID	30	CHAR	8	Y	0		PURGE
T_H_JUVARR	SCL_CODE_FK	31	CHAR	3	Y	0		PURGE
T_H_JUVARR	AUDIT_SEQ_NBR	32	DECIMAL	12	Y	0		PURGE
T_H_JUVARR	CREATED_BY	33	CHAR	4	N	0		PURGE
T_H_JUVARR	CREATION_DATE	34	DATE	4	N	0		PURGE
T_H_JUVARR	CREATOR	35	DECIMAL	7	N	0		PURGE
T_H_JUVARR	LAST_UPDATED_BY	36	CHAR	4	Y	0		PURGE
T_H_JUVARR	LAST_UPDATE_DATE	37	DATE	4	Y	0		PURGE
T_H_JUVARR	UPDATER	38	DECIMAL	7	Y	0		PURGE
T_H_JUVARR	BAC	39	DECIMAL	4	Y	0		PURGE
T_H_JUVARRDRGT		**0**					**Juvenile Arrest Drug Type**	

T_H_JUVARRDRGT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVARRDRGT	AGY_COD_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVARRDRGT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVARRDRGT	JUV_ARR_DATE	4	DATE	4	N	4		PURGE
T_H_JUVARRDRGT	JUV_ARR_TIME	5	TIME	3	N	5		PURGE
T_H_JUVARRDRGT	DRG_TYP_CODE_FK	6	CHAR	5	N	6		PURGE
T_H_JUVARRDRGT	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0		PURGE
T_H_JUVARRNOT		**0**					**Juvenile Arrest Note**	
T_H_JUVARRNOT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVARRNOT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVARRNOT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVARRNOT	JUV_ARR_DATE	4	DATE	4	N	4		PURGE
T_H_JUVARRNOT	JUV_ARR_TIME	5	TIME	3	N	5		PURGE
T_H_JUVARRNOT	SEQUENCE_NUMBER	6	DECIMAL	7	N	6		PURGE
T_H_JUVARRNOT	LINE_NUMBER	7	SMALLINT	2	N	7		PURGE
T_H_JUVARRNOT	TEXT	8	CHAR	77	N	0		PURGE
T_H_JUVARRNOT	CRITICAL_NOTE_FLAG	9	CHAR	1	N	0		PURGE
T_H_JUVARRNOT	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_JUVARRNOT	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_JUVARRNOT	CREATION_DATE	12	DATE	4	N	0		PURGE
T_H_JUVARRNOT	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_JUVARRNOT	LAST_UPDATED_BY	14	CHAR	4	Y	0		PURGE
T_H_JUVARRNOT	LAST_UPDATE_DATE	15	DATE	4	Y	0		PURGE
T_H_JUVARRNOT	UPDATER	16	DECIMAL	7	Y	0		PURGE
T_H_JUVARRSTFP		**0**					**Juvenile Arrest Staff Person**	
T_H_JUVARRSTFP	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVARRSTFP	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVARRSTFP	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVARRSTFP	JUV_ARR_DATE	4	DATE	4	N	4		PURGE
T_H_JUVARRSTFP	JUV_ARR_TIME	5	TIME	3	N	5		PURGE
T_H_JUVARRSTFP	POL_STF_PER_NBR	6	CHAR	12	N	6		PURGE
T_H_JUVARRSTFP	ARR_ACT_TYP_COD_FK	7	CHAR	4	N	7		PURGE
T_H_JUVARRSTFP	ACTION_TIME	8	TIME	3	N	0		PURGE
T_H_JUVARRSTFP	ACTION_DATE	9	DATE	4	N	0		PURGE
T_H_JUVARRSTFP	POL_STF_PER_NAME	10	CHAR	30	Y	0		PURGE
T_H_JUVARRSTFP	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_JUVARRSTFP	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_JUVARRSTFP	CREATION_DATE	13	DATE	4	N	0		PURGE
T_H_JUVARRSTFP	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_JUVARRSTFP	LAST_UPDATED_BY	15	CHAR	4	Y	0		PURGE
T_H_JUVARRSTFP	LAST_UPDATE_DATE	16	DATE	4	Y	0		PURGE
T_H_JUVARRSTFP	UPDATER	17	DECIMAL	7	Y	0		PURGE
T_H_JUVASDPER		**0**					**Juvenile Associated Person**	
T_H_JUVASDPER	ASD_PER_ID_FK	1	CHAR	12	N	4		PURGE
T_H_JUVASDPER	ASD_PER_AGY_COD_FK	2	SMALLINT	2	N	5		PURGE
T_H_JUVASDPER	ASD_PER_AGY_ID_FK	3	CHAR	12	N	6		PURGE
T_H_JUVASDPER	JUV_ID_FK	4	CHAR	12	N	1		PURGE
T_H_JUVASDPER	AGY_CODE_FK	5	SMALLINT	2	N	2		PURGE
T_H_JUVASDPER	AGY_ID_FK	6	CHAR	12	N	3		PURGE
T_H_JUVASDPER	ASD_PER_TYP_COD_FK	7	CHAR	2	N	7		PURGE
T_H_JUVASDPER	AS_OF_DATE	8	DATE	4	N	0		PURGE
T_H_JUVASDPER	END_DATE	9	DATE	4	Y	0		PURGE
T_H_JUVASDPER	FC_ASD_PER_ID	10	DECIMAL	2	Y	0		PURGE
T_H_JUVASDPER	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_JUVASDPER	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_JUVASDPER	CREATION_DATE	13	DATE	4	N	0		PURGE
T_H_JUVASDPER	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_JUVASDPER	LAST_UPDATED_BY	15	CHAR	4	Y	0		PURGE
T_H_JUVASDPER	LAST_UPDATE_DATE	16	DATE	4	Y	0		PURGE
T_H_JUVASDPER	UPDATER	17	DECIMAL	7	Y	0		PURGE
T_H_JUVCDN		**0**					**Juvenile Condition**	
T_H_JUVCDN	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVCDN	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVCDN	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVCDN	FC_SRV_ID	4	CHAR	2	N	4		PURGE
T_H_JUVCDN	CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_JUVCDN	CDN_TYP_CODE_FK	6	CHAR	3	N	0		PURGE
T_H_JUVCDN	AMT_ASSIGNED	7	DECIMAL	10	Y	0		PURGE
T_H_JUVCDN	AMT_COMPLETED	8	DECIMAL	10	Y	0		PURGE
T_H_JUVCDN	HRS_ASSIGNED	9	DECIMAL	10	Y	0		PURGE
T_H_JUVCDN	HRS_COMPLETED	10	DECIMAL	10	Y	0		PURGE
T_H_JUVCDN	START_DATE	11	DATE	4	Y	0		PURGE
T_H_JUVCDN	END_DATE	12	DATE	4	Y	0		PURGE
T_H_JUVCDN	PROOF_OF_COMP_DATE	13	DATE	4	Y	0		PURGE

T_H_JUVCDN	EXT_PRF_COMP_DATE	14	DATE	4	Y	0		PURGE
T_H_JUVCDN	CDN_STS_CODE_FK	15	CHAR	1	Y	0		PURGE
T_H_JUVCDN	CDN_AGY_CODE_FK	16	CHAR	4	Y	0		PURGE
T_H_JUVCDN	AUDIT_SEQ_NBR	17	DECIMAL	12	Y	0		PURGE
T_H_JUVCDN	CREATED_BY	18	CHAR	4	N	0		PURGE
T_H_JUVCDN	CREATION_DATE	19	TIMESTMP	10	N	0		PURGE
T_H_JUVCDN	CREATOR	20	DECIMAL	7	N	0		PURGE
T_H_JUVCDN	LAST_UPDATED_BY	21	CHAR	4	N	0		PURGE
T_H_JUVCDN	LAST_UPDATE_DATE	22	TIMESTMP	10	N	0		PURGE
T_H_JUVCDN	UPDATER	23	DECIMAL	7	N	0		PURGE
T_H_JUVCDNPGM		**0**					**Juvenile Condition Program**	
T_H_JUVCDNPGM	CDN_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVCDNPGM	CDN_AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVCDNPGM	CDN_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVCDNPGM	CDN_FC_SRV_ID	4	CHAR	2	N	4		PURGE
T_H_JUVCDNPGM	CDN_CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_JUVCDNPGM	JP_JUV_ID_FK	6	CHAR	12	N	6		PURGE
T_H_JUVCDNPGM	JP_AGY_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_JUVCDNPGM	JP_AGY_ID_FK	8	CHAR	12	N	8		PURGE
T_H_JUVCDNPGM	JP_PGM_SNR_CODE_FK	9	CHAR	2	N	9		PURGE
T_H_JUVCDNPGM	JP_PGM_CODE_FK	10	CHAR	4	N	10		PURGE
T_H_JUVCDNPGM	JP_PGM_CLS_CODE_FK	11	CHAR	2	N	11		PURGE
T_H_JUVCDNPGM	JP_START_DATE	12	DATE	4	N	12		PURGE
T_H_JUVCDNPGM	AUDIT_SEQ_NBR	13	DECIMAL	12	Y	0		PURGE
T_H_JUVCDNPGM	CREATED_BY	14	CHAR	4	N	0		PURGE
T_H_JUVCDNPGM	CREATION_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_JUVCDNPGM	CREATOR	16	DECIMAL	7	N	0		PURGE
T_H_JUVCDNPGM	LAST_UPDATED_BY	17	CHAR	4	N	0		PURGE
T_H_JUVCDNPGM	LAST_UPDATE_DATE	18	TIMESTMP	10	N	0		PURGE
T_H_JUVCDNPGM	UPDATER	19	DECIMAL	7	N	0		PURGE
T_H_JUVCDNPHYLOC		**0**					**Juvenile Condition Physical Location**	
T_H_JUVCDNPHYLOC	CDN_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVCDNPHYLOC	CDN_AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVCDNPHYLOC	CDN_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVCDNPHYLOC	CDN_FC_SRV_ID	4	CHAR	2	N	4		PURGE
T_H_JUVCDNPHYLOC	CDN_CCT_CODE_FK	5	SMALLINT	2	N	5		PURGE
T_H_JUVCDNPHYLOC	PL_JUV_ID_FK	6	CHAR	12	N	6		PURGE
T_H_JUVCDNPHYLOC	PL_AGY_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_JUVCDNPHYLOC	PL_AGY_ID_FK	8	CHAR	12	N	8		PURGE
T_H_JUVCDNPHYLOC	PL_START_DATE	9	DATE	4	N	9		PURGE
T_H_JUVCDNPHYLOC	PL_CCT_CODE_FK	10	SMALLINT	2	N	10		PURGE
T_H_JUVCDNPHYLOC	PL_FC_PLACEMENT_ID	11	CHAR	2	N	11		PURGE
T_H_JUVCDNPHYLOC	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0		PURGE
T_H_JUVCDNPHYLOC	CREATED_BY	13	CHAR	4	N	0		PURGE
T_H_JUVCDNPHYLOC	CREATION_DATE	14	TIMESTMP	10	N	0		PURGE
T_H_JUVCDNPHYLOC	CREATOR	15	DECIMAL	7	N	0		PURGE
T_H_JUVCDNPHYLOC	LAST_UPDATED_BY	16	CHAR	4	N	0		PURGE
T_H_JUVCDNPHYLOC	LAST_UPDATE_DATE	17	TIMESTMP	10	N	0		PURGE
T_H_JUVCDNPHYLOC	UPDATER	18	DECIMAL	7	N	0		PURGE
T_H_JUVCHG		**0**					**Juvenile Charge**	
T_H_JUVCHG	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVCHG	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVCHG	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVCHG	POL_RPT_AGY_COD_FK	4	SMALLINT	2	N	4		PURGE
T_H_JUVCHG	POL_RPT_NBR_FK	5	CHAR	12	N	5		PURGE
T_H_JUVCHG	CNT_FK	6	DECIMAL	2	N	6		PURGE
T_H_JUVCHG	CHG_TYP_CODE_FK	7	CHAR	1	N	7		PURGE
T_H_JUVCHG	CHG_MOD_CODE_FK	8	CHAR	2	Y	0		PURGE
T_H_JUVCHG	OFFENSE_DATE	9	DATE	4	Y	0		PURGE
T_H_JUVCHG	OFFENSE_TIME	10	TIME	3	Y	0		PURGE
T_H_JUVCHG	OFFENSE_LOCATION	11	CHAR	50	Y	0		PURGE
T_H_JUVCHG	PRS_ADD_ON_FLAG	12	CHAR	1	N	0		PURGE
T_H_JUVCHG	CHG_NBR_FK	13	CHAR	5	N	0		PURGE
T_H_JUVCHG	CCT_CODE_FK	14	SMALLINT	2	Y	0		PURGE
T_H_JUVCHG	FC_CSE_SEQ_NBR_FK	15	CHAR	10	Y	0		PURGE
T_H_JUVCHG	PRS_CTY_CODE_FK	16	CHAR	1	Y	0		PURGE
T_H_JUVCHG	PRS_CSE_SEQ_NBR_FK	17	CHAR	13	Y	0		PURGE
T_H_JUVCHG	PRS_CSE_CNT	18	CHAR	6	Y	0		PURGE
T_H_JUVCHG	AGY_TYP_CODE_FK	19	CHAR	2	Y	0		PURGE
T_H_JUVCHG	CHG_DSP_CODE_FK	20	CHAR	5	Y	0		PURGE
T_H_JUVCHG	CHG_DSP_DATE	21	DATE	4	Y	0		PURGE
T_H_JUVCHG	CHG_DSP_TIME	22	TIME	3	Y	0		PURGE
T_H_JUVCHG	AGY_DSP_CODE	23	CHAR	1	Y	0		PURGE
T_H_JUVCHG	MST_POL_RPT_NBR_FK	24	CHAR	12	N	0		PURGE

Table	Column	Seq	Type	Len	Null	Key	Description	Purge
T_H_JUVCHG	JUV_ARR_JUV_ID_FK	25	CHAR	12	Y	0		PURGE
T_H_JUVCHG	JUV_ARR_AGY_COD_FK	26	SMALLINT	2	Y	0		PURGE
T_H_JUVCHG	JUV_ARR_AGY_ID_FK	27	CHAR	12	Y	0		PURGE
T_H_JUVCHG	JUV_ARR_DATE	28	DATE	4	Y	0		PURGE
T_H_JUVCHG	JUV_ARR_TIME	29	TIME	3	Y	0		PURGE
T_H_JUVCHG	INI_AGY_CODE_FK	30	SMALLINT	2	Y	0		PURGE
T_H_JUVCHG	TRANSMITTAL_FLAG	31	CHAR	1	Y	0		PURGE
T_H_JUVCHG	CHG_OPEN_FLAG	32	CHAR	1	Y	0		PURGE
T_H_JUVCHG	AUDIT_SEQ_NBR	33	DECIMAL	12	Y	0		PURGE
T_H_JUVCHG	CREATED_BY	34	CHAR	4	N	0		PURGE
T_H_JUVCHG	CREATION_DATE	35	DATE	4	N	0		PURGE
T_H_JUVCHG	CREATOR	36	DECIMAL	7	N	0		PURGE
T_H_JUVCHG	LAST_UPDATED_BY	37	CHAR	4	Y	0		PURGE
T_H_JUVCHG	LAST_UPDATE_DATE	38	DATE	4	Y	0		PURGE
T_H_JUVCHG	UPDATER	39	DECIMAL	7	Y	0		PURGE
T_H_JUVCHGNOT		0					Juvenile Charge Note	
T_H_JUVCHGNOT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVCHGNOT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVCHGNOT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVCHGNOT	POL_RPT_AGY_COD_FK	4	SMALLINT	2	N	4		PURGE
T_H_JUVCHGNOT	POL_RPT_NBR_FK	5	CHAR	12	N	5		PURGE
T_H_JUVCHGNOT	JUV_CHG_CNT_FK	6	DECIMAL	2	N	6		PURGE
T_H_JUVCHGNOT	CHG_TYP_CODE_FK	7	CHAR	1	N	7		PURGE
T_H_JUVCHGNOT	SEQUENCE_NUMBER	8	CHAR	7	N	8		PURGE
T_H_JUVCHGNOT	LINE_NUMBER	9	SMALLINT	2	N	9		PURGE
T_H_JUVCHGNOT	TEXT	10	CHAR	77	N	0		PURGE
T_H_JUVCHGNOT	CRITICAL_NOTE_FLAG	11	CHAR	1	N	0		PURGE
T_H_JUVCHGNOT	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0		PURGE
T_H_JUVCHGNOT	CREATED_BY	13	CHAR	4	N	0		PURGE
T_H_JUVCHGNOT	CREATION_DATE	14	DATE	4	N	0		PURGE
T_H_JUVCHGNOT	CREATOR	15	DECIMAL	7	N	0		PURGE
T_H_JUVCHGNOT	LAST_UPDATED_BY	16	CHAR	4	Y	0		PURGE
T_H_JUVCHGNOT	LAST_UPDATE_DATE	17	DATE	4	Y	0		PURGE
T_H_JUVCHGNOT	UPDATER	18	DECIMAL	7	Y	0		PURGE
T_H_JUVHYCFOFN		0					**Juvenile HYCF Offense**	
T_H_JUVHYCFOFN	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVHYCFOFN	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVHYCFOFN	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVHYCFOFN	PHY_LOC_CODE_FK	4	CHAR	3	N	4		PURGE
T_H_JUVHYCFOFN	ADMIT_DATE	5	DATE	4	N	5		PURGE
T_H_JUVHYCFOFN	SEQ_NBR	6	SMALLINT	2	N	6		PURGE
T_H_JUVHYCFOFN	ADM_TYPE_CODE_FK	7	CHAR	2	N	0		PURGE
T_H_JUVHYCFOFN	CHG_NBR_FK	8	CHAR	5	N	0		PURGE
T_H_JUVHYCFOFN	CHG_MOD_FK	9	CHAR	2	Y	0		PURGE
T_H_JUVHYCFOFN	CCT_CODE_FK	10	SMALLINT	2	Y	0		PURGE
T_H_JUVHYCFOFN	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_JUVHYCFOFN	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_JUVHYCFOFN	CREATION_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_JUVHYCFOFN	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_JUVHYCFOFN	LAST_UPDATED_BY	15	CHAR	4	N	0		PURGE
T_H_JUVHYCFOFN	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0		PURGE
T_H_JUVHYCFOFN	UPDATER	17	DECIMAL	7	N	0		PURGE
T_H_JUVHYCFPRB		0					**Juvenile HYCF Problem**	
T_H_JUVHYCFPRB	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVHYCFPRB	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVHYCFPRB	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVHYCFPRB	PHY_LOC_CODE_FK	4	CHAR	3	N	4		PURGE
T_H_JUVHYCFPRB	ADMIT_DATE	5	DATE	4	N	5		PURGE
T_H_JUVHYCFPRB	SEQ_NBR	6	DECIMAL	1	N	6		PURGE
T_H_JUVHYCFPRB	ADM_TYPE_CODE_FK	7	CHAR	2	N	0		PURGE
T_H_JUVHYCFPRB	PRB_TYPE_CODE_FK	8	CHAR	2	N	0		PURGE
T_H_JUVHYCFPRB	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_JUVHYCFPRB	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_JUVHYCFPRB	CREATION_DATE	11	TIMESTMP	10	N	0		PURGE
T_H_JUVHYCFPRB	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_JUVHYCFPRB	LAST_UPDATED_BY	13	CHAR	4	N	0		PURGE
T_H_JUVHYCFPRB	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0		PURGE
T_H_JUVHYCFPRB	UPDATER	15	DECIMAL	7	N	0		PURGE
T_H_JUVLGLSTS		0					**Juvenile Legal Status**	
T_H_JUVLGLSTS	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVLGLSTS	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVLGLSTS	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVLGLSTS	LGL_STS_AGY_COD_FK	4	CHAR	4	N	4		PURGE
T_H_JUVLGLSTS	LGL_STS_CODE_FK	5	CHAR	4	N	5		PURGE

T_H_JUVLGLSTS	START_DATE	6	DATE	4	N	6		PURGE
T_H_JUVLGLSTS	CCT_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_JUVLGLSTS	REV_DATE	8	DATE	4	Y	0		PURGE
T_H_JUVLGLSTS	END_DATE	9	DATE	4	Y	0		PURGE
T_H_JUVLGLSTS	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_JUVLGLSTS	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_JUVLGLSTS	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_JUVLGLSTS	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_JUVLGLSTS	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_JUVLGLSTS	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_JUVLGLSTS	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_JUVLGLSTSDTL		0					**Juvenile Legal Status Detail**	
T_H_JUVLGLSTSDTL	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVLGLSTSDTL	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVLGLSTSDTL	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVLGLSTSDTL	LGL_STS_AGY_COD_FK	4	CHAR	4	N	4		PURGE
T_H_JUVLGLSTSDTL	LGL_STS_CODE_FK	5	CHAR	4	N	5		PURGE
T_H_JUVLGLSTSDTL	START_DATE	6	DATE	4	N	6		PURGE
T_H_JUVLGLSTSDTL	CCT_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_JUVLGLSTSDTL	ORI_PET_GRP	8	CHAR	2	N	8		PURGE
T_H_JUVLGLSTSDTL	CONT_DATE	9	DATE	4	Y	0		PURGE
T_H_JUVLGLSTSDTL	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_JUVLGLSTSDTL	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_JUVLGLSTSDTL	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_JUVLGLSTSDTL	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_JUVLGLSTSDTL	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_JUVLGLSTSDTL	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_JUVLGLSTSDTL	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_JUVNOT		0					**Juvenile Note**	
T_H_JUVNOT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVNOT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVNOT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVNOT	OWNER_AGY_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_JUVNOT	SEQUENCE_NUMBER	5	DECIMAL	7	N	5		PURGE
T_H_JUVNOT	LINE_NUMBER	6	SMALLINT	2	N	6		PURGE
T_H_JUVNOT	DIVISION	7	CHAR	4	N	0		PURGE
T_H_JUVNOT	USER_ID	8	CHAR	8	N	0		PURGE
T_H_JUVNOT	START_DATE	9	DATE	4	N	0		PURGE
T_H_JUVNOT	REMOVE_DATE	10	DATE	4	Y	0		PURGE
T_H_JUVNOT	PURGE_FLAG	11	CHAR	1	N	0		PURGE
T_H_JUVNOT	TEXT	12	CHAR	77	N	0		PURGE
T_H_JUVNOT	CRITICAL_NOTE_FLAG	13	CHAR	1	N	0		PURGE
T_H_JUVNOT	AUDIT_SEQ_NBR	14	DECIMAL	12	Y	0		PURGE
T_H_JUVNOT	CREATED_BY	15	CHAR	4	N	0		PURGE
T_H_JUVNOT	CREATION_DATE	16	DATE	4	N	0		PURGE
T_H_JUVNOT	CREATOR	17	DECIMAL	7	N	0		PURGE
T_H_JUVNOT	LAST_UPDATED_BY	18	CHAR	4	Y	0		PURGE
T_H_JUVNOT	LAST_UPDATE_DATE	19	DATE	4	Y	0		PURGE
T_H_JUVNOT	UPDATER	20	DECIMAL	7	Y	0		PURGE
T_H_JUVPGM		0					**Juvenile Program**	
T_H_JUVPGM	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVPGM	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVPGM	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVPGM	PGM_SNR_CODE_FK	4	CHAR	2	N	4		PURGE
T_H_JUVPGM	PGM_CODE_FK	5	CHAR	4	N	5		PURGE
T_H_JUVPGM	PGM_CLS_CODE_FK	6	CHAR	2	N	6		PURGE
T_H_JUVPGM	START_DATE	7	DATE	4	N	7		PURGE
T_H_JUVPGM	END_DATE	8	DATE	4	Y	0		PURGE
T_H_JUVPGM	PGM_CPN_TYP_COD_FK	9	CHAR	2	Y	0		PURGE
T_H_JUVPGM	PHY_LOC_CODE_FK	10	CHAR	8	Y	0		PURGE
T_H_JUVPGM	POL_RPT_AGY_COD_FK	11	SMALLINT	2	Y	0		PURGE
T_H_JUVPGM	POL_RPT_NBR_FK	12	CHAR	12	Y	0		PURGE
T_H_JUVPGM	RESCHEDULED_DATE	13	DATE	4	Y	0		PURGE
T_H_JUVPGM	MISC_LINE_1	14	CHAR	72	Y	0		PURGE
T_H_JUVPGM	MISC_LINE_2	15	CHAR	72	Y	0		PURGE
T_H_JUVPGM	MISC_LINE_3	16	CHAR	72	Y	0		PURGE
T_H_JUVPGM	AUDIT_SEQ_NBR	17	DECIMAL	12	Y	0		PURGE
T_H_JUVPGM	CREATED_BY	18	CHAR	4	N	0		PURGE
T_H_JUVPGM	CREATION_DATE	19	DATE	4	N	0		PURGE
T_H_JUVPGM	CREATOR	20	DECIMAL	7	N	0		PURGE
T_H_JUVPGM	LAST_UPDATED_BY	21	CHAR	4	Y	0		PURGE
T_H_JUVPGM	LAST_UPDATE_DATE	22	DATE	4	Y	0		PURGE
T_H_JUVPGM	UPDATER	23	DECIMAL	7	Y	0		PURGE
T_H_JUVPGMNOT							**Juvenile Program Note**	

Table	Column	Seq	Type	Len	Null	Key	Description	Purge
T_H_JUVPGMNOT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVPGMNOT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVPGMNOT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVPGMNOT	PGM_SNR_CODE_FK	4	CHAR	2	N	4		PURGE
T_H_JUVPGMNOT	PGM_CODE_FK	5	CHAR	4	N	5		PURGE
T_H_JUVPGMNOT	START_DATE	6	DATE	4	N	6		PURGE
T_H_JUVPGMNOT	SEQUENCE_NUMBER	7	CHAR	7	N	7		PURGE
T_H_JUVPGMNOT	LINE_NUMBER	8	SMALLINT	2	N	8		PURGE
T_H_JUVPGMNOT	TEXT	9	CHAR	77	N	0		PURGE
T_H_JUVPGMNOT	CRITICAL_NOTE_FLAG	10	CHAR	1	N	0		PURGE
T_H_JUVPGMNOT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_JUVPGMNOT	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_JUVPGMNOT	CREATION_DATE	13	DATE	4	N	0		PURGE
T_H_JUVPGMNOT	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_JUVPGMNOT	LAST_UPDATED_BY	15	CHAR	4	Y	0		PURGE
T_H_JUVPGMNOT	LAST_UPDATE_DATE	16	DATE	4	Y	0		PURGE
T_H_JUVPGMNOT	UPDATER	17	DECIMAL	7	Y	0		PURGE
T_H_JUVPGMPHYLOC		0					**Juvenile Program Physical Location**	
T_H_JUVPGMPHYLOC	JP_JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVPGMPHYLOC	JP_AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVPGMPHYLOC	JP_AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVPGMPHYLOC	JP_PGM_SNR_CODE_FK	4	CHAR	2	N	4		PURGE
T_H_JUVPGMPHYLOC	JP_PGM_CODE_FK	5	CHAR	4	N	5		PURGE
T_H_JUVPGMPHYLOC	JP_PGM_CLS_CODE_FK	6	CHAR	2	N	6		PURGE
T_H_JUVPGMPHYLOC	JP_START_DATE	7	DATE	4	N	7		PURGE
T_H_JUVPGMPHYLOC	PL_JUV_ID_FK	8	CHAR	12	N	8		PURGE
T_H_JUVPGMPHYLOC	PL_AGY_CODE_FK	9	SMALLINT	2	N	9		PURGE
T_H_JUVPGMPHYLOC	PL_AGY_ID_FK	10	CHAR	12	N	10		PURGE
T_H_JUVPGMPHYLOC	PL_PHY_LOC_CODE_FK	11	CHAR	3	N	11		PURGE
T_H_JUVPGMPHYLOC	PL_START_DATE	12	DATE	4	N	12		PURGE
T_H_JUVPGMPHYLOC	PL_CCT_CODE_FK	13	SMALLINT	2	N	13		PURGE
T_H_JUVPGMPHYLOC	PL_FC_PLACEMENT_ID	14	CHAR	2	N	14		PURGE
T_H_JUVPGMPHYLOC	AUDIT_SEQ_NBR	15	DECIMAL	12	Y	0		PURGE
T_H_JUVPGMPHYLOC	CREATED_BY	16	CHAR	4	N	0		PURGE
T_H_JUVPGMPHYLOC	CREATION_DATE	17	TIMESTMP	10	N	0		PURGE
T_H_JUVPGMPHYLOC	CREATOR	18	DECIMAL	7	N	0		PURGE
T_H_JUVPGMPHYLOC	LAST_UPDATED_BY	19	CHAR	4	N	0		PURGE
T_H_JUVPGMPHYLOC	LAST_UPDATE_DATE	20	TIMESTMP	10	N	0		PURGE
T_H_JUVPGMPHYLOC	UPDATER	21	DECIMAL	7	N	0		PURGE
T_H_JUVPGMPR		0					**Juvenile Program Police Report**	
T_H_JUVPGMPR	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVPGMPR	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVPGMPR	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVPGMPR	PGM_SNR_CODE_FK	4	CHAR	2	N	4		PURGE
T_H_JUVPGMPR	PGM_CODE_FK	5	CHAR	4	N	5		PURGE
T_H_JUVPGMPR	PGM_CLS_CODE_FK	6	CHAR	2	N	6		PURGE
T_H_JUVPGMPR	PGM_START_DATE	7	DATE	4	N	7		PURGE
T_H_JUVPGMPR	POL_RPT_AGY_COD_FK	8	SMALLINT	2	N	8		PURGE
T_H_JUVPGMPR	POL_RPT_NBR_FK	9	CHAR	12	N	9		PURGE
T_H_JUVPGMPR	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_JUVPGMPR	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_JUVPGMPR	CREATION_DATE	12	DATE	4	N	0		PURGE
T_H_JUVPGMPR	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_JUVPGMPR	LAST_UPDATED_BY	14	CHAR	4	Y	0		PURGE
T_H_JUVPGMPR	LAST_UPDATE_DATE	15	DATE	4	Y	0		PURGE
T_H_JUVPGMPR	UPDATER	16	DECIMAL	7	Y	0		PURGE
T_H_JUVPHYLOC		0					**Juvenile Physical Location**	
T_H_JUVPHYLOC	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVPHYLOC	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVPHYLOC	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVPHYLOC	PHY_LOC_CODE_FK	4	CHAR	8	N	4		PURGE
T_H_JUVPHYLOC	START_DATE	5	DATE	4	N	5		PURGE
T_H_JUVPHYLOC	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_JUVPHYLOC	FC_PLACEMENT_ID	7	CHAR	2	N	7		PURGE
T_H_JUVPHYLOC	START_TIME	8	TIME	3	N	0		PURGE
T_H_JUVPHYLOC	SPC_LOC_CODE_FK	9	CHAR	3	Y	0		PURGE
T_H_JUVPHYLOC	ADM_TYPE_CODE_FK	10	CHAR	2	Y	0		PURGE
T_H_JUVPHYLOC	CTL_TYPE_CODE_FK	11	CHAR	3	Y	0		PURGE
T_H_JUVPHYLOC	REL_TIME	12	TIME	3	Y	0		PURGE
T_H_JUVPHYLOC	REL_DATE	13	DATE	4	Y	0		PURGE
T_H_JUVPHYLOC	PJT_DCHG_DATE	14	DATE	4	Y	0		PURGE
T_H_JUVPHYLOC	REL_TYPE_CODE_FK	15	CHAR	3	Y	0		PURGE
T_H_JUVPHYLOC	REL_TO_LOC_CODE_FK	16	CHAR	3	Y	0		PURGE
T_H_JUVPHYLOC	SUPV_REL_END_DATE	17	DATE	4	Y	0		PURGE

T_H_JUVPHYLOC	SUPV_REL_END_TIME	18	TIME	3	Y	0	PURGE
T_H_JUVPHYLOC	PHY_LOC_STS_FK	19	CHAR	1	Y	0	PURGE
T_H_JUVPHYLOC	OTR_FLAG	20	CHAR	1	Y	0	PURGE
T_H_JUVPHYLOC	CLS_OBS_FLAG	21	CHAR	1	Y	0	PURGE
T_H_JUVPHYLOC	NOTIFY_VICTIM	22	CHAR	1	Y	0	PURGE
T_H_JUVPHYLOC	NOTIFIED	23	CHAR	1	Y	0	PURGE
T_H_JUVPHYLOC	AUDIT_SEQ_NBR	24	DECIMAL	12	Y	0	PURGE
T_H_JUVPHYLOC	CREATED_BY	25	CHAR	4	N	0	PURGE
T_H_JUVPHYLOC	CREATION_DATE	26	TIMESTMP	10	N	0	PURGE
T_H_JUVPHYLOC	CREATOR	27	DECIMAL	7	N	0	PURGE
T_H_JUVPHYLOC	LAST_UPDATED_BY	28	CHAR	4	N	0	PURGE
T_H_JUVPHYLOC	LAST_UPDATE_DATE	29	TIMESTMP	10	N	0	PURGE
T_H_JUVPHYLOC	UPDATER	30	DECIMAL	7	N	0	PURGE
T_H_JUVPHYLOCN		0					**Juvenile Physical Location Note**
T_H_JUVPHYLOCN	JUV_ID_FK	1	CHAR	12	N	1	PURGE
T_H_JUVPHYLOCN	AGY_CODE_FK	2	SMALLINT	2	N	2	PURGE
T_H_JUVPHYLOCN	AGY_ID_FK	3	CHAR	12	N	3	PURGE
T_H_JUVPHYLOCN	PHY_LOC_CODE_FK	4	CHAR	8	N	4	PURGE
T_H_JUVPHYLOCN	PHY_LOC_SRT_DAT_FK	5	DATE	4	N	5	PURGE
T_H_JUVPHYLOCN	SEQUENCE_NUMBER	6	CHAR	7	N	6	PURGE
T_H_JUVPHYLOCN	LINE_NUMBER	7	SMALLINT	2	N	7	PURGE
T_H_JUVPHYLOCN	TEXT	8	CHAR	77	N	0	PURGE
T_H_JUVPHYLOCN	CRITICAL_NOTE_FLAG	9	CHAR	1	N	0	PURGE
T_H_JUVPHYLOCN	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	PURGE
T_H_JUVPHYLOCN	CREATED_BY	11	CHAR	4	N	0	PURGE
T_H_JUVPHYLOCN	CREATION_DATE	12	TIMESTMP	10	N	0	PURGE
T_H_JUVPHYLOCN	CREATOR	13	DECIMAL	7	N	0	PURGE
T_H_JUVPHYLOCN	LAST_UPDATED_BY	14	CHAR	4	N	0	PURGE
T_H_JUVPHYLOCN	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0	PURGE
T_H_JUVPHYLOCN	UPDATER	16	DECIMAL	7	N	0	PURGE
T_H_JUVPRSCSE		0					**Juvenile Prosecutor Case**
T_H_JUVPRSCSE	PRS_CSE_CTY_FK	1	CHAR	1	N	1	PURGE
T_H_JUVPRSCSE	PRS_CSE_SEQ_NBR_FK	2	CHAR	13	N	2	PURGE
T_H_JUVPRSCSE	JUV_ID_FK	3	CHAR	12	N	3	PURGE
T_H_JUVPRSCSE	JUV_AGY_COD_FK	4	SMALLINT	2	N	4	PURGE
T_H_JUVPRSCSE	JUV_AGY_ID_FK	5	CHAR	12	N	5	PURGE
T_H_JUVPRSCSE	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0	PURGE
T_H_JUVSCL		0					**Juvenile School**
T_H_JUVSCL	JUV_ID_FK	1	CHAR	12	N	1	PURGE
T_H_JUVSCL	AGY_CODE_FK	2	SMALLINT	2	N	2	PURGE
T_H_JUVSCL	AGY_ID_FK	3	CHAR	12	N	3	PURGE
T_H_JUVSCL	SCL_CODE_FK	4	CHAR	3	N	4	PURGE
T_H_JUVSCL	GRADE_NUMBER	5	CHAR	2	Y	0	PURGE
T_H_JUVSCL	VERIFICATION_DATE	6	DATE	4	Y	0	PURGE
T_H_JUVSCL	LAST_ATT_SCL_DATE	7	DATE	4	Y	0	PURGE
T_H_JUVSCL	SCL_STS_CODE_FK	8	CHAR	1	Y	0	PURGE
T_H_JUVSCL	SCL_TYP_CODE_FK	9	CHAR	3	Y	0	PURGE
T_H_JUVSCL	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0	PURGE
T_H_JUVSCL	CREATED_BY	11	CHAR	4	N	0	PURGE
T_H_JUVSCL	CREATION_DATE	12	DATE	4	N	0	PURGE
T_H_JUVSCL	CREATOR	13	DECIMAL	7	N	0	PURGE
T_H_JUVSCL	LAST_UPDATED_BY	14	CHAR	4	Y	0	PURGE
T_H_JUVSCL	LAST_UPDATE_DATE	15	DATE	4	Y	0	PURGE
T_H_JUVSCL	UPDATER	16	DECIMAL	7	Y	0	PURGE
T_H_JUVSPCINF		0					**Juvenile Special Information**
T_H_JUVSPCINF	JUV_ID_FK	1	CHAR	12	N	1	PURGE
T_H_JUVSPCINF	AGY_CODE_FK	2	SMALLINT	2	N	2	PURGE
T_H_JUVSPCINF	AGY_ID_FK	3	CHAR	12	N	3	PURGE
T_H_JUVSPCINF	SPC_INF_TYP_COD_FK	4	CHAR	3	N	4	PURGE
T_H_JUVSPCINF	FROM_DATE	5	DATE	4	N	5	PURGE
T_H_JUVSPCINF	TO_DATE	6	DATE	4	Y	0	PURGE
T_H_JUVSPCINF	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0	PURGE
T_H_JUVSPCINF	CREATED_BY	8	CHAR	4	N	0	PURGE
T_H_JUVSPCINF	CREATION_DATE	9	DATE	4	N	0	PURGE
T_H_JUVSPCINF	CREATOR	10	DECIMAL	7	N	0	PURGE
T_H_JUVSPCINF	LAST_UPDATED_BY	11	CHAR	4	Y	0	PURGE
T_H_JUVSPCINF	LAST_UPDATE_DATE	12	DATE	4	Y	0	PURGE
T_H_JUVSPCINF	UPDATER	13	DECIMAL	7	Y	0	PURGE
T_H_JUVSPINNOT		0					**Juvenile Special Information Note**
T_H_JUVSPINNOT	JUV_ID_FK	1	CHAR	12	N	0	PURGE
T_H_JUVSPINNOT	AGY_CODE_FK	2	SMALLINT	2	N	0	PURGE
T_H_JUVSPINNOT	AGY_ID_FK	3	CHAR	12	N	0	PURGE
T_H_JUVSPINNOT	SPC_INF_TYP_COD_FK	4	CHAR	3	N	0	PURGE
T_H_JUVSPINNOT	SEQ_NBR	5	CHAR	7	N	0	PURGE

T_H_JUVSPINNOT	LINE_NBR	6	SMALLINT	2	N	0		PURGE
T_H_JUVSPINNOT	TEXT	7	CHAR	77	N	0		PURGE
T_H_JUVSPINNOT	CRITICAL_NOTE_FLAG	8	CHAR	1	N	0		PURGE
T_H_JUVSPINNOT	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_JUVSPINNOT	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_JUVSPINNOT	CREATION_DATE	11	DATE	4	N	0		PURGE
T_H_JUVSPINNOT	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_JUVSPINNOT	LAST_UPDATED_BY	13	CHAR	4	Y	0		PURGE
T_H_JUVSPINNOT	LAST_UPDATE_DATE	14	DATE	4	Y	0		PURGE
T_H_JUVSPINNOT	UPDATER	15	DECIMAL	7	Y	0		PURGE
T_H_JUVWARSUM		**0**					**Juvenile Warrant Summons**	
T_H_JUVWARSUM	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_JUVWARSUM	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_JUVWARSUM	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_JUVWARSUM	CCT_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_JUVWARSUM	WAR_SEQ_NBR	5	CHAR	2	N	5		PURGE
T_H_JUVWARSUM	FC_CSE_SEQ_NBR	6	CHAR	10	N	6		PURGE
T_H_JUVWARSUM	ISSUE_DATE	7	DATE	4	N	0		PURGE
T_H_JUVWARSUM	END_DATE	8	DATE	4	Y	0		PURGE
T_H_JUVWARSUM	WAR_TYPE_CODE_FK	9	CHAR	1	N	0		PURGE
T_H_JUVWARSUM	WAR_STS_CODE_FK	10	CHAR	2	Y	0		PURGE
T_H_JUVWARSUM	POL_AGY_CODE_FK	11	SMALLINT	2	Y	0		PURGE
T_H_JUVWARSUM	POL_SVC_DATE	12	DATE	4	Y	0		PURGE
T_H_JUVWARSUM	POL_SVC_TIME	13	TIME	3	Y	0		PURGE
T_H_JUVWARSUM	POL_RPT_NBR	14	CHAR	12	Y	0		PURGE
T_H_JUVWARSUM	POL_SVC_OFR	15	CHAR	40	Y	0		PURGE
T_H_JUVWARSUM	AUDIT_SEQ_NBR	16	DECIMAL	12	Y	0		PURGE
T_H_JUVWARSUM	CREATED_BY	17	CHAR	4	N	0		PURGE
T_H_JUVWARSUM	CREATION_DATE	18	TIMESTMP	10	N	0		PURGE
T_H_JUVWARSUM	CREATOR	19	DECIMAL	7	N	0		PURGE
T_H_JUVWARSUM	LAST_UPDATED_BY	20	CHAR	4	N	0		PURGE
T_H_JUVWARSUM	LAST_UPDATE_DATE	21	TIMESTMP	10	N	0		PURGE
T_H_JUVWARSUM	UPDATER	22	DECIMAL	7	N	0		PURGE
T_H_MISWTDJUV		**0**					**Missing Wanted Juvenile**	
T_H_MISWTDJUV	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_MISWTDJUV	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_MISWTDJUV	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_MISWTDJUV	CASE_TSTAMP	4	TIMESTMP	10	N	4		PURGE
T_H_MISWTDJUV	POL_RPT_NBR	5	CHAR	12	N	0		PURGE
T_H_MISWTDJUV	WNTD_STS_CODE	6	CHAR	3	N	0		PURGE
T_H_MISWTDJUV	WNTD_DATE	7	DATE	4	N	0		PURGE
T_H_MISWTDJUV	INVESTIGATOR	8	CHAR	10	Y	0		PURGE
T_H_MISWTDJUV	INV_OFF_PHN_AC	9	CHAR	3	Y	0		PURGE
T_H_MISWTDJUV	INV_OFF_PHN_PFX	10	CHAR	3	Y	0		PURGE
T_H_MISWTDJUV	INV_OFF_PHN_SFX	11	CHAR	4	Y	0		PURGE
T_H_MISWTDJUV	NCIC_ID	12	CHAR	12	Y	0		PURGE
T_H_MISWTDJUV	FND_CLSD_DATE	13	DATE	4	Y	0		PURGE
T_H_MISWTDJUV	MISC_DESC	14	CHAR	72	Y	0		PURGE
T_H_MISWTDJUV	AUDIT_SEQ_NBR	15	DECIMAL	12	N	0		PURGE
T_H_MISWTDJUV	CUST_PER_ID	16	CHAR	12	Y	0		PURGE
T_H_MISWTDJUV	CUST_AGY	17	SMALLINT	2	Y	0		PURGE
T_H_MISWTDJUV	CUST_AGY_ID	18	CHAR	12	Y	0		PURGE
T_H_MISWTDJUV	CREATED_BY	19	CHAR	4	N	0		PURGE
T_H_MISWTDJUV	CREATION_DATE	20	DATE	4	N	0		PURGE
T_H_MISWTDJUV	CREATOR	21	DECIMAL	7	N	0		PURGE
T_H_MISWTDJUV	LAST_UPDATED_BY	22	CHAR	4	Y	0		PURGE
T_H_MISWTDJUV	LAST_UPDATE_DATE	23	DATE	4	Y	0		PURGE
T_H_MISWTDJUV	UPDATER	24	DECIMAL	7	Y	0		PURGE
T_H_MISWTDJUV	APB_NBR	25	CHAR	12	Y	0		PURGE
T_H_PAROFRASMT		**0**					**Parole Officer Assignment**	
T_H_PAROFRASMT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PAROFRASMT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PAROFRASMT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PAROFRASMT	PAR_OFR_SEQ_NBR_FK	4	DECIMAL	7	N	4		PURGE
T_H_PAROFRASMT	START_DATE	5	DATE	4	N	5		PURGE
T_H_PAROFRASMT	END_DATE	6	DATE	4	Y	0		PURGE
T_H_PAROFRASMT	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0		PURGE
T_H_PAROFRASMT	CREATED_BY	8	CHAR	4	N	0		PURGE
T_H_PAROFRASMT	CREATION_DATE	9	DATE	4	N	0		PURGE
T_H_PAROFRASMT	CREATOR	10	DECIMAL	7	N	0		PURGE
T_H_PAROFRASMT	LAST_UPDATED_BY	11	CHAR	4	Y	0		PURGE
T_H_PAROFRASMT	LAST_UPDATE_DATE	12	DATE	4	Y	0		PURGE
T_H_PAROFRASMT	UPDATER	13	DECIMAL	7	Y	0		PURGE
T_H_PERADR		**0**					**Person Address**	

Table	Column	Seq	Type	Len	Null	Key	Description	
T_H_PERADR	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PERADR	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PERADR	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PERADR	ADR_ID_FK	4	DECIMAL	12	N	4		PURGE
T_H_PERADR	START_DATE	5	DATE	4	N	5		PURGE
T_H_PERADR	END_DATE	6	DATE	4	Y	0		PURGE
T_H_PERADR	ADR_TYP_CODE_FK	7	CHAR	3	N	0		PURGE
T_H_PERADR	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_PERADR	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_PERADR	CREATION_DATE	10	DATE	4	N	0		PURGE
T_H_PERADR	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_PERADR	LAST_UPDATED_BY	12	CHAR	4	Y	0		PURGE
T_H_PERADR	LAST_UPDATE_DATE	13	DATE	4	Y	0		PURGE
T_H_PERADR	UPDATER	14	DECIMAL	7	Y	0		PURGE
T_H_PERADRNT		0					Person Address Note	
T_H_PERADRNT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PERADRNT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PERADRNT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PERADRNT	ADR_ID_FK	4	DECIMAL	12	N	4		PURGE
T_H_PERADRNT	ADR_SRT_DATE_FK	5	DATE	4	N	5		PURGE
T_H_PERADRNT	SEQ_NBR	6	CHAR	7	N	6		PURGE
T_H_PERADRNT	LINE_NBR	7	SMALLINT	2	N	7		PURGE
T_H_PERADRNT	TEXT	8	CHAR	77	N	0		PURGE
T_H_PERADRNT	CRITICAL_NOTE_FLAG	9	CHAR	1	N	0		PURGE
T_H_PERADRNT	AUDIT_SEQ_NBR	10	DECIMAL	12	Y	0		PURGE
T_H_PERADRNT	CREATED_BY	11	CHAR	4	N	0		PURGE
T_H_PERADRNT	CREATION_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_PERADRNT	CREATOR	13	DECIMAL	7	N	0		PURGE
T_H_PERADRNT	LAST_UPDATED_BY	14	CHAR	4	N	0		PURGE
T_H_PERADRNT	LAST_UPDATE_DATE	15	TIMESTMP	10	N	0		PURGE
T_H_PERADRNT	UPDATER	16	DECIMAL	7	N	0		PURGE
T_H_PERETH		0					**Person Ethnicity**	
T_H_PERETH	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PERETH	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PERETH	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PERETH	ETH_CODE_FK	4	CHAR	4	N	0		PURGE
T_H_PERETH	REF_NBR	5	CHAR	1	N	4		PURGE
T_H_PERETH	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0		PURGE
T_H_PERETH	CREATED_BY	7	CHAR	4	N	0		PURGE
T_H_PERETH	CREATION_DATE	8	DATE	4	N	0		PURGE
T_H_PERETH	CREATOR	9	DECIMAL	7	N	0		PURGE
T_H_PERETH	LAST_UPDATED_BY	10	CHAR	4	Y	0		PURGE
T_H_PERETH	LAST_UPDATE_DATE	11	DATE	4	Y	0		PURGE
T_H_PERETH	UPDATER	12	DECIMAL	7	Y	0		PURGE
T_H_PERPHN		0					**Person Phone**	
T_H_PERPHN	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PERPHN	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PERPHN	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PERPHN	AREA_CODE_NUMBER	4	CHAR	3	N	4		PURGE
T_H_PERPHN	PREFIX_NUMBER	5	CHAR	3	N	5		PURGE
T_H_PERPHN	SUFFIX_NUMBER	6	CHAR	4	N	6		PURGE
T_H_PERPHN	PHN_TYP_CODE_FK	7	CHAR	2	N	7		PURGE
T_H_PERPHN	START_DATE	8	DATE	4	N	8		PURGE
T_H_PERPHN	EXT_NUMBER	9	CHAR	4	Y	0		PURGE
T_H_PERPHN	END_DATE	10	DATE	4	Y	0		PURGE
T_H_PERPHN	ADDR_ID_FK	11	DECIMAL	12	Y	0		PURGE
T_H_PERPHN	AUDIT_SEQ_NBR	12	DECIMAL	12	Y	0		PURGE
T_H_PERPHN	CREATED_BY	13	CHAR	4	N	0		PURGE
T_H_PERPHN	CREATION_DATE	14	DATE	4	N	0		PURGE
T_H_PERPHN	CREATOR	15	DECIMAL	7	N	0		PURGE
T_H_PERPHN	LAST_UPDATED_BY	16	CHAR	4	Y	0		PURGE
T_H_PERPHN	LAST_UPDATE_DATE	17	DATE	4	Y	0		PURGE
T_H_PERPHN	UPDATER	18	DECIMAL	7	Y	0		PURGE
T_H_PERSMAT		0					**Person Scars Marks And Tattoos**	
T_H_PERSMAT	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PERSMAT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PERSMAT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PERSMAT	SMAT_CODE_FK	4	CHAR	10	N	4		PURGE
T_H_PERSMAT	DESCRIPTION	5	CHAR	30	N	5		PURGE
T_H_PERSMAT	AUDIT_SEQ_NBR	6	DECIMAL	12	Y	0		PURGE
T_H_PERSMAT	CREATED_BY	7	CHAR	4	N	0		PURGE
T_H_PERSMAT	CREATION_DATE	8	DATE	4	N	0		PURGE
T_H_PERSMAT	CREATOR	9	DECIMAL	7	N	0		PURGE
T_H_PERSMAT	LAST_UPDATED_BY	10	CHAR	4	Y	0		PURGE

Table	Column	#	Type	Len	Null	Key	Description	Purge
T_H_PERSMAT	LAST_UPDATE_DATE	11	DATE	4	Y	0		PURGE
T_H_PERSMAT	UPDATER	12	DECIMAL	7	Y	0		PURGE
T_H_PETPETGRP		0					**Petition by Petition Group**	
T_H_PETPETGRP	FC_PET_GRP_NBR_FK	1	CHAR	2	N	1		PURGE
T_H_PETPETGRP	FC_REF_JUV_ID_FK	2	CHAR	12	N	2		PURGE
T_H_PETPETGRP	FC_REF_AGY_COD_FK	3	SMALLINT	2	N	3		PURGE
T_H_PETPETGRP	FC_REF_AGY_ID_FK	4	CHAR	12	N	4		PURGE
T_H_PETPETGRP	FC_REF_SEQ_NBR_FK	5	CHAR	5	N	5		PURGE
T_H_PETPETGRP	FC_REF_CNT_FK	6	DECIMAL	2	N	6		PURGE
T_H_PETPETGRP	CCT_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_PETPETGRP	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_PETPETGRP	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_PETPETGRP	CREATION_DATE	10	TIMESTMP	10	N	0		PURGE
T_H_PETPETGRP	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_PETPETGRP	LAST_UPDATED_BY	12	CHAR	4	N	0		PURGE
T_H_PETPETGRP	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_PETPETGRP	UPDATER	14	DECIMAL	7	N	0		PURGE
T_H_PHYDESC		0					**Physical Descriptors**	
T_H_PHYDESC	PER_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PHYDESC	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PHYDESC	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PHYDESC	HEIGHT	4	CHAR	3	Y	0		PURGE
T_H_PHYDESC	WEIGHT	5	CHAR	3	Y	0		PURGE
T_H_PHYDESC	EYE_COLOR	6	CHAR	3	Y	0		PURGE
T_H_PHYDESC	HAIR_COLOR	7	CHAR	3	Y	0		PURGE
T_H_PHYDESC	SKIN_TONE	8	CHAR	3	Y	0		PURGE
T_H_PHYDESC	BUILD	9	CHAR	3	Y	0		PURGE
T_H_PHYDESC	AS_OF_DATE	10	DATE	4	N	0		PURGE
T_H_PHYDESC	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_PHYDESC	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_PHYDESC	CREATION_DATE	13	DATE	4	N	0		PURGE
T_H_PHYDESC	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_PHYDESC	LAST_UPDATED_BY	15	CHAR	4	Y	0		PURGE
T_H_PHYDESC	LAST_UPDATE_DATE	16	DATE	4	Y	0		PURGE
T_H_PHYDESC	UPDATER	17	DECIMAL	7	Y	0		PURGE
T_H_POLRPTPERA		0					**Police Report Person Address**	
T_H_POLRPTPERA	POL_RPT_AGY_COD_FK	1	SMALLINT	2	N	1		PURGE
T_H_POLRPTPERA	POL_RPT_NBR_FK	2	CHAR	12	N	2		PURGE
T_H_POLRPTPERA	PER_ID_FK	3	CHAR	12	N	3		PURGE
T_H_POLRPTPERA	AGY_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_POLRPTPERA	AGY_ID_FK	5	CHAR	12	N	5		PURGE
T_H_POLRPTPERA	ADR_ID_FK	6	CHAR	12	N	6		PURGE
T_H_POLRPTPERA	START_DATE	7	DATE	4	N	7		PURGE
T_H_POLRPTPERA	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_PRBOFRASMT		0					**Probation Officer Assignment**	
T_H_PRBOFRASMT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PRBOFRASMT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PRBOFRASMT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PRBOFRASMT	PRB_OFR_SEQ_NBR_FK	4	DECIMAL	7	N	4		PURGE
T_H_PRBOFRASMT	FC_ASGN_ID	5	CHAR	2	N	5		PURGE
T_H_PRBOFRASMT	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_PRBOFRASMT	START_DATE	7	DATE	4	N	0		PURGE
T_H_PRBOFRASMT	END_DATE	8	DATE	4	Y	0		PURGE
T_H_PRBOFRASMT	PO_BRANCH	9	CHAR	4	Y	0		PURGE
T_H_PRBOFRASMT	PO_SECTION	10	CHAR	4	Y	0		PURGE
T_H_PRBOFRASMT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_PRBOFRASMT	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_PRBOFRASMT	CREATION_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_PRBOFRASMT	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_PRBOFRASMT	LAST_UPDATED_BY	15	CHAR	4	N	0		PURGE
T_H_PRBOFRASMT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0		PURGE
T_H_PRBOFRASMT	UPDATER	17	DECIMAL	7	N	0		PURGE
T_H_PRBOFRREF		0					**Probation Officer Referral**	
T_H_PRBOFRREF	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PRBOFRREF	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PRBOFRREF	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PRBOFRREF	STF_PER_NBR_FK	4	DECIMAL	7	N	4		PURGE
T_H_PRBOFRREF	FC_ASMT_ID	5	CHAR	2	N	5		PURGE
T_H_PRBOFRREF	CCT_CODE_FK	6	SMALLINT	2	N	6		PURGE
T_H_PRBOFRREF	FC_REF_NBR	7	CHAR	5	N	7		PURGE
T_H_PRBOFRREF	FC_REF_CNT	8	DECIMAL	2	N	8		PURGE
T_H_PRBOFRREF	AUDIT_SEQ_NBR	9	DECIMAL	12	Y	0		PURGE
T_H_PRBOFRREF	CREATED_BY	10	CHAR	4	N	0		PURGE
T_H_PRBOFRREF	CREATION_DATE	11	TIMESTMP	10	N	0		PURGE

T_H_PRBOFRREF	CREATOR	12	DECIMAL	7	N	0		PURGE
T_H_PRBOFRREF	LAST_UPDATED_BY	13	CHAR	4	N	0		PURGE
T_H_PRBOFRREF	LAST_UPDATE_DATE	14	TIMESTMP	10	N	0		PURGE
T_H_PRBOFRREF	UPDATER	15	DECIMAL	7	N	0		PURGE
T_H_PRSCSEASMT		**0**					**Prosecutor Case Assignment**	
T_H_PRSCSEASMT	JUV_ID_FK	1	CHAR	12	N	1		PURGE
T_H_PRSCSEASMT	AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_PRSCSEASMT	AGY_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PRSCSEASMT	CTY_CODE_FK	4	CHAR	1	N	4		PURGE
T_H_PRSCSEASMT	PRS_CSE_SEQ_NBR_FK	5	CHAR	13	N	5		PURGE
T_H_PRSCSEASMT	CNT_FK	6	DECIMAL	2	N	6		PURGE
T_H_PRSCSEASMT	CHG_TYP_CODE_FK	7	CHAR	1	N	7		PURGE
T_H_PRSCSEASMT	PRS_SEQ_NBR_FK	8	DECIMAL	7	N	8		PURGE
T_H_PRSCSEASMT	START_DATE	9	DATE	4	N	9		PURGE
T_H_PRSCSEASMT	END_DATE	10	DATE	4	Y	0		PURGE
T_H_PRSCSEASMT	AUDIT_SEQ_NBR	11	DECIMAL	12	Y	0		PURGE
T_H_PRSCSEASMT	CREATED_BY	12	CHAR	4	N	0		PURGE
T_H_PRSCSEASMT	CREATION_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_PRSCSEASMT	CREATOR	14	DECIMAL	7	N	0		PURGE
T_H_PRSCSEASMT	LAST_UPDATED_BY	15	CHAR	4	N	0		PURGE
T_H_PRSCSEASMT	LAST_UPDATE_DATE	16	TIMESTMP	10	N	0		PURGE
T_H_PRSCSEASMT	UPDATER	17	DECIMAL	7	N	0		PURGE
T_H_PRSCSEJUVALS		**0**					**Prosecutor Case Juvenile Alias**	
T_H_PRSCSEJUVALS	CTY_CODE_FK	1	CHAR	1	N	1		PURGE
T_H_PRSCSEJUVALS	PRS_CSE_SEQ_NBR	2	CHAR	13	N	2		PURGE
T_H_PRSCSEJUVALS	JUV_ID_FK	3	CHAR	12	N	3		PURGE
T_H_PRSCSEJUVALS	AGY_CODE_FK	4	SMALLINT	2	N	4		PURGE
T_H_PRSCSEJUVALS	AGY_ID_FK	5	CHAR	12	N	5		PURGE
T_H_PRSCSEJUVALS	SEQUENCE_NUMBER	6	CHAR	2	N	6		PURGE
T_H_PRSCSEJUVALS	AUDIT_SEQ_NBR	7	DECIMAL	12	Y	0		PURGE
T_H_PRSCSEJUVALS	CREATED_BY	8	CHAR	4	N	0		PURGE
T_H_PRSCSEJUVALS	CREATION_DATE	9	TIMESTMP	10	N	0		PURGE
T_H_PRSCSEJUVALS	CREATOR	10	DECIMAL	7	N	0		PURGE
T_H_PRSCSEJUVALS	LAST_UPDATED_BY	11	CHAR	4	N	0		PURGE
T_H_PRSCSEJUVALS	LAST_UPDATE_DATE	12	TIMESTMP	10	N	0		PURGE
T_H_PRSCSEJUVALS	UPDATER	13	DECIMAL	7	N	0		PURGE
T_H_REFREFGRP		**0**					**Referral by Referral Group**	
T_H_REFREFGRP	FC_REF_GRP_NBR_FK	1	CHAR	2	N	1		PURGE
T_H_REFREFGRP	FC_REF_JUV_ID_FK	2	CHAR	12	N	2		PURGE
T_H_REFREFGRP	AGY_CODE_FK	3	SMALLINT	2	N	3		PURGE
T_H_REFREFGRP	AGY_ID_FK	4	CHAR	12	N	4		PURGE
T_H_REFREFGRP	FC_REF_SEQ_NBR_FK	5	CHAR	5	N	5		PURGE
T_H_REFREFGRP	FC_REF_CNT_FK	6	DECIMAL	2	N	6		PURGE
T_H_REFREFGRP	CCT_CODE_FK	7	SMALLINT	2	N	7		PURGE
T_H_REFREFGRP	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_REFREFGRP	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_REFREFGRP	CREATION_DATE	10	TIMESTMP	10	N	0		PURGE
T_H_REFREFGRP	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_REFREFGRP	LAST_UPDATED_BY	12	CHAR	4	N	0		PURGE
T_H_REFREFGRP	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_REFREFGRP	UPDATER	14	DECIMAL	7	N	0		PURGE
T_H_TRANSMITTAL		**0**					**Transmittal**	
T_H_TRANSMITTAL	TO_AGY_CODE_FK	1	SMALLINT	2	N	1		PURGE
T_H_TRANSMITTAL	FR_AGY_CODE_FK	2	SMALLINT	2	N	2		PURGE
T_H_TRANSMITTAL	JUV_ID_FK	3	CHAR	12	N	3		PURGE
T_H_TRANSMITTAL	SRC_DOC_NBR	4	CHAR	12	N	4		PURGE
T_H_TRANSMITTAL	SRC_DOC_NBR_CNT	5	DECIMAL	2	N	5		PURGE
T_H_TRANSMITTAL	TRANS_TYPE	6	CHAR	1	N	6		PURGE
T_H_TRANSMITTAL	TRANS_DATE	7	DATE	4	N	0		PURGE
T_H_TRANSMITTAL	AUDIT_SEQ_NBR	8	DECIMAL	12	Y	0		PURGE
T_H_TRANSMITTAL	CREATED_BY	9	CHAR	4	N	0		PURGE
T_H_TRANSMITTAL	CREATION_DATE	10	TIMESTMP	10	N	0		PURGE
T_H_TRANSMITTAL	CREATOR	11	DECIMAL	7	N	0		PURGE
T_H_TRANSMITTAL	LAST_UPDATED_BY	12	CHAR	4	N	0		PURGE
T_H_TRANSMITTAL	LAST_UPDATE_DATE	13	TIMESTMP	10	N	0		PURGE
T_H_TRANSMITTAL	UPDATER	14	DECIMAL	7	N	0		PURGE